Future in Connection










List of technical terms / abbreviations.

HDR

"HDR" stands for "High Dynamic Range" and is a technology for expressing colours and contrasts more vividly.

How does the technology work with smartphones?

- → With an HDR image, at least three images are captured simultaneously.
- → Large differences in brightness in the picture are reproduced in great detail.



eARC

"eARC" is a function that was implemented in the HDMI[™] 2.1 standard. It stands for "Enhanced Audio Return Channel" and enables a significantly higher bandwidth for audio transmission via HDMI[™] cable. eARC makes it possible to transmit the original audio signal in full resolution via an HDMI[™] cable and reproduce the best sound without compromise.







Power Delivery (PD)

USB Power Delivery, or USB PD for short, is a standard for power transmission for USB-C products.

→ Enables faster charging with a wide range of devices

Aramid fibres

"Aramid fibres" are artificial fibres. They consist of individual filaments that are put together to form a thread.

Aramids are characterised by high thermal and chemical resistance, strength and elasticity as well as good flame resistance and dimensional stability.



Hz (refresh rate)

The refresh rate indicates how many images a monitor/TV displays per second. The unit for this is called Hertz (Hz).


A high refresh rate ensures smooth images.

AOC

"AOC" means "Active Optical Cable" - this can significantly improve the quality and consistency of audio and video transmission.

It is especially well suited to transmissions over longer distances since the data rate does not drop rapidly after just a few metres, as is normally the case with copper cables. Cable lengths of 100 metres and more are not a problem, even with high resolutions.

They can also be used in environments with a lot of electromagnetic interference.



MST

MST is a technology that allows multiple external monitors (with different graphic content) to be connected via a single USB-C port.



HEC

HEC is an HDMI Ethernet channel, i.e. a network connection in an HDMI™ cable

They enable the transmission of Internet data at high speeds with better bandwidth. If you use WLAN, you can use HDMI[™] Ethernet to get a better, faster and more stable connection.

Explanation of symbols

Item No.	Item number		Packaging unit	MB	Minimum order quantity				
New product	Item number	PT	Packaging type:	BC	Blister card	PO	Poly bag	HT	Hang tag
Size information: W x D x H (Width x Depth x Height)				BP	Box packaging	ST	Strap	HC	Hang card
				LA	Label	SL	Slipcase	HB	Hang box



THE FREE HAMA NEWSLETTER

Benefit from exclusive dealer information ← Sign up here: <u>www.hama.de/newsletter</u>

- ✓ New products
- ✓ Current top issues
- ✓ Exclusive offers
 ✓ Free of charge and without obligation


Contents

Computers		. 13
	Adapter & Hubs	13
	USB	37
	Network	53
	Multimedia video	63
	Multimedia audio	71
	Charger & Power Supply Units	75
	Tools & Power	85
	Routers / Land Line	89
Audio / Video	/ Aerial	97
	TV video	97
	Aerial/Sat	115
	Audio	.135
	Special Artikel	. 147



Future in Connection — The cable concept of the future.

- → With our newly developed Future in Connection range, we are focusing not only on quality and technology, but also on recyclable packaging. For the sake of our environment, we use FSC-certified paper for all our packaging.
- → It is structured on the basis of our existing, tried-and-tested range of highquality products with their own design. New products from on-trend topics, such as 8K or USB-C, have also been integrated to match.
- → Our range covers products for screens, sound, external communication (aerial / SAT, network), tooling, power & cleaning, as well as power supply units and adapters / hubs. On-trend topics such as 8K or USB-C are no longer being allocated strictly to one area of use, but rather are part of the audio/video/ aerial range, as well as in multimedia, since these worlds are becoming increasingly networked. The result is a portfolio of almost 600 articles that place the emphasis on the application that is also reflected in its own colour guidance system.



Adapter/Hubs.

Adapters & Hubs

External Communication.

Network|USB|Aerial/SAT | Telecom land line

Tooling & Power.

Tooling | Power

Screen.

Monitor|TV

Sound.

MM audio | TV audio









POWER CABLE NETZKABEL





The range structure.

- → The range has been divided up into three different product lines. Entry, Essential line and Prime line: these various product lines have different quality features and guarantee promises, allowing a clear distinction to be made between them.
- → The result: The perfect blend of top-sellers and professional articles on the sales wall. Consumers quickly and easily get the ideal solution for almost every problem relating to cables and adapters.
- → In the future, there will be no more distinction according to the star system. Instead, distinctions should be made based on "real" criteria. With the old star system, it was not immediately obvious to consumers why a 3-star product costs more than a 1-star product. "Real" criteria make a higher price immediately understandable for consumers.



8 **hama**

Example of HDMI.

Prime Line

- High-tech cable sheath reinforced → with aramid fibres
- Robust metal plug \rightarrow
- Maximum transmission quality →
- Optimised shielding \rightarrow





Ultra-high-speed HDMI™ cable, plug - plug, 8K, metal Ultra-HD cinema quality 7680x4320 (8K) pixels, high-tech cable sheath reinforced with aramid fibres, robust metal connector with optimum shielding, different packaging design **205239** € 39.99

2.0 m



- Extra-thin cable →
- \rightarrow Short plug design





205242 € 24.99



"Ultra-Slim" high-speed HDMI™ cable, 4K, plug - plug, Ethernet Ultra-HD cinema quality 4096x2160 (4K) pixels, ultra-slim design, ultra-thin and super-light, box packaging

2.0 m

205075 € 23.99



High-speed HDMI[™] cable, 4K, plug - plug, Ethernet Ultra-HD cinema quality 4096x2160 (4K) pixels, box packaging

205005 € 12.99 1.5 m

Entry

2.0 m

- → Price entry range
- **Reliable cables** \rightarrow





High-speed HDMI™ cable, plug - plug High-speed HDMI cable, maximum resolution: 1080p, strap

205000 € 7.99 1.5 m




Warranty 10

vears

Packaging structure.





- 1 Value/certificate
- 2 Sustainability
- 3 Article designation
- 4 Use
- 5 Item number
- 6 Optional button
- 7 Technology buttons
- 8 Signal direction
- 9 Optional image with feature explanation
- 10 Purchase
- confirmation
- 11 Technical information

More recycling – more sustainability.



After our packaging, our products are themselves becoming more sustainable. We are the first supplier to replace the normal PVC present in cables with 100% recycled PVC. This corresponds in total to around 50% of the total weight of the cable.

Our HMDI^M cables are just the start – gradually, we will be expanding the range with other cables featuring recycled PVC.







We also highlight this innovation on the packaging, so that customers can be made directly aware of this unique selling point.

Computers

Adapter & Hubs





Docking stations - smart all-rounders.

Notebooks and laptops bring a lot of flexibility to working life. Whether in the office, on the move or working from home - working from anywhere is now possible. However, this also means that all connected devices, such as the mouse, monitor or network connection, have to be set up again at each location. Docking stations provide a remedy:

→ Plug in and go

All devices are connected to the notebook/laptop with just one cable

- → The perfect setup For a healthy sitting position and everything exactly where you need it
- → Efficient working Fast data transfer and high resolutions allow you to work without compromise



The right connections for every setup





200139 | USB-C docking station "**Connect2Office Stand"**, notebook holder, 12 ports



200100 | USB-C docking station, "Connect2Office Pro", 10 ports



200133 | USB-C docking station, "Connect2Office Pro", 10 ports





200142 | "Connect2Media" USB Hub, Multi-port, 9 Ports, 2x HDMI™, USB-A, USB-C, LAN



200145 | "Connect2Office Basic" USB-C Docking Station, Detachable Feet, 9 Ports





200143 | "Connect2Mobile" USB-C Hub, Multi-port, LAN/Ethernet, 7 Ports



200110 | USB-C Hub, Multiport, 6 Ports, 2x USB-A, USB-C, HDMI™, SD, microSD



200107 | USB-C Hub, Multiport, 4 Ports, 2x USB-A, USB-C, HDMI™



200144 | USB-C Hub, Multiport, 6 Ports, 3x USB-A, USB-C, HDMI[™], LAN/Ethernet



200109 | USB-C Hub, Multiport, 5 Ports, 2x USB-A, USB-C, HDMI™, LAN/Ethernet



200117 | USB-C Hub, Multiport, 5 Ports, 3x USB-A, USB-C, HDMI™



Docking Stations



10 oort





"Connect2Office Stand" USB-C Docking Station, Notebook Stand, 12 Ports

Shade of colour	Anthracite
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 2
Number of Connections	12

- · Super speed Plus data transfer rates of up to 10 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- With MST (Multi-Stream Transport), you can connect three additional monitors to a notebook, for example, and use all four screens at the same time with different content
- Gigabit Ethernet data transfer at up to 1 Gbps
- · For perfect, high-resolution, HiFi stereo sound quality
- · High-quality and sturdy aluminium housing with a sophisticated finish
- · Large socket distance allows problemfree connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- · High-quality materials and workmanship guarantee excellent transmission quality
- The USB-C port is positioned in the

16

- centre of the docking station, so it works with all notebooks regardless of whether the USB-C socket is on the left or right
- · Angled configuration allows convenient position and comfortable working at the desk or on the move
- · Collapsible notebook stand for spacesaving working or transport
- · Rubberised feet for a secure stand without slipping
- Secure stand for laptops up to 15.6" (39.62 cm)
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol) Power supply via USB

Connections:

• 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer

12 HB

00200139



USB-C Docking Station, "Connect2Office Pro", 10 Ports



Shade of colour	Anthracite		
Connection	USB-C-plug		
USB Standard	USB-3.2 Gen 1		
Number of Connections	10		
 Super speed data transfer rates of up to 5 Gbps USB-C socket supports data transfer and charging function (USB-PD) For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels With MST (Multi-Stream Transport), you can connect three additional monitors to a notebook, for example, and use all four screens at the same time with different content Gigabit Ethernet data transfer at up to 1 Gbps High-quality and sturdy aluminium housing with a sophisticated finish Large socket distance allows problemfree connection even of wide plugs Flexible materials guarantee optimum kink protection and prevent cable breakage High-quality materials and workmanship quarantee excellent transmission 	 without slipping Plug & Play, no manual software / driver installation required Compatible with Thunderbolt 3/4 (lightning symbol) Power supply via USB Connections: 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer 1 x USB-C data: for e.g. external hard drive, USB stick, mouse, keyboard, printer 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack 2 x HDMI™: for connection to an e.g. monitor, TV or projector 1 x LAN/Ethernet: for e.g. cabled Internet / network connections 		

00200100 4 HB

hama

Januar 2025 Is

Qty PT

quality


at the desk or on the move

Angled configuration allows conveni-

· Rubberised feet for a secure stand

ent position and comfortable working

Docking Stations









"Connect2Office Basic V2" USB-C Docking Station, Feet, 9 Ports

Shade of colour	Anthracite
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1
Number of Connections	9

- · Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and rapid data transfe
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- With MST (Multi-Stream Transport), you can connect two additional monitors to a notebook, for example, and use all three screens at the same time with different content
- Gigabit Ethernet data transfer at up to 1 Gbps
- Convenient cable management thanks to handy holder for the connecting cable
- High-guality and sturdy aluminium housing with a sophisticated finish
- Great distance between sockets makes it easier to plug in wider USB plugs/ dongles
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission

quality

- Removable feet for space-saving operation or transport
 - · Rubberised feet for a secure stand without slipping
 - Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

Connections:

- 4 x USB-A: for e.g. external hard drive,
- USB stick, mouse, keyboard, printer • 1 x USB-C data: for e.g. external hard
- drive, USB stick, mouse, keyboard, printer
- 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
- 2 x HDMI[™]: for connection to an e.g. monitor, TV or projector

4 HB

- 1 x LAN/Ethernet: for e.g. cabled
- Internet / network connections

quality · Removable feet for space-saving

 Rubberised feet for a secure stand without slipping

"Connect2Office Basic" USB-C Docking Station, hama **Removable Feet, 9 Ports**

Shade of colour	Anthracite	
Connection	USB-C-plug	
USB Standard	USB-3.2 Gen 1	
Number of Connections	9	

- · Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- · For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Gigabit Ethernet data transfer at up to 1 Gbps
- SD and micro-SD card reader supports memory cards up to 2 TB
- High-quality and sturdy aluminium housing with a sophisticated finish
- · Great distance between sockets makes it easier to plug in wider USB plugs/ dongles
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- · High-quality materials and workmanship guarantee excellent transmission
- operation or transport

- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4
- (lightning symbol)
- Power supply via USB

Connections:

- 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C power: for e.g. PD charger,
- PD power supply unit, PD power pack • 1 x HDMI[™]: for connection to an e.g.
- monitor, TV or projector • 1 x LAN/Ethernet: for e.g. cabled
- Internet / network connections
- 1 x SD card reader: for e.g. SD, SDHC, SDXC memory cards
- 1 x microSD card reader: for e.g. microSD, microSDHC, microSDXC memory cards

00200103

17

00200145

Januar 2025 is

hama



9 port





USB-C Hub, hama "Connect2Mac", Multiport for Apple MacBook Air & Pro, 12 ports

Shade of colour	Silver, White	
Connection	USB-C-plug	
USB Standard	USB-3.2 Gen 1	
 Super speed data transfer rates of up to 5 Gbps USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels With MST (Multi-Stream Transport), you can connect two additional monitors to a notebook, for example, and use all three screens at the same time with different content Gigabit Ethernet data transfer at up to 1 Gbps SD and micro-SD card reader supports memory cards up to 2 TB For perfect, high-resolution, HiFi stereo sound quality High-quality and sturdy aluminium housing with a sophisticated finish Large socket distance allows problem-free connection even of wide plugs Flexible materials guarantee optimum kink protection and prevent cable breakage 	 quality Plug & Play, no manual software / driver installation required Compatible with Thunderbolt 3/4 (lightning symbol) Power supply via USB Connections: 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack 1 x VGA: for connection to an e.g. monitor, TV or projector 2 x HDMI™: for connection to an e.g. monitor, TV or projector 1 x LAN/Ethernet: for e.g. cabled Internet / network connections 1 x SD card reader: for e.g. SD, SDHC, SDXC memory cards 1 x microSD card reader: for e.g. microSD, microSDHC, microSDXC memory cards 	
nicakaye		

"CONNECT2Media" USB-C Hub, Multiport, 9 Ports, 2 x HDMI™, USB-A, USB-C, LAN



Shade of colour	Anthracite	
Connection	USB-C-plug	
USB Standard	USB-3.2 Gen 1	
Super speed data transfer rates of up to 5 Gbps	Power supply via USB	
 USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels 	Connections: • 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer • 1 x USB-C data: for e.g. external hard drive, USB stick, mouse, keyboard, printer	
 With MST (Multi-Stream Transport), you can connect two additional moni- tors to a notebook, for example, and use all three screens at the same time 	 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack 2 x HDMI™: for connection to an e.g. monitor, TV or projector 	

- monitor, TV or projector • 1 x LAN/Ethernet: for e.g. cabled
- Gigabit Ethernet data transfer at up to 1 Gbps

with different content

- · High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problemfree connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)

- Internet / network connections

	00200142
HB	

• High-quality materials and workman-

18

ship guarantee excellent transmission

Qty PT

00200133

6 HB



"Connect2Mobile V2" USB-C Hub, Multiport, 7 hama Ports

USB-C Hub, Multiport, 5 na C, HDMI™, LAN/Etherne

	Shade of colour	Anthracite
	Connection	USB-C-plug
	USB Standard	USB-3.2 Gen 1
hard drive, d, printer ernal hard yboard, D charger, yower pack to an e.g. tabled tons s 11/10/8/7 m over port USB Thunder- to over upport e (DP Alt USB4.	 Super speed data transfer rates of up to 5 Gbps USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels Gigabit Ethernet data transfer at up to 1 Gbps Convenient cable management thanks to handy holder for the connecting cable High-quality and sturdy aluminium housing with a sophisticated finish Large socket distance allows problemfree connection even of wide plugs Flexible materials guarantee optimum kink protection and prevent cable breakage High-quality materials and workmanship guarantee excellent transmission quality Plug & Play, no manual software / driver installation required 	 Connections: 2 x USB-A: for e.g. external hard drive USB stick, mouse, keyboard, printer 1 x USB-C data & power: for e.g. external hard drive, USB stick, mouse, keyboard, printer or PD charger, PD power supply unit, PD power pack 1 x HDMI™: for connection to an e.g. monitor, TV or projector 1 x LAN/Ethernet: for e.g. cabled Internet / network connections Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunder- bolt 3/4. To use the monitor function over HDMI™, the device must support DisplayPort Alternate Mode (DP Alt Mode), Thunderbolt 3/4 or USB4.

Compatible with Thunderbolt 3/4 (lightning symbol)

· Power supply via USB

Ports,	2 x	USB-A,	USB-	5	2N
et					

Anthracite	Shade of colour	Anthracite
USB-C-plug	Connection	USB-C-plug
USB-3.2 Gen 1	USB Standard	USB-3.2 Gen 1
 Connections: 3 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer 1 x USB-C data: for e.g. external hard drive, USB stick, mouse, keyboard, printer 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack 1 x HDMI™: for connection to an e.g. monitor, TV or projector 1 x LAN/Ethernet: for e.g. cabled Internet / network connections Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunderbolt 3/4. To use the monitor function over HDMI™, the device must support DisplayPort Alternate Mode (DP Alt Mode), Thunderbolt 3/4 or USB4. 	 Super speed data transfer rates of up to 5 Gbps USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels Gigabit Ethernet data transfer at up to 1 Gbps Convenient cable management thanks to handy holder for the connecting cable High-quality and sturdy aluminium housing with a sophisticated finish Large socket distance allows problemfree connection even of wide plugs Flexible materials guarantee optimum kink protection and prevent cable breakage High-quality materials and workmanship guarantee excellent transmission quality Plug & Play, no manual software / 	Connections: 2 x USB-A: for e.g. external harc USB stick, mouse, keyboard, prii 1 x USB-C data & power: for e.g external hard drive, USB stick, n keyboard, printer or PD charger, power supply unit, PD power pa 1 x HDMI™ for connection to a monitor, TV or projector 1 x LAN/Ethernet: for e.g. cablee Internet / network connections Operating system: Windows 11/ and Mac OS 10.8 upwards To use the charging function ow USB-C, the device must support Power Delivery (USB PD) or Thur bolt 3/4. To use the monitor function ove HDMI™, the device must suppoi DisplayPort Alternate Mode (DP Mode), Thunderbolt 3/4 or USB-

00200143

breakage • High-quality materials and workmanship guarantee excellent transmission quality

- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- · Power supply via USB

Shade of colour

Connection

USB Standard

to 5 Gbps

transfer

pixels

to 1 Gbps

and at the desk

· Super speed data transfer rates of up

• USB-C socket supports USB Power

Delivery (USB PD) and rapid data

• For perfect, high-resolution ultra-HD

cinema quality with 4096x2160 (4K)

Gigabit Ethernet data transfer at up

· Secure stand for tablets and smart-

High-quality and sturdy aluminium

housing with a sophisticated finish

free connection even of wide plugs

kink protection and prevent cable

· Large socket distance allows problem-

Flexible materials guarantee optimum

phones up to a size of 7" (17.78 cm)

- for comfortable working on the move

ports

Qty PT

6 HB

Januar 2025 Is



00200109

6 HB

hama





USB-C Hub, Multiport, 6 Ports, 2 x USB-A, USB-C HDMUM SD microSD	hama
C, HDMI™, SD, microSD	nama

Shade of colour	Anthracite
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1
 Super speed data transfer rates of up to 5 Gbps USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels SD and micro-SD card reader supports memory cards up to 2 TB Convenient cable management thanks to handy holder for the connecting cable High-quality and sturdy aluminium housing with a sophisticated finish Large socket distance allows problemfree connection even of wide plugs Flexible materials guarantee optimum kink protection and prevent cable breakage High-quality materials and workmanship guarantee excellent transmission quality Plug & Play, no manual software / driver installation required Compatible with Thunderbolt 3/4 (lightning symbol) 	Connections: 2 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer 1 x USB-C data & power: for e.g. external hard drive, USB stick, mouse, keyboard, printer or PD charger, PD power supply unit, PD power pack 1 x HDMI™: for connection to an e.g. monitor, TV or projector 1 x SD card reader: for e.g. SD, SDHC, SDXC memory cards 1 x microSD card reader: for e.g. microSD, microSDHC, microSDXC memory cards 0 Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunder- bolt 3/4. To use the monitor function over HDMI™, the device must support DisplayPort Alternate Mode (DP Alt Mode), Thunderbolt 3/4 or USB4.
Power supply via USB	00200110
	6 HB

USB-C Hub, Multiport, 4 Ports, 2 x USB-A, USB-C, HDMI™

Connection USB Standard Super speed data transfer rates of up	USB-C-plug USB-3.2 Gen 1
	USB-3.2 Gen 1
Super speed data transfer rates of up	
to 5 Gbps USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels High-quality and sturdy aluminium housing with a sophisticated finish Large socket distance allows problem- free connection even of wide plugs Flexible materials guarantee optimum kink protection and prevent cable breakage High-quality materials and workman- ship guarantee excellent transmission quality Plug & Play, no manual software / driver installation required Compatible with Thunderbolt 3/4 (lightning symbol) Power supply via USB	keyboard, printer or PD charger, PD power supply unit, PD power pack • 1 x HDMI™: for connection to an e.g. monitor, TV or projector Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunder- bolt 3/4. To use the monitor function over HDMI™, the device must support DisplayPort Alternate Mode (DP Alt Mode), Thunderbolt 3/4 or USB4.

00200107

6 HB

USB stick, mouse, keyboard, printer • 1 x USB-C data & power: for e.g. external hard drive, USB stick, mouse,

hama Januar 2025 IS

20

Qty PT





ADAPTERS AND HUBS

9

USB-C hub, 4 ports, 2x USB-A, 2x USB-C, USB 3.2 Gen1, 5 Gbit/s

Shade of colour	Anthracite
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1
 Super speed data transfer rates of up to 5 Gbps USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer High-quality and sturdy aluminium housing with a sophisticated finish Large socket distance allows problemfree connection even of wide plugs Flexible materials guarantee optimum kink protection and prevent cable breakage High-quality materials and workmanship guarantee excellent transmission quality Plug & Play, no manual software / driver installation required Compatible with Thunderbolt 3/4 (lightning symbol) Power supply via USB 	power supply unit, PD power pack Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunder- bolt 3/4.
Connections: • 2 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer • 1 x USB-C: for e.g. external hard drive, USB stick, mouse, keyboard, printer • 1 x USB-C data & power: for e.g.	
external hard drive, USB stick, mouse,	00200136

)8 keyboard, printer or PD charger, PD

		00200136
6	HB	

hama

Shade of colour	Anthracite
Connection USB Standard	USB-C-plug USB-3.2 Gen 1
 Super speed data transfer rates of up to 5 Gbps USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer Gigabit Ethernet data transfer at up to 1 Gbps High-quality and sturdy aluminium housing with a sophisticated finish Large socket distance allows problemfree connection even of wide plugs Flexible materials guarantee optimum kink protection and prevent cable breakage High-quality materials and workmanship guarantee excellent transmission quality Plug & Play, no manual software / driver installation required Compatible with Thunderbolt 3/4 (lightning symbol) Power supply via USB 	 power supply unit, PD power pack 1 x LAN/Ethernet: for e.g. cabled Internet / network connections Operating system: Windows 11/10/8. and Mac OS 10.8 upwards To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunder- bolt 3/4.
Connections: • 2 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer • 1 x USB-C data & power: for e.g. external hard drive, USB stick, mouse, keyboard, printer or PD charger, PD	00200108 6 НВ

Januar 2025 Is




USB-C hub, multi-port, 6 ports, 3x USB-A, USB-C, HDMI™, LAN/Ethernet



Shade of colour	Black
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1
 Super speed data transfer rates of up to 5 Gbps USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels Gigabit Ethernet data transfer at up to 1 Gbps Plug & Play, no manual software / driver installation required Compatible with Thunderbolt 3/4 (lightning symbol) Power supply via USB Connections: 3 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack 1 x HDMI™: for connection to an e.g. monitor, TV or projector 1 x LAN/Ethernet: for e.g. cabled Internet / network connections Plastic housing produced in a resource-saving way from 50% PCR recycled material 	Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunderbolt 3/4. To use the monitor function over HDMI TM , the device must support DisplayPort Alternate Mode (DP Alt Mode), Thunderbolt 3/4 or USB4.

The "green" multi-port adapter

High-quality technology in a sustainable housing - this is what our recycling miracle with 6 connections stands for. The plastic housing is made of 50 % recycled PCR material, thus protecting the environment right from the production stage. Inside, the adapter impresses with a new circuit board and enables lightning-fast data transfer as well as high-resolution Ultra HD cinema quality.



Cables & Adapters | USB Devices



USB-C hub, multi-port, 5 ports, 3x USB-A, USB-C, HDMI™

Just of ConditionJust and the second of the se	Shade of colour	Black	is limited • High-quality and sturdy alumin
USB Standard USB 2.0, USB-3.2 Gen 1 High-speed data transfer of up to 480 Mbps bolt 3/4. To use the monitor function over HDMI™, the device must support DisplayPort Alternate Mode (DP Alt Mode), Thunderbolt 3/4 or USB4. Flexible materials guarantee ov kink protection and prevent ca breakage • Fight-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels bolt 3/4. To use the monitor function over HDMI™, the device must support DisplayPort Alternate Mode (DP Alt Mode), Thunderbolt 3/4 or USB4. • Plug & Play: no manual software / driver installation required • Compatible with Thunderbolt 3/4 (lightning symbol) • Power supply via USB • Operating system: Windows 11 and Mac OS 10.8 upwards • To use the charging function over USB-C, the device must support USB • Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards • Onthe compatible OD200117			housing with a sophisticated fi
 High-speed data transfer of up to 480 Mbps USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels Plug & Play, no manual software / driver installation required Compatible with Thunderbolt 3/4 (lightning symbol) Power supply via USB Connections: 3 x USB-A: for e.g. external hard drive, USB Stick, mouse, keyboard, printer 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack 1 x HDMI™: for connection to an e.g. monitor, TV or projector Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C power Supply USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must			
 High-speed data transfer of up to 480 Mbps USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels Plug & Play, no manual software / driver installation required Compatible with Thunderbolt 3/4 (lightning symbol) Power supply via USB Connections: 3 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack 1 x HDMI™: for connection to an e.g. monitor, TV or projector Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the charging function over USB-C, the device must support USB To use the Charging function over USB-C bower: USB-D or thwards To use the Charging function over USB-C bower: USB-D or thwards To use the Charging function over USB-C, the device must support USB To use the Charging function over USB-C, the device must support USB To use the Charging function over USB-C, the device must support USB To use the Charging function over USB-C, the device must support USB To use the Charging function over USB-C, the device must support USB To use the Charging function over USB-C the device must support USB To use the Charging function over USB-C the device must support USB To use the Charging function over USB-C the	USB Standard	USB 2.0, USB-3.2 Gen 1	
 3 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack 1 x HDMI™: for connection to an e.g. monitor, TV or projector Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards To use the charging function over USB-C, the device must support USB Dower Delivery (USP RD) or Thunder 	 Mbps USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels Plug & Play, no manual software / driver installation required Compatible with Thunderbolt 3/4 (lightning symbol) 	To use the monitor function over HDMI™, the device must support DisplayPort Alternate Mode (DP Alt	 kink protection and prevent cal breakage High-quality materials and wor ship guarantee excellent transr quality Plug & Play: no manual softwa driver installation required Compatible with Thunderbolt 3 (lightning symbol) Power supply via USB Operating system: Windows 11
USB-C, the device must support USB 00200117 Anthracite 0020	 3 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack 1 x HDMI™: for connection to an e.g. monitor, TV or projector Operating system: Windows 11/10/8/7 		
	USB-C, the device must support USB		



hama

USB Hub

USB Hub, 4 Ports, USB 3.2 Gen 1, 5 Gbit/s, Ultra-Slim, incl. USB-C Adapter

Productline	Prime Line
Connection	USB-C-plug, USB-Typ- A-Plug
Connection Cable	Integrated
USB Standard	USB-3.2 Gen 1
Model	Bus Powered

- Super speed data transfer rates of up to 5 Gbps
- Slimline housing is especially ideal for mobile and flat devices or when space
- inium finish
- problemplugs
- optimum able
- orkmansmission
- are /
- 3/4
- 11/10/8/7



hama

USB-C Hub, 4 Ports, USB 3.2 Gen 2, 10 Gbit/s, alu

Productline	Essential Line
Connection	USB-C-plug
Connection Cable	Integrated
USB Standard	USB-3.2 Gen 2
Model	Bus Powered

- Super speed Plus data transfer rates of up to 10 Gbps
- High-quality and sturdy aluminium housing with a sophisticated finish
- · Large socket distance allows problemfree connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- USB 3.2 Gen 2 is 2 x faster than USB 3.2 Gen 1 and 20 x faster than USB 2.0
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- · Power supply via USB

hama

 Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

00200117 Anthracite 00200141 Anthracite 00200105 6 HB 12 HB 6 HB											
6 HB 12 HB 6 HB			00200117	Anthracite			00200141	Anthracite			00200105
	6	HB			12	HB			6	HB	

Januar 2025 is

USB Devices





hama

USB Hub, 4 Ports, USB 3.2 Gen 1, 5 Gbit/s, incl. USB-C Adapter

Productline	Essential Line
Connection	USB-C-plug, USB-Typ- A-Plug
Connection Cable	Integrated
USB Standard	USB-3.2 Gen 1
Model	Bus Powered

- Super speed data transfer rates of up to 5 Gbps
- With an additional USB-C adapter, the hub can also be used for devices with a USB-C interface
- USB 3.2 Gen 1 speed is up to 10x faster than USB 2.0
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards





hama

USB Hub, 7 Ports, USB 3.2 Gen 1, 5 Gbit/s, incl. USB-C Adapter and PSU

Productline	Essential Line
Connection	USB-C-plug, USB-Typ- A-Plug
Connection Cable	Integrated
USB Standard	USB-3.2 Gen 1
Model	With Power Supply

- Super speed data transfer rates of up to 5 Gbps
- Additional power supply unit for a stable, device-neutral supply of power to connected USB devices
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problemfree connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- USB-C power supply unit can alternatively also be used to charge tablets and smartphones
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power is supplied via USB and the power supply unit
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

6 HB

00200137





hama

USB Hub, 4 Ports, USB 3.2 Gen 1, 5 Gbit/s, incl. USB-C Adapter and PSU

Productline	Essential Line
Connection	USB-C-plug, USB-Typ- A-Plug
Connection Cable	Integrated
USB Standard	USB-3.2 Gen 1
Model	With Power Supply

- Super speed data transfer rates of up to 5 Gbps
- Additional power supply unit for a stable, device-neutral supply of power to connected USB devices
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problemfree connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- USB-C power supply unit can alternatively also be used to charge tablets and smartphones
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4
 (lightning symbol)
- Power is supplied via USB and the power supply unit
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

40 HB

00200138

Anthracite



hama

USB Hub, 4 Ports, USB 3.0, 5 Gbit/s, Fast Charging, incl. Cable and PSU

Productline	Essential Line
Connection	USB-Typ-A-Plug
Connection Cable	Removeable
USB Standard	USB 3.0
Model	With Power Supply

- Super speed data transfer rates of up to 5 Gbps
- Additional power supply unit for a stable, device-neutral supply of power to connected USB devices
- Detachable USB cable for connection to a PC / notebook
- Integrated circuit recognizes the connected device automatically, making it possible to charge nearly all smartphones and tablets
- LED function indicator gives information about the device status
- Large socket distance allows problemfree connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Supports the quick charging standard USB Battery Charging 1.2 and thus allows a smartphone / tablet to be charged at up to 1.5 Amperes
- USB-3.0 speed is up to 10x faster than USB 2.0
- Plug & Play, no manual software / driver installation required
- Power is supplied via USB and the power supply unit
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

6 HB

00200115

6	HB	

24

hama Januar 2025 15

USB Devices







hama

USB Hub "4 Ports, USB 2.0, 480 Mbit/s"

Productline	Essential Line
Connection	USB-Typ-A-Plug
Connection Cable	Integrated
USB Standard	USB 2.0
Model	Bus Powered

- High-speed data transfer of up to 480 Mbps
- Topside socket allows you to plug USB devices in on the top for added simplicity and convenience
- Large socket distance allows problemfree connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

hama

USB Hub, 4 Ports, USB 2.0, 480 Mbit/s, On/Off Switch

Productline	Essential Line
Connection	USB-Typ-A-Plug
Connection Cable	Integrated
USB Standard	USB 2.0
Model	Bus Powered

- High-speed data transfer of up to 480 Mbps
- On/Off switch allows energy-saving use of the devices
 Topside socket allows you to plug
- USB devices in on the top for added simplicity and convenience
- LED function indicator gives information about the device status
- Large socket distance allows problemfree connection over of wide plugs
- free connection even of wide plugs • Flexible materials guarantee optimum kink protection and prevent cable
- High-quality materials and workman-
- ship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

hama

USB Hub, 4 Ports, USB 2.0, 480 Mbit/s

Productline	Entry Line
Connection	USB-Typ-A-Plug
Connection Cable	Integrated
USB Standard	USB 2.0
Model	Bus Powered

- High-speed data transfer of up to 480 Mbps
- Plug & Play, no manual software /
- driver installation required
- Power supply via USB
 Operating system: Window
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

hama

USB Hub, 7 Ports, USB 2.0, 480 Mbit/s, incl. Cable and Power Supply Unit

Productline	Entry Line
Connection	USB-Typ-A-Plug
Connection Cable	Removeable
USB Standard	USB 2.0
Model	With Power Supply

- High-speed data transfer of up to 480 Mbps
- Additional power supply unit for a stable, device-neutral supply of power to connected USB devices
- Detachable USB cable for connection to a PC / notebook
- Plug & Play, no manual software / driver installation required
- Power is supplied via USB and the power supply unit
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Black			00200119	
White			00200120	Bla
	6	HB		

6 HB

00200118

00200121

6 HB

00200123

6 HB

hama

USB Devices | Switches | Cardreader



hama

USB Hub, 4 Ports, USB 2.0, 480 Mbit/s, incl. Cable and Power Supply Unit

Productline	Entry Line
Connection	USB-Typ-A-Plug
Connection Cable	Removeable
USB Standard	USB 2.0
Model	With Power Supply

- High-speed data transfer of up to 480
 Mbps
- Additional power supply unit for a stable, device-neutral supply of power to connected USB devices
- Detachable USB cable for connection to a PC / notebook
- Plug & Play, no manual software / driver installation required
- Power is supplied via USB and the power supply unit
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards







hama

"Connect2Switch" KVM Switch, incl. Cable, 4 Ports

Productline Essential Line

- High-speed data transfer of up to 480
 Mbps
- HDMI™ cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- High-quality and sturdy metal housing with a stylish appearance
- Large socket distance allows problemfree connection even of wide plugs
 Flexible materials guarantee optimum
- kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- No more reconnecting devices between two PCs/notebooks. Quick and simple switchover at the press of a button
- Handy set: the cables needed for immediate operation are already included in the extent of delivery
- Plug & Play, no manual software / driver installation required
- Power supply via USB

Switchable connections:

- 3 x USB-A: for e.g. USB stick, mouse, keyboard, printer, headset
- 1 x HDMITM: for connection to an e.g. monitor, TV or projector Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

5 HB

00200135

hama

USB Card Reader, USB-C, USB 3.0, SD/microSD, alu

Productline	Prime Line
Connection	USB-C-plug
Data Transfer Rate	Up to 5 Gbit/s
USB Standard	USB 3.0
- Cupor croad data	transfer rates of un

- Super speed data transfer rates of up to 5 Gbps
- SD and micro-SD card reader supports memory cards up to 2 TB
- Easy and quick connection thanks to the USB-C plug that can be used on both sides
- High-quality and sturdy aluminium housing with a sophisticated finish
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Card reader for reading and writing inserted memory cards
- Suitable for all common SD card formats such as SD/SDHC/SDXC and microSD/microSDHC/microSDXC
- Suitable and tested for USB 3.2 Gen 1, but also works with USB 3.0 and USB 2.0 devices
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

90 HB

00200131



hama

"All in One" USB Card Reader, USB-A, USB 3.0

Productline	Essential Line
Connection	USB-Typ-A-Plug
Data Transfer Rate	Up to 5 Gbit/s
USB Standard	USB 3.0

- Super speed data transfer rates of up to 5 Gbps
- Detachable USB cable for connection to a PC / notebook
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Allows fast data transfer between the card and the PC when used with a UDMA capable CF card
- Allows fast data transfer between the card and the PC when used with a UHS-I capable SD card
- Card reader for reading and writing inserted memory cards
- Suitable and tested for USB 3.0, backwards compatible with USB 2.0
- Plug & Play, no manual software / driver installation required
- Power supply via USB

Memory Cards:

- SD/SDHC/SDXC
- MicroSD/microSDHC/microSDXC
- MMC/MMC Plus/MMC 4.0
 MS/MS Duo/MS PRO Duo/MS PRO-HG
- CompactFlash I & II
- xD picture card

Black

• Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

6 HB

00200128

lack 00200122

hama

Januar 2025 is

Silve

Cardreader | USB Devices







hama

USB card reader, USB 2.0, SD / microSD, 24 units in display

Productline	Action
Connection	USB-Typ-A-Plug
Data Transfer Rate	Up to 480 Mbit/s
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- SD and micro-SD card reader supports memory cards up to 2 TB
- · Card reader for reading and writing inserted memory cards
- · Rubberised surface ensures better grip and comfort
- Suitable and tested for USB 2.0, backwards compatible with USB 1.1

Memory Cards:

- SD/SDHC/SDXC
- MicroSD/microSDHC/microSDXC
- Operating system: Windows 11/10/8/7 and Mac OS 10.x



Combo USB Hub/Card Reader

hama

"All in One" USB Card Reader, USB-A, USB 2.0

Productline	Essential Line
Connection	USB-Typ-A-Plug
Data Transfer Rate	Up to 480 Mbit/s
USB Standard	USB 2.0

 High-speed data transfer of up to 480 Mbps

· LED function indicator gives information about the device status

 Detachable USB cable for connection to a PC / notebook

• Flexible materials guarantee optimum kink protection and prevent cable breakage

- High-quality materials and workmanship guarantee excellent transmission quality
- · Card reader for reading and writing inserted memory cards

· Allows the exchange of data directly from memory card to memory card

 Plug & Play, no manual software / driver installation required

· Power supply via USB

Memory Cards:

- SD/SDHC/SDXC
- MicroSD/microSDHC/microSDXC
- MMC/MMC Plus/MMC 4.0 MS/MS Duo/MS PRO Duo/MS PRO
- Duo HG CompactFlash I & II
- xD picture card
- Operating system: Windows 11/10/8/7 and Mac OS 10.x

devices thanks to the combination of USB-A plug and micro-USB plug • Plug & Play, no manual software / driver installation required

· Universal use for static and mobile

- Power supply via USB
- Operating system: Windows 11/10/8/7 and MAC OS 10 x
- Host/OTG-enabled smartphones and tablets with Android operating system from Android 4.0 and micro-USB interface

hama

USB Hub/Card Reader, 5 Ports, 3x USB-A, SD, microSD, incl. USB-C Adapter

Productline	Essential Line
Number of USB Ports	3
 Super speed data to 5 Gbps SD and micro-SD comemory cards up to 100 to 100	ard reader supports to 2 TB ows you to plug
USB devices in on t	the top for added

- USB devices in on the top for simplicity and convenience
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problemfree connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- · High-quality materials and workmanship guarantee excellent transmission quality
- · Card reader for reading and writing inserted memory cards
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- · Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

00200132 Black, Silver 00200129 00200130 60 HB 12 HB 24 SC

Qty PT

hama

6 HB

Anthracite, Blac

Januar 2025 is

00200140



USB Card Reader, OTG, USB-A + Micro-USB, USB 2.0, SD/ microSD


hama


Mbps

quality

Productline	Essential Line
Connection	USB Micro B Plug, USB-Typ-A-Plug
Data Transfer Rate	Up to 480 Mbit/s
USB Standard	USB 2.0

• High-speed data transfer of up to 480





HDMI™ Socket Adapter

ADAPTERS AND HUBS









hama

HDMI[™] Adapter, Micro-HD-MI[™] Plug - HDMI[™] Socket, Ultra-HD 4K

Productline	Essential Line
Shade of colour	Black
Connection	HDMI™ Socket, Micro HDMI™ Plug
Max. Resolution	4k (4096 x 2160)
Model	Compact Adapter

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI[™] for reduced cabling
- High-quality materials and workmanship guarantee excellent transmission quality
- Ideal for gaming monitors with high screen refresh rate (Hz)

hama

HDMI[™] Adapter, Socket -Socket 8K

Productline	Essential Line
Connection	HDMI™ Socket
Max. Resolution	8k
Model	Compact Adapter

• For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels

- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- eARC supports the most advanced audio formats without additional audio cables
- Supports network connections via HDMI[™] for reduced cabling
- High-quality materials and workmanship guarantee excellent transmission quality
- Ideal for gaming monitors with high screen refresh rate (Hz)

00200356

10 HB



Video Adapter, USB-C Plug - HDMI™ Socket, Ultra-HD 8K@60 Hz, alu

Productline Prime Line

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- High-quality and sturdy aluminium housing with a sophisticated finish
- Gold-plated plug with low contact resistance for secure signal transmission
 Flexible materials guarantee optimum
- kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Ideal for gaming monitors with high screen refresh rate (Hz)
- Compatible with Thunderbolt 3/4 (lightning symbol) USB-C connection with DisplayPort

Alternate Mode (DP Alt Mode), Thunderbolt 3/4 or USB-4 support.

00200303

12 HB

216 HB

10 HB

00200348

HDMI™ Adapter, Mini-HD-MI™ Plug - HDMI™ Socket, Ultra-HD 4K

Productline	Essential Line
Shade of colour	Black
Connection	HDMI™ Socket, Mini HDMI™ Plug
Max. Resolution	4k (4096 x 2160)
Model	Compact Adapter

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharp-ness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI[™] for reduced cabling
- High-quality materials and workmanship guarantee excellent transmission quality
- Ideal for gaming monitors with high screen refresh rate (Hz)

Qty PT

USB Monitor Adapter









hama

6 in1 Adapter, "Connect2Go", USB-C, Mini-DisplayPort, HDMI™, VGA

Productline	Prime Line
Shade of colour	Grey
 For perfect, high-resolution ultra-HD cinema guality with 4096x2160 (4K) 	

- cinema quality with 4096x2160 (4K) pixels • 6-in-1 adapter can be used in a variety
- of ways: individually or also in an inter-connected combination
- High-quality and sturdy aluminium housing with a sophisticated finish
 Cold plated plug with law contact t
- Gold-plated plug with low contact resistance for secure signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Mini-DisplayPort: supports audio / video transmission in Ultra-HD 4K @ 60 Hz resolution
- HDMI™: supports audio / video transmission in Ultra-HD 4K @ 60 Hz resolution
- VGA: supports video transmission in Full-HD 1080p @ 60 Hz resolution
- Compatible with Thunderbolt (lightning symbol)

Combinations:

1: USB-C plug - Mini-DisplayPort socket

- socket 2: USB-C plug - HDMI™ socket
- 3: USB-C plug VGA socket 4: Mini-DisplayPort plug - HDMI™
- socket
- 5: Mini-DisplayPort plug VGA socket 6: HDMI™ plug - VGA socket
- USB-C connection with DisplayPort Alternate Mode (DP Alt Mode), Thunderbolt 3/4 or USB-4 support.

12 HB

00200306

B

hama

Ultra-HD 4K
Productline

Shade of colour

pixels

is limited

breakage

quality

contents

Video Adapter, 2in1, USB-C

Plug - VGA & HDMI[™] Socket,

• For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K)

• Slimline plug is especially ideal for

mobile and flat devices or when space

· Flexible materials guarantee optimum

• High-quality materials and workman-

• VGA & HDMI[™]: for the simultaneous

• HDMI[™]: supports audio/video transfer

• VGA: supports video transfer in Full-

USB-C connection with DisplayPort

Alternate Mode (DP Alt Mode), Thun-

• Compatible with Thunderbolt 3/4

derbolt 3/4 or USB-4 support.

use of two monitors with identical

in Ultra-HD 4K resolution

HD 1080p resolution

(lightning symbol)

ship guarantee excellent transmission

kink protection and prevent cable

Essential Line

Black



hama

Video adapter, USB-C plug -HDMI™ socket, Ultra-HD 4K

Productline	Essential Line
Shade of colour	Black
 For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels 	
Climbra alva is seas sielly ideal fea	

- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission guality
- Compatible with Thunderbolt 3/4
 (lightning symbol)

USB-C connection with DisplayPort Alternate Mode (DP Alt Mode), Thunderbolt 3/4 or USB-4 support.

hama

Video adapter, USB-C plug -VGA socket, Full-HD 1080p

Productline	Essential Line
Shade of colour	Black
• For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)	

- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Compatible with Thunderbolt 3/4 (lightning symbol) USB-C connection with DisplayPort

Alternate Mode (DP Alt Mode), Thunderbolt 3/4 or USB-4 support.

	002003
HB	

12 HB



hama

Januar 2025 is



Wireless Display Adapter, HDMI™, Full HD 1080p, incl. Cable



Internet / network connections

Productline	Essential Line
Shade of colour	Black
Туре	HDMI™-DVI

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Gigabit Ethernet data transfer at up to 1 Gbps

• Plug & Play, no manual software / driver installation required

- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB


Connections:

- 3 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
- 1 x HDMI™: for connection to an e.g. monitor, TV or projector
- 1 x LAN/Ethernet: for e.g. cabled

			00200358
	16	HB	

Small device, big technology

The compact device can be used to easily connect a laptop, smartphone or tablet to a projector or TV, for example, to transmit images and sound wirelessly.







hama

Video Adapter, USB-C Plug -DisplayPort Socket, Ultra-HD 4K

Productline	Essential Line
Shade of colour	Black

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Compatible with Thunderbolt 3/4 (lightning symbol)

USB-C connection with DisplayPort Alternate Mode (DP Alt Mode), Thunderbolt 3/4 or USB-4 support.



hama

Video adapter

Video Adapter, DisplayPort Plug - HDMI™ Socket, Ultra-HD 4K@60 Hz, alu

Productline	Prime Line		
Shade of colour	Black		
Туре	DisplayPort		

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality and sturdy aluminium housing with a sophisticated finish
- Gold-plated plug with low contact resistance for secure signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage

12 HB

00200329



hama

Video Adapter, 2 in 1, DisplayPort Plug - VGA & HDMI™ Socket, Ultra-HD 4K

Productline	Essential Line	
Shade of colour	Black	
Туре	DisplayPort	

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage

		0020033
6	HB	



hama

Video Adapter, Mini Display-Port Plug - HDMI™ Socket, Ultra-HD 4K

Productline	Essential Line	
Shade of colour	Black	
Туре	DisplayPort	

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage

		00200332
12	HB	



hama

Video Adapter, DisplayPort Plug - HDMI™ Socket, Ultra-HD 4K

Productline		Essential Line
Shade of colour		Black
	Туре	DisplayPort

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage

00200335



hama

Video Adapter, DisplayPort Plug - VGA Socket, Full-HD 1080p

Productline	Essential Line	
Shade of colour	Black	
Туре	DisplayPort	

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage

6 HB

12 HB

			00200330
	10	HB	

hama

Productline Shade of colour

Type

pixels

is limited

breakage

Video Adapter, 2in1, Mini

DisplayPort Plug - VGA &

HDMI[™] Socket,Ultra-HD 4K

• For perfect, high-resolution ultra-HD

cinema quality with 4096x2160 (4K)

mobile and flat devices or when space

• Flexible materials guarantee optimum

Qty PT

kink protection and prevent cable

• Slimline plug is especially ideal for

Essential Line

Black DisplayPort



12 HB



00200337

ADAPTERS AND HUBS

hama

Video Adapter, DisplayPort Plug - DVI Socket, Ultra-HD 4K

Productline	Essential Line	
Shade of colour	Black	
Туре	DisplayPort	

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage

6 HB



hama

Video Adapter, Mini DisplayPort Plug - DisplayPort Socket, Ultra-HD 4K

Productline	Essential Line		
Shade of colour	Black		
Туре	DisplayPort		

- · For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- · Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage

00200331 12 HB



hama

Video Adapter, VGA Plug -DVI Socket, Full-HD 1080p

Productline	Essential Line
Shade of colour	Black
Туре	DVI

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- · High-quality materials and workmanship guarantee excellent transmission quality

10 HB

00200341

• DVI-I dual link (24 + 5 pins)



hama

Video Adapter, HDMI[™] Plug -DVI Socket, Ultra-HD 4K

Productline	Essential Line
Shade of colour	Black
Туре	HDMI™-DVI

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality materials and workmanship guarantee excellent transmission quality

10 HB

00200339

• DVI-I Dual Link (24+5 pins)



hama

Video Adapter, HDMI[™] Plug - VGA Socket, Audio Socket, Full-HD 1080p

Productline	Essential Line
Shade of colour	Black
Туре	HDMI™-VGA-/Klinke

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- · Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage

			00200343
	90	HB	



00200336

hama

Video Adapter, DVI Plug -VGA Socket, Full-HD 1080p

Productline	Essential Line
Shade of colour	Black
Туре	DVI
 For high-resolutior to 1920 x 1080 pix High-quality mater ship guarantee exc quality DVI-I single link (18 	els (1080p) rials and workman- cellent transmission

10 HB

00200340



hama

Video Adapter, DVI Plug -HDMI[™] Socket, Ultra-HD 4K

Productline	Essential Line
Shade of colour	Black
Туре	HDMI™-DVI

- · For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality materials and workmanship quarantee excellent transmission quality

10 HB

00200338

• DVI-D Dual Link (24 + 1 pins)



hama

Video Adapter, VGA+USB Plug - HDMI[™] Socket, Full HD 1080p

Productline	Essential Line
Shade of colour	Black
Туре	VGA-HDMI™

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- · High-quality materials and workmanship guarantee excellent transmission quality
- The inserted USB plug is required for the adapter's power supply

60 HB

~~		
32	hama	Januar 2025 is

Cables & Adapters | USB Devices



hama

Video Adapter, HDMI™ Plug -VGA Socket, Full HD 1080p

Productline	Essential Line
Shade of colour	Black
Туре	VGA-HDMI™

• For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)

 High-quality materials and workmanship guarantee excellent transmission quality

		00200344
10	HB	



hama

USB Sound Card

Audio Adapter, USB-C Plug -3.5 mm Jack Socket, Equaliser, Microphone

Productline	Prime Line
Shade of colour	Black

- For perfect, high-resolution, HiFi stereo sound quality
- High-quality materials and workmanship guarantee excellent transmission quality
- Outstanding sound quality thanks to high-quality digital/analogue converter (DAC)
- Three equaliser settings ensure the perfect sound for every style of music and in any environment

		00200302
12	HB	



hama

Audio Adapter, 2 in 1, USB-C Plug - 3.5 mm Jack / USB-C Socket, Audio + Cha

Productline	Essential Line		
Shade of colour	Black		

- For perfect, high-resolution, HiFi stereo sound quality
- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- Slimline plug is especially ideal for mobile and flat devices or when space is limited

			00200319
	12	HB	



hama

Audio Adapter, USB-C Plug -3.5 mm Jack Socket, Stereo

Productline	Essential Line
Shade of colour	Black

- For perfect, high-resolution, HiFi stereo sound quality
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

		00200318
108	HB	



hama

USB Sound Card, USB Plug - 2 x 3.5 mm Jack Socket, Stereo

Productline	Essential Line
Shade of colour	Black
USB Standard	USB 2.0

- Outstanding sound quality thanks to high-quality digital/analogue converter (DAC)
- Reverse polarity protection for the connections thanks to colour coding
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

12 HB



hama

Audio Adapter, 2 in 1, USB-C Plug - 2 x USB-C Socket, Audio + Charging

	Productline	Essential Line
	Shade of colour	Black
7	charging via a USB unit • Slimline plug is esp	ty orts USB Power and therefore allows -C power supply







RCA Adapter

ADAPTERS AND HUBS

R

hama

Audio Adapter, 3.5 mm Jack Plug - RCA Socket, Stereo

Productline

For perfect, high-resolution, HiFi stereo sound quality

Essential Line

- Slimline plug is especially ideal for mobile and flat devices or when space
- is limited • Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black		00200350	
	12	HB	



hama

Jack Plug Adapter

Audio Adapter, 2 x 3-pin 3.5 mm Jack Plug - 4-pin 3.5 mm Jack Headset

Productline	Essential Line
Connection	3.5 mm Jack Plug, 3.5 mm Jack Socket

- For perfect, high-resolution, HiFi stereo sound quality
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black

hama

Jack Headset

Productline

Connection

is limited

breakage

quality

Black

Audio Adapter, 4-pin 3.5 mm

Jack Plug - 2 x 3-pin 3.5 mm

• For perfect, high-resolution, HiFi stereo sound quality

• Slimline plug is especially ideal for mobile and flat devices or when space

• Flexible materials guarantee optimum

• High-quality materials and workman-

ship guarantee excellent transmission

12 HB

kink protection and prevent cable

Essential Line 3.5 mm Jack Plug, 3.5

mm Jack Socket

00200352

,			00200351
	108	HB	



hama

Audio Splitter, 3.5 mm Jack Plug - 2 x 3.5 mm Jack Socket, Stereo

Productline	Essential Line
Connection	3.5 mm Jack Plug, 3.5 mm Jack Socket

- For perfect, high-resolution, HiFi stereo sound quality
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black			00200349
	108	HB	

USB Adapter



hama

USB-OTG Adapter, USB-C Plug – USB Socket, USB 3.2 Gen 1, 5 Gbit/s, alu

Productline	Prime Line
Quality	Prime
Connection	USB Type A female/ female, USB-C-plug
USB Standard	USB-3.2 Gen 1
Max. Data Transfer Rate	5000 Mbit/s

- Super speed data transfer rates of up to 5 Gbps
- High-quality and sturdy aluminium housing with a sophisticated finish
- Gold-plated plug with low contact resistance for secure signal transmission

ey			00200300
	108	HB	



hama

Gr

USB Adapter, USB-A Plug -USB-C Socket, USB 3.2 Gen2, 10 Gbit/s

Productline	Essential Line
Quality	Essential
Connection	USB-C-Connector, USB-Typ-A-Plug
USB Standard	USB-3.2 Gen 2
Max. Data Transfer Rate	10000 Mbit/s

- Super speed Plus data transfer rates of up to 10 Gbps
- High-quality materials and workmanship guarantee excellent transmission quality

Black

		00200357
216	HB	

Network Adapter



hama

USB-OTG Adapter, USB-C Plug - USB Socket, USB 3.2 Gen 1, 5 Gbit/s

Productline	Essential Line		
Quality	Essential		
Connection	USB Type A female/ female, USB-C-plug		
USB Standard	USB-3.2 Gen 1		
Max. Data Transfer Rate	5000 Mbit/s		

• Super speed data transfer rates of up to 5 Gbps

 High-quality materials and workmanship guarantee excellent transmission quality

Black			00200312	
		12	HB	



hama

USB OTG Adapter, USB-C Plug - Micro-USB Socket, USB 2.0, 480 Mbit/s

Essential Line		
Essential		
Micro USB coupling/ socket, USB-C-plug		
USB 2.0		
480 Mbit/s		

- High-speed data transfer of up to 480 Mbps
- High-quality materials and workmanship guarantee excellent transmission quality

Bl

lack			00200310
	10	HB	



hama

USB OTG Adapter, USB-C Plug - USB Socket, USB 3.2 Gen 1, 5 Gbit/s

Productline	Essential Line
Quality	Essential
Connection	USB Type A female/ female, USB-C-plug
USB Standard	USB-3.2 Gen 1
Max. Data Transfer Rate	5000 Mbit/s

- Super speed data transfer rates of up to 5 Gbps
- High-quality materials and workmanship guarantee excellent transmission quality

Black			00200311
	10	HB	



hama

USB-OTG Adapter, Micro-USB Plug - USB Socket, USB 2.0, 480 Mbit/s

Productline	Essential Line
Quality	Essential
Connection	Micro-USB-Plug, USB Type A female/female
USB Standard	USB 2.0
Max. Data Transfer Rate	480 Mbit/s

- High-speed data transfer of up to 480 Mbps
- Slimline plug is especially ideal for mobile and flat devices or when space is limited

Black

00200308
12 HB

Qty PT



hama

USB OTG Adapter, Micro-USB Plug - USB Socket, USB 2.0, 480 Mbit/s

Productline	Essential Line		
Quality	Essential		
Connection	Micro-USB-Plug, USB Type A female/female		
USB Standard	USB 2.0		
Max. Data Transfer Rate	480 Mbit/s		

- High-speed data transfer of up to 480 Mbps
- High-quality materials and workmanship guarantee excellent transmission quality

Black	00200307			
		10	HB	



hama

Network Adapter, CAT-5e, 1 Gbit/s

Productline	Essential Line
Shade of colour	Silver
Model	CAT 5e

- Gigabit Ethernet data transfer at up to 1 Gbps
- High-quality materials and workmanship guarantee excellent transmission quality
- Suitable and tested for Gigabit Ethernet (10/100/1000 Mbit/s)
- · Ideal for the new high-speed Internet

00200326			
НВ	HB	10	



hama

Network Adapter, CAT-6, 1 Gbit/s

Productline	Essential Line
Shade of colour	Silver
Model	CAT 6

- Gigabit Ethernet data transfer at up to 1 Gbps
- High-quality and sturdy metal housing with a stylish appearance
- High-quality materials and workmanship guarantee excellent transmission quality
- Suitable and tested for Gigabit Ethernet (10/100/1000 Mbit/s)
- Ideal for the new high-speed Internet

USB Network Adapter



hama

Network Adapter, USB-C Plug - LAN/Ethernet Socket, Gigabit Ethernet

Productline	Essential Line
Shade of colour	Black
USB Standard	USB 3.1 Gen 1
Network Speed	10/100/1000 Mbps
Power Supply	USB Connection

- Gigabit Ethernet data transfer at up to 1 Gbps
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

60 HB

00200322



hama

Network Adapter, USB Plug - LAN/Ethernet Socket, Fast Ethernet

Essential Line
Black
USB 2.0
10/100 Mbps
USB Connection

- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage

		00200324
6	HB	



hama

Network Adapter, USB Plug -LAN/Ethernet Socket, Gigabit Ethernet

Productline	Essential Line
Shade of colour	Black
USB Standard	USB 3.0
Network Speed	10/100/1000 Mbps
Power Supply	USB Connection

- Gigabit Ethernet data transfer at up to 1 Gbps
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage

60 HB

Computers USB






USB.




Why are some USB ports colour-coded?

The colour of the USB plug indicates which USB version it is.



Note, however, that the colour codes are not always uniform, as their use is left to the manufacturers.

The universal interface is now found almost everywhere - whether to connect devices or to supply power. Different speeds are used:



USB-A USB Type B USB Mini USB Micro USB Type C

USB 3.0



Highlight.

USB Type A

200799 | USB-C Cable, E-Marker, USB4 Gen4, 80 Gbit/s, 5 A, 240 W, 1.00 m

- → Ultra-speed data transfers at up to 80 Gbit/s bidirectional and up to 120 Gbit/s via "bandwidth boost"
- → Intelligent communication thanks to E-markers: supports USB-C Power Delivery (PD) 3.1 Extended Power Range (EPR) standard charging at up to 240 Watts
- → For perfect, high-resolution, Ultra-HD cinema-quality 7680 x 4320 (8K) pixels
- → Double shielding for good reduction of electromagnetic interference
- → Slimline plug is especially ideal for mobile and flat devices or when space is limited
- → Optimised kink protection thanks to flexible materials prevents cable breakage

USB standards for data transfer and power supply

Original designation	New designation	Current designation	Data rate	Speed class	Plug (host side)
USB 1.1	-	-	1.5 MBit/s 12 MBit/s	Low Speed Full Speed	Туре А Туре А
USB 2.0	-	-	480 MBit/s	Hi Speed	Type A + C
USB 3.0	USB 3.1 Gen 1	USB 3.2 Gen 1	5 GBit/s	Super Speed	Type A + C
USB 3.1	USB 3.1 Gen 2	USB 3.2 Gen 2	10 GBit/s	Super Speed +	Type A + C
USB 3.2	-	USB 3.2 Gen 2 x 2	20 GBit/s	-	Type C
	USB 3.2 Gen 2 x 2	USB 4 Gen 2 x 2	20 GBit/s	-	Type C
USB 4	-	USB 4 Gen 3 x 2	40 GBit/s	-	Туре С
USB 4	USB 4 / V 2.0	USB 4 Gen 4 x 2	80 GBit/s	-	Type C

Thunderbolt™ Cable



hama

JSB

"USB-C" Thunderbolt-4 Cable, 40 Gbit/s, 5A, 100W, Ultra-HD 8K, 0.80 m

Productline	Essential Line	
Shade of colour	Black	
Connection	USB-C-plug	
Max. Data Transfer Rate	40 Gbit/s	
Thunderbolt™- Standard	Thunderbolt™ 4	

- Super speed Plus data transfer rates of up to 40 Gbps
- Connected devices are automatically recognized and optimally charged
- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- This fully equipped Thunderbolt cable can also be used as a USB-C monitor cable
- Suitable and tested for Thunderbolt-4, compatible with Thunderbolt-3, USB4, USB 3.2 (Gen2 and Gen1) as well as USB 2.0
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

90 HB



"USB-C" Thunderbolt-5 Cable, 80 Gbit/s, 5A, 240W, Ultra-HD 8K, 1.00 m

Productline	Essential Line	
Shade of colour	Black	
Connection	USB-C-plug	
Max. Data Transfer Rate	80 Gbit/s	
Thunderbolt™- Standard	Thunderbolt™ 5	

- Ultra-speed data transfers at up to 80 Gbit/s bidirectional and up to 120 Gbit/s via "bandwidth boost"
- Intelligent communication thanks to E-markers: supports USB-C Power Delivery (PD) 3.1 Extended Power Range (EPR) standard charging at up to 240 Watts
- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission guality
- Bidirectional data transmission up to 80 Gbit/s, up to 120 Gbit/s via "Bandwidth Boost" with reduction of the downstream speed to 40 Gbit/s
 This Thunderbolt cable supports a high resolution and refresh rate and
- can also be used as a USB-C monitor cable • Tested and certified for Thunderbolt
- 5, compatible with Thunderbolt 3/4, USB4, USB 3.2 (Gen2 and Gen1) as well as USB 2.0

90 HB

00200796

USB4 Gen4, 80 Gbit/s



ISB-C Cable E-Mar

USB-C Cable, E-Marker, USB4 Gen4, 80 Gbit/s, 5 A, 240 W, 1.00 m

Productline	Essential Line		
Connection	USB-C-plug		
USB Standard	USB4		

- Ultra-speed data transfers at up to 80 Gbit/s bidirectional and up to 120 Gbit/s via "bandwidth boost"
- Intelligent communication thanks to E-markers: supports USB-C Power Delivery (PD) 3.1 Extended Power Range (EPR) standard charging at up to 240 Watts
- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Bidirectional data transmission up to 80 Gbit/s, up to 120 Gbit/s via "Bandwidth Boost" with reduction of the downstream speed to 40 Gbit/s
- This USB cable supports a high resolution and refresh rate and can also be used as a USB-C monitor cable
- Tested and certified for USB4, compatible with Thunderbolt 3/4/5, USB 3.2 (Gen2 and Gen1) and USB 2.0
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

00200799

 Internal wires made from copper for rapid data transfer and the best supply of power

6 HB

USB4 Gen3, 40 Gbit/s



hama

USB-C Cable, E-Marker, USB4 Gen3, 40 Gbit/s, 5 A, 240 W, 1.00 m

Productline	Essential Line		
Connection	USB-C-plug		
USB Standard	USB4		

- Super speed Plus data transfer rates of up to 40 Gbps
- Connected devices are automatically recognized and optimally charged
- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Supports USB-C Power Delivery (PD) 3.1 Extended Power Range (EPR) Standard with up to 240 W
- This fully equipped USB4 cable can also be used as a USB-C monitor cable
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising
- If used as a monitor cable: USB-C Connection with USB4, DisplayPort Alternate Mode or Thunderbolt-3/4 Support.

90 HB

00200779

40	hama	2025 IS	
----	------	---------	--

1 m

USB4 Gen2, 20 Gbit/s









hama

USB-C Cable, E-Marker, USB4 Gen2, 20 Gbit/s, 5 A, 240 W, 2.00 m

Productline	Essential Line		
Connection	USB-C-plug		
USB Standard	USB4		

- Super-Speed-Plus data transfers at up to 20 Gbit/s
- Connected devices are automatically recognized and optimally charged
- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Supports USB-C Power Delivery (PD) 3.1 Extended Power Range (EPR) Standard with up to 240 W
- This fully equipped USB4 cable can also be used as a USB-C monitor cable
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising
 If used as a monitor cable: USB-C
 Connection with USB4, DisplayPort
- Alternate Mode or Thunderbolt-3/4 Support.

60 HB

00200788

hama USB-C Cable, USB-A Plug –

USB-C Plug, USB 3.2 Gen 2, 10 Gbit/s, 1.00 m

Productline	Essential Line		
Connection	USB-C-plug, USB-Typ- A-Plug		
USB Standard	USB-3.2 Gen 2		

- Super speed Plus data transfer rates of up to 10 Gbps
 Davida chied data for good reduction of
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material
- minimise interferenceInternal wires made from copper for rapid data transfer and the best
- supply of power
 Ideal for charging, transferring data and synchronising

hama

USB Cable "Full-Featured, USB 3.2 Gen2, C-Plug, E-Marker, 10 Gbit/s", Black

Productline	Essential Line	
Connection	USB-C-plug	
USB Standard USB-3.2 Gen 2		
Super speed Plus of	data transfer rates of	

- Super speed Plus data transfer fates of up to 10 Gbps
- Connected devices are automatically recognized and optimally charged
 For perfect, high-resolution ultra-HD
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- This fully equipped, full-featured cable can also be used as a USB-C monitor cable
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

6 HB

60 HB

1 m

2 m

If used as a monitor cable: USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

00200656

00200787

hama

USB Cable "USB 3.2 Gen1, C-Plug - Micro-USB-Plug, 5 Gbit/s", Black

Productline	Essential Line	
Connection	Micro-USB-Plug, USB-C-plug	
USB Standard	USB-3.2 Gen 1	

- Super speed data transfer rates of up to 5 Gbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply

Ľ	0.25 m			00200654
		6	HB	
	0.75 m			00200655
		6	HB	

6 HB

00200657







hama

USB Cable "USB 3.2 Gen1, C-Plug - A-Plug, 5 Gbit/s", Black

Productline	Essential Line		
Connection	USB-C-plug, USB-Typ- A-Plug		
USB Standard	USB-3.2 Gen 1		

- Super speed data transfer rates of up to 5 Gbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

0.25 m			00200650
	90	HB	
0.75 m			00200651
	90	HB	
1.5 m			00200652
	60	HB	
3 m			00200653
	40	HB	

hama

"Full-Featured" USB-C Extension Cable, USB 3.2 Gen1, 5 Gbit/s, 0.50 m

Productline	Essential Line
Connection	USB-C-Connector, USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- This fully featured extension supports both USB Power Delivery (USB PD) and DisplayPort Alternate Mode (DP AltMode)
- Extension with intelligent chipset for maximum functionality and compatibility
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging as well as transferring and synchronising data

6 HB

0.5 m

hama

USB Cable "Full-Featured, USB 3.2 Gen1, C-Jack, E-Marker, 5 Gbit/s", Black

Productline	Essential Line
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1
• Super speed data t	ransfor rates of up

- Super speed data transfer rates of up to 5 Gbps
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Connected devices are automatically recognized and optimally charged
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- This fully equipped, full-featured cable can also be used as a USB-C monitor cable
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

If used as a monitor cable: USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

hama

USB Cable

Cor

"USB-3.0-A-Plug - USB-3.0-Micro-B-Plug", Black Productline Essential Line

nnection	Micro-USB-Plug, USB- Typ-A-Plug
B Standard	USB 3.0

- Super speed data transfer rates of up to 5 Gbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

								_
5 m			00200648	0.75 m			00200626	
	90	HB			90	HB		
m			00200649	1.5 m			00200627	l
m	60	HB	00200649	1.5 m	60	НВ	00200627	

0.75

1.5

00200782

USB 3.0, 5 Gbit/s

USB 2.0, 480 Mbit "Flexi Slim"







hama

USB Extension Cable, USB 3.0, 5 Gbit/s, 1.50 m

Productline	Essential Line
Connection	USB Type A female/ female, USB-Typ- A-Plug
USB Standard	USB 3.0

- Super speed data transfer rates of up to 5 Gbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

hama

USB A-A Cable, USB 3.0, 5 Gbit/s, 1.50 m

Productline	Essential Line
Connection	USB-Typ-A-Plug
USB Standard	USB 3.0

- Super speed data transfer rates of up to 5 Gbps
- Double shielding for good reduction of electromagnetic interference
 Clavible materials guarantee entimum
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

hama

USB Cable, USB 3.0, 5 Gbit/s, 1.50 m

Productline	Essential Line
Connection	USB-Typ-A-Plug, USB- Typ-B-Plug
USB Standard	USB 3.0

- Super speed data transfer rates of up to 5 Gbps
 Double chiedling for good reduction of
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

hama

USB Adapter "Flexi-Slim, USB-C-Plug -USB-A-Plug, OTG, USB 2.0"

Productline	Essential Line
Quality	Essential
Connection	USB Type A female/ female, USB-C-plug
USB Standard	USB 2.0
Max. Data Transfer Rate	480 Mbit/s

- High-speed data transfer of up to 480
 Mbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Supports USB-OTB (USB On The Go)

 1.5 m
 00200628
 1.5 m
 00200624
 1.5 m
 00200625

 a
 60
 HB
 A
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 B
 <td

2025 IS hama







hama

"Flexi-Slim" Micro-USB-OTG Cable, USB 2.0, 480 Mbit/s, 0.15 m

Productline	Essential Line
Quality	Essential
Connection	Micro-USB-Plug, USB Type A female/female
USB Standard	USB 2.0
Max. Data Transfer	480 Mbit/s

• High-speed data transfer of up to 480 Mbps

- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- No bothersome trying out: the plug can be inserted without having to be turned
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Also known as a "Reversible Micro-USB"
- Supports USB-OTG (USB On The Go)

12 BK

hama

USB Cable "Flexi-Slim, USB-C-Plug - USB-A-Plug, USB 2.0", Turtle Green

Productline	Essential Line
Connection	USB-C-plug, USB-Typ- A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
 Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

hama

USB Cable "Flexi-Slim, USB-C-Plug -USB-A-Plug, USB 2.0", Black

Productline	Essential Line
Connection	USB-C-plug, USB-Typ- A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480
 Mbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Gold-plated plug with low contact resistance for secure signal transmission
 Slimline plug is especially ideal for
- Slimithe plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

12 BK

hama

USB 2.0, 480 Mbit

USB Cable for iPhone/iPad with Lightning Connector, USB 2.0, Metal, 0.75 m

Productline	Prime Line		
Connection	Lightning connector, USB-Typ-A-Plug		
USB Standard	USB 2.0		
High-speed data transfer of up to 480			

- High-speed data transfer of up to 480
 Mbps
- High-quality and sturdy aluminium housing with a sophisticated finish
- Elegant metal sheathing for increased stability and longer life
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising
- Suitable and tested for "Made for iPhone/iPad/iPod"

6 HB

00200501

44 **hama** 2025 15

00200613

0.75 m

0.75 n

00200637

12 BK

0.75 m



USB-C Cable, USB 2.0, 480 Mbit/s, Metal, 0.75 m

Productline	Prime Line
Connection	USB-C-plug, USB-Typ- A-Plug
USB Standard	USB 2.0

High-speed data transfer of up to 480
 Mbps

• High-quality and sturdy aluminium housing with a sophisticated finish

- Elegant metal sheathing for increased stability and longer life
- Gold-plated plug with low contact resistance for secure signal transmission
 Double shielding for good reduction of
- electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage

 High-quality materials and workmanship guarantee excellent transmission quality

• Twisted data pairs with an outer sheath made from robust PVC material minimise interference

- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

hama

USB Cable "USB-2.0, A-Plug - Micro-USB-Plug, 480 Mbit/s", Black

Productline	Essential Line		
Connection	Micro-USB-Plug, USB- Typ-A-Plug		
USB Standard	USB 2.0		

- High-speed data transfer of up to 480
 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

90 HB

90 HB

60 HB

0.75 m

1.5 m

3 m

hama

Micro-USB Cable, 2 in 1, incl. Adapter to USB-C, USB 2.0, 0.75 m

Productline	Essential Line
Connection	Micro-USB-Plug, USB-C-plug, USB-Typ- A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480
 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising
- 2 in 1: micro-USB plug + USB-C adapter

hama

"Flexi-Slim" Micro-USB Cable, USB 2.0, 480 Mbit/s, 0.75 m

Productline	Essential Line
Connection	Micro-USB-Plug, USB- Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480
 Mbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- No bothersome trying out: the plug can be inserted without having to be turned
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

12 BK

 Also known as a "Reversible Micro-USB"

0.75 m	00200502			
		6	HB	

00200607

00200608

00200609

00200616

6 HB









hama

USB-C Cable, USB-C Plug – Micro-USB Plug, USB 2.0, 480 Mbit/s, 0.75 m

Productline	Essential Line
Connection	Micro-USB-Plug, USB-C-plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
 Ideal for charging, transferring data
- and synchronising

hama

USB-Serial Cable, 9-Pin D-Sub (RS232), 1.50 m

Productline	Essential Line
Connection	Sub-D-Plug, 9-Pin, USB-Typ-A-Plug
USB Standard	USB 2.0

- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference Operating system: Windows 11/10/8/7

and Mac OS 10.8 upwards

hama

USB Cable "USB-2.0, A-Plug-A-Coupling, 480 Mbit/s, Extension", Black

Productline	Essential Line
Connection	USB Type A female/ female, USB-Typ- A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power



hama

USB Cable "USB-2.0-A-Plug - USB-Mini-B-Plug", Black

USB Mini B Plug, USB- Typ-A-Plug		
USB 2.0		
USB Standard USB 2.0 High-speed data transfer of up to 480 Mbps Double shielding for good reduction of electromagnetic interference Flexible materials guarantee optimum kink protection and prevent cable breakage High-quality materials and workmanship guarantee excellent transmission quality Twisted data pairs with an outer sheath made from robust PVC material minimise interference Internal wires made from copper		

- for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

0.75 m			00200618	
	6	HB		
1.5 m			00200619	
	90	HB		
3 m			00200620	0.75 m
	6	HB		
5 m			00200621	1.5 m
	40	HB		

0.75 m			00200605
	6	HB	
1.5 m			00200606
	6	HB	

90 HB

00200644

1.5 m

0.75 m

00200622

60 HB







hama

USB Cable "USB-2.0, A-Plug - C-Plug, 480 Mbit/s", Black

Productline	Essential Line
Connection	USB-C-plug, USB-Typ- A-Plug
USB Standard	USB 2.0

High-speed data transfer of up to 480
 Mbps

- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply ideal for elementing transferring data
- Ideal for charging, transferring data and synchronising

0.75 m			00200631
	90	HB	
1.5 m			00200632
	6	HB	
3 m			00200633
	6	HB	

hama

3-in-1 Micro-USB Cable with Adapter to USB-C & Lightning, USB 2.0, 0.75 m

Productline	Essential Line
Connection	Lightning connector, USB-C-plug, USB-Typ- A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480
 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission
- quality
 Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best
- supply of powerIdeal for charging, transferring data and synchronising
- Suitable and tested for "Made for iPhone/iPad/iPod"
- 3in1: micro-USB plug + USB-C adapter
 + Lightning adapter

0.75 n

hama

USB-C Cable, USB-C Plug – USB-A Plug, 90°, USB 2.0, 480 Mbit/s, 0.75m

Productline	Essential Line
Connection	USB-C-plug, USB-Typ- A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480
 Mbps
- Space-saving 90° plug for connections in a minimum of space
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
 Ideal for charging, transferring data

002

6 HB

and synchronising

hama

USB Cable "USB-2.0, A-Plug - B-Plug, 480 Mbit/s", Black

Productline	Essential Line				
Connection	USB-Typ-A-Plug, USB- Typ-B-Plug				
USB Standard USB 2.0					
- High speed data transfer of up to 190					

- High-speed data transfer of up to 480
 Mbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

	1.5 m			00200602
		90	HB	
	3 m			00200603
		60	HB	
00646	5 m			00200604
		40	HB	
00646	5 m	40		00200604

6 HB

00200617

0.75 m

2025 IS hama







hama

JSB

USB A-A Cable, USB 2.0, 480 Mbit/s, 1.50 m

Productline	Essential Line
Connection	USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

hama

USB cable for iPhone/iPad with Lightning connector, USB 2.0, 1.50 m

Productline	Essential Line					
Connection	Lightning connector, USB-Typ-A-Plug					
USB Standard	USB 2.0					
High-speed data transfer of up to 480						

- Mbps
- · Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- · High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising
- · Suitable and tested for "Made for iPhone/iPad/iPod"

hama

USB-C Cable, USB-C Plug -USB-B Plug, USB 2.0, 480 Mbit/s, 1.50 m

Productline	Essential Line				
Connection	USB-C-plug, USB-Typ- B-Plug				
USB Standard	USB 2.0				
• High-speed data transfer of up to 480					

- Mbps
- · Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply

hama


USB Cable "USB-2.0, C-Plug - C-Plug, 480 Mbit/s", Black

Productline	Essential Line				
Connection	USB-C-plug				
USB Standard	USB 2.0				
 electromagnetic in Slimline plug is esp mobile and flat devised is limited Flexible materials of kink protection and breakage High-quality materiship guarantee exo quality Twisted data pairs sheath made from 	or good reduction of terference becially ideal for vices or when space guarantee optimum d prevent cable tials and workman- tellent transmission with an outer robust PVC material				
 minimise interferer Internal wires mad for rapid data tran 	e from copper				

- supply of power
- · Ideal for charging, transferring data and synchronising

										0.75 m			00200629
											6	HB	
										1.5 m			00200630
											6	HB	
1.5 m	00200601	1.5 m			00200623	1.5 m			00200642	3 m			00200786
90 HB			6	HB			90	HB			6	HB	
50 115			0	IID			50	IID			0	IID	

JSB



 0.75 m
 00200643
 1.5 m
 00200645
 0.9 m
 0200904
 3 m

 6
 HB
 6
 HB
 6
 HB
 10
 A









hama

USB Cable "USB-2.0, USB-A-Plug - USB-B-Plug", Grey

Entry Line
USB-Typ-A-Plug, USB- Typ-B-Plug
USB 2.0

- High-speed data transfer of up to 480 Mbps
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

hama		

USB Cable, USB 2.0, Goldplated, 1.50 m

Productline	Entry Line
Connection	USB-Typ-A-Plug, USB- Typ-B-Plug
USB Standard	USB 2.0

High-speed data transfer of up to 480
 Mbps

- Gold-plated plug with low contact resistance for secure signal transmission
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

hama

USB-C Cable, USB-C Plug – USB-A Plug, USB 2.0, 0.90 m

Productline	Entry Line
Connection	USB-C-plug, USB-Typ- A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
 Twisted data pairs with an outer
- sheath made from robust PVC material minimise interference
- For charging, transferring data and synchronising

hama

USB-C Cable, USB 2.0, Gold-Plated, Fabric, 1.50 m, 24 Pcs

Productline	Action
Connection	USB-C-plug, USB-Typ- A-Plug
USB Standard	USB 2.0
 Additional shieldir tion of electromag Twisted data pairs 	e fabric jacket for otection vith low contact re- signal transmission og for good reduc- netic interference with an outer robust PVC material nce

00201002

24 SC

1.5 m			00200900	
	25	BA		
3 m			00200901	
	10	BA		
5 m			00200902	1.5 m
	10	BA		

50 **hama**

Qty PT

0.9 m

00200907

25 BA

1.5 m

00200903

25 BA

2025 is

hama


USB Cable, USB 2.0, Goldplated, Fabric, 1.50 m

Productline	Action
Connection	USB-Typ-A-Plug, USB- Typ-B-Plug
USB Standard	USB 2.0
 Additional shieldin tion of electromag Twisted data pairs 	le fabric jacket for otection vith low contact re- signal transmission ng for good reduc- netic interference with an outer robust PVC material

1.5 m 00201001

Computers

Network



Network.

Whenever a signal comes from outside, it must first travel through an antenna or network cable to its intended receiver. Depending on the application, different requirements apply, which Future in Connection covers with a variety of cables.

Network cables Here, the transfer rate counts

	Frequency	Transfer rate
CAT 8/G	2,000 MHz	40 Gbit/s
CAT 6A/EA	500 MHz	10 Gbit/s
CAT 6	250 MHz	1Gbit/s
CAT 5E	100 MHz	1 Gbit/s



Difference between the various network cables

(US) category	(EU) class	Bandwidth	Applications	Data rate according to application
Cat 8	G	2000 MHz	40 GBASE-T, 25 GBASE-T	40 Gbit/s
Cat 6A	EA	500 MHz	10 GBASE-T	10 Gbit/s
Cat 6	Е	250 MHz	5 GBASE-T	1 Gbit/s
Cat 5e	D	100 MHz	1000 BASE-T, 2.5 GBASE-T	1 Gbit/s
Cat 5		100 MHz	100 BASE-TX	100 Mbit/s

Highlight.

200691 | Network Cable, CAT-8, 40 Gbit/s, S/FTP Shielded, Halogen-free, 0.50 m

- → For connecting a PC, notebook, TV set and gaming console with routers, switches, hubs or wall sockets in order to transfer digital Internet, network data and signals
- → Gigabit Ethernet data transfer at up to 40 Gbit/s
- → Halogen-free cables (LSZH) are flameretardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- → Gold-plated plugs with low transfer resistances for reliable signal transmission
- → Double shielding for good reduction of electromagnetic interference
- → Slimline plug is especially ideal for mobile and flat devices or when space is limited

Connection via fibre-optic cable

Fibre-optic cables are ultra-thin fibres made from quartz glass and can transfer data in the form of light signals at ultra-fast speed over long distances.

A fibre optic cable combines many glass optical fibres and consists of three components:

- → Inner core: transports data as optical light signals
- → Sheath around fibre-optic core: prevents the leakage of light
- → Outer sheath made of plastic: protects the sensitive fibre-optic cable

The advantages

The transfer of signals using light waves offers several advantages compared to existing copper lines:

- → No electromagnetic interference
- → High-speed data transfers at 100 Mbit/s and more - even over long distances without any loss in quality
- → Simultaneous use by multiple people
- → 17 times less energy required for data transfer (than a copper network)
- → Very thin and easy to lay







oel CAT-7

Netzwerkkabel CAT-6a







hama

Network Cable "CAT-8, 40 Gbit/s, S/FTP shielded, halogen-free", Black

Productline	Essential Line
Network Standard	CAT 8
Shielding	S/FTP

- Gigabit Ethernet data transfer at up to 40 Gbps
- Halogen-free cables (LSZH) are flameretardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust material minimise interference
- Suitable and tested for Gigabit Ethernet (10/100/1000/40000 Mbit/s)
- Ideal for the new high-speed Internet

0.5 m			00200691
	60	HB	
1.5 m			00200692
	40	HB	
3 m			00200693
	40	HB	
5 m			00200694
	32	HB	



Jen nee (,, erange
Productline	Essential Line
Network Standard	CAT 7
Shielding	S/FTP

- Gigabit Ethernet data transfer at up to 10 Gbps
- Halogen-free cables (LSZH) are flameretardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- The inner conductor is made of copper which ensures best transmission properties
- Double shielding for good reduction of electromagnetic interference
- High-quality materials and workmanship guarantee excellent transmission quality
 Twisted wire pairs with an outer
- sheath made from robust material minimise interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet
 Fire behaviour according to BauPVo
- (construction products regulation) • Bare copper wire AWG 23

30 PO

16 PO

8 PO

00020097

00020098

00020099

10 m

25 m


50 m

hama

Network Cable "CAT-6a, 10 Gbit/s, S/FTP shielded", Black

Productline	Essential Line
Network Standard	CAT 6a
Shielding	S/FTP

- Gigabit Ethernet data transfer at up to 10 Gbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for Gigabit Ethernet (10/100/1000/1000 Mbit/s)
- Ideal for the new high-speed Internet



hama

Network Cable "CAT-6a, 10 Gbit/s, U/UTP", White

Productline	Essential Line
Network Standard	CAT 6a
Shielding	U/UTP

- Gigabit Ethernet data transfer at up to 10 Gbps
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
 Ideal for the new biok gread laterate
- Ideal for the new high-speed Internet

1.5 m			00200674
	60	HB	
3 m			00200675
	40	HB	
5 m			00200676
	6	HB	
10 m			00200677
	8	HB	









hama

Network Cable "Flexi-Slim, CAT-6a, U/UTP", White

Productline	Essential Line
Network Standard	CAT 6a
Shielding	U/UTP

- Gigabit Ethernet data transfer at up to 10 Gbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- · Ideal for the new high-speed Internet

12 BK

12 BK

12 BK

00200688

00200689

00200690

5 m

10 m

15 m

0.75 m

1.5 m

3 m

hama

Network Cable "CAT-6a, 10 Gbit/s, U/UTP, flat", White

Productline	Essential Line
Network Standard	CAT 6a
Shielding	U/UTP

- Gigabit Ethernet data transfer at up to 10 Gbps
- Space-saving flat ribbon cable, perfectly suited for laying under carpets and in corners
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for Gigabit Ethernet (10/100/1000/1000 Mbit/s)
- Ideal for the new high-speed Internet

hama

Network Cable "CAT-6, F/UTP shielded", Grey

Productline	Entry Line
Network Standard	CAT 6
Shielding	F/UTP
C. L'ERL LL	

- Gigabit Ethernet data transfer at up to 1 Gbps
- Additional shielding for good reduction of electromagnetic interference
 Twisted data pairs with a insket mod
- Twisted data pairs with a jacket made from robust PVC material minimise interference

hama

Network Cable "CAT-5e, F/UTP shielded", Grey

Productline	Entry Line
Network Standard	CAT 5e
Shielding	F/UTP

- Gigabit Ethernet data transfer at up to 1 Gbps
- Additional shielding for good reduction of electromagnetic interference
- Twisted data pairs with a jacket made from robust PVC material minimise interference

1.5 m			00200922
	25	BA	
3 m			00200923
	25	BA	
5 m			00200924
	25	BA	
10 m			00200925
	10	BA	
15 m			00200926
	10	BA	
20 m			00200927
	10	BA	
30 m			00200928
	10	BA	



Qty PT

6 HB

60 HB

40 HB

00200685

00200686







hama

Network Cable "CAT-5e, U/UTP", Grey

Productline	Entry Line
Network Standard	CAT 5e
Shielding	U/UTP

- Gigabit Ethernet data transfer at up to 1 Gbps
- Twisted data pairs with a jacket made from robust PVC material minimise interference

h	а	n	1	3	

1

Network Cable, CAT-6, F/UTP Shielded, Gold-Plated, Fabric, 3.00 m, 14 Pcs

Productline	Action	
Network Standard	CAT 6	
Shielding	F/UTP	
• Gigabit Ethernet data transfer at up		

- to 1 Gbps
- Elegant and flexible fabric jacket for additional kink protection
- Gold-plated plug with low contact resistance for secure signal transmission
- Additional shielding for good reduction of electromagnetic interference
 Twisted wire pairs with an outer
- Wisted wire pairs with an outer sheath made from robust PVC material minimise interference

hama

Fibre Optic Network Cable "LC/APC-Plug- LC/APC-Plug, 10 Gbit/s"

Productline	Essential Line
Shade of colour	White
 Gigabit Ethernet data transfer at up to 10 Gbps Halogen-free cables (LSZH) are flame retardant and release no corrosive or toxic gases and hardly any smoke in 	

- retardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- Specially polished contact surfaces with perfect fit for lossless transition to avoid refractions of light
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Immune to electrical and magnetic interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet
- Also known as an optical fibre cable

hama

Fibre Optic Network Cable "SC/APC connector - SC/APC connector, 10 Gbps"

Productline	Essential Line
Shade of colour	White
 Gigabit Ethernet data to 10 Gbps Halogen-free cable retardant and released 	es (LSZH) are flame-

- retardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- Specially polished contact surfaces with perfect fit for lossless transition to avoid refractions of light
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Immune to electrical and magnetic interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet
- Also known as an optical fibre cable

6 HB

60 HB

2 m

6 m

00200749

00200781

1.5 m	00200909				
	25	BA			
3 m			00200910		
	25	BA			
5 m			00200911		
	25	BA			
10 m	10 m				
	10	BA			
15 m			00200913		
	10	BA			
20 m	00200914				
	10	BA			

0,30 m			00200797
	90	HB	
3 m			00200783
	60	HB	
5 m			00200784
	60	HB	
9 m			00200785
	40	HB	
15 m			00200798
	40	HB	

00201003

14 SC

IS







hama

Fibre Optic Network Cable "SC/APC connector - SC/UPC connector, 10 Gbps"

Productline	Essential Line
Shade of colour	White

- Gigabit Ethernet data transfer at up to 10 Gbps
- Halogen-free cables (LSZH) are flameretardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- Specially polished contact surfaces with perfect fit for lossless transition to avoid refractions of light
- · Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- · Immune to electrical and magnetic interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet
- · Also known as an optical fibre cable

hama

Fibre Optic Network Cable "LC/APC-Plug - LC/UPC-Plug, 10 Gbit/s"

Productline	Essential Line		
Shade of colour	White		
• Gigabit Ethernet data transfer at up			

- to 10 Gbps • Halogen-free cables (LSZH) are flame-
- retardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- Specially polished contact surfaces with perfect fit for lossless transition to avoid refractions of light
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- · Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Immune to electrical and magnetic interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- · Ideal for the new high-speed Internet
- Also known as an optical fibre cable

hama

Fibre Optic Network Cable "LC/APC-Plug - SC/APC-Plug, 10 Gbit/s"

Shade of colour White

- Gigabit Ethernet data transfer at up to 10 Gbps
- Halogen-free cables (LSZH) are flameretardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- Specially polished contact surfaces with perfect fit for lossless transition to avoid refractions of light
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- · High-quality materials and workmanship guarantee excellent transmission quality
- Immune to electrical and magnetic interference
- · Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- · Ideal for the new high-speed Internet
- Also known as an optical fibre cable

hama

Fibre Optic Network Cable "LC/APC-Plug - SC/UPC-Plug, 10 Gbit/s"

Productline	Essential Line
Shade of colour	White

- Gigabit Ethernet data transfer at up to 10 Gbps
- Halogen-free cables (LSZH) are flameretardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- Specially polished contact surfaces with perfect fit for lossless transition to avoid refractions of light
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- · Immune to electrical and magnetic interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- · Ideal for the new high-speed Internet
- · Also known as an optical fibre cable

2 m			00200748
	6	HB	
6 m			00200780
	6	HB	

3 m			00200742
	6	HB	
5 m			00200743
	6	HB	
9 m			00200744
	40	HB	

Qty PT

3 m		00200768	3 m				00200765	
	6	HB				6	HB	
5 m			00200769	5 m				00200766
	6	HB				6	HB	
9 m			00200770	9 m				00200767
	6	HB				6	HB	

59

Network Cable Tester



hama

Network Cable Tester, Conduction Testing Device for 8p8c (RJ45), 6p6c or 6p4c

Connection

RJ45 (8p8c)-Coupling

- Master and removable remote unit for checking cables even over long distances or in separate rooms
- Checks wires in the cable for continuity, short circuits, wire reversal and defects
- Connection test with indicator via LEDs for up to 8 individual wires and shielding
- Suitable for cables with 8p8c (RJ45), 6p6c or 6p4c modular connectors

HB

00200778



hama

Network Plug, CAT 6a, 10 Gbit/s, Shielded, Tool-free installation. 5 Pcs.

Shade of colour	Grey
Network Standard	CAT 6a

- Gigabit Ethernet data transfer at up to 10 Gbps
- Additional shielding for good reduction of electromagnetic interference
 High-quality materials and workman-
- ship guarantee excellent transmission quality
- Optimised for un-terminated reel goods, laying and installation cables with a flexible, multi-core or rigid inner wire

8 HB

00200793



hama

Network Plug, CAT 6a, 10 Gbit/s, Shielded, Tool-free Installation

Shade of colour	Grey
Network Standard	CAT 6a

- Gigabit Ethernet data transfer at up to 10 Gbps
- Additional shielding for good reduction of electromagnetic interference
- High-quality materials and workmanship guarantee excellent transmission quality
- Optimised for unterminated reel goods, laying or installation cables with flexible, multi-core or fixed inner wires

			00200773
	180	ЦΡ	



hama

Network Socket

Network Socket, CAT 6a, 10Gbit/s, Shielded, 2 Ports, Surface-/ Flush-mount.

Shade of colour	Pearly White
Model	Flush Mounting/Sur- face Mounting

- Gigabit Ethernet data transfer at up to 10 Gbps
- Additional shielding for good reduction of electromagnetic interference
- High-quality materials and workmanship guarantee excellent transmission quality
- Optimised for unterminated reel goods, laying or installation cables with flexible, multi-core or fixed inner wires

		00200774
6	HB	



hama

Model

Network Socket, CAT 6a, 10 Gbit/s, Shielded, 2 Ports, Flush-mounted

Flush Mounting

- Gigabit Ethernet data transfer at up to 10 Gbps
- Additional shielding for good reduction of electromagnetic interference
- High-quality materials and workmanship guarantee excellent transmission quality
- Optimised for unterminated reel goods, laying or installation cables with flexible, multi-core or fixed inner wires

6 HB

00200775

hama

Network Plug, CAT 6a, 10 Gbit/s, Shielded, 10 Pcs

Shade of colour	Silver, Transparent
Network Standard	CAT 6a
 Gigabit Ethernet d to 10 Gbps Additional shieldin tion of electromag Slimline plug is esp mobile and flat der is limited 	' ng for good reduc- netic interference

• High-quality materials and workmanship guarantee excellent transmission quality

8 HB

Punch Down Tool



hama

LSA punch down tool

Shade of colour

• Optimised for un-terminated reel goods, laying and installation cables with a flexible, multi-core or rigid inner wire

Grey

- Cores are pressed in with the laying tool and protruding cable ends are automatically cut off
- Tool for solderless, screwless and stripping-free (LSA) connection technology
- Suitable for LSA and LSA+ IDC terminal strips

6 HB

00200776	



hama

Crimping Tool

Crimping pliers for network cables

Shade of colour	Black, Blue
Material	Metal

- Ideal for installing 8P8C modular plugs (RJ45) to an un-terminated network cable
- Optimised for un-terminated reel goods, connection and installation cables with a flexible, multi-core inner wire
- Sharp metal blades for cutting and isolating the individual wires of the cable to the required length

			00200794		
	6	HB			



Computers

Multimedia Video











hama

DisplayPort Cable, DP 1.4, Ultra-HD 8K, Alu, 2.00 m

Prime Line
8K (7680 x 4320)
Double Shielded
1.4

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- High-quality and sturdy aluminium housing with a sophisticated finish
- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heat-resistant and long-lasting
- HDR optimises the display of contrast, colour depth, brightness and sharp-ness for vibrant pictures
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Ideal for gaming monitors with a high screen refresh rate (Hz)



hama

Productline

Version

pixels

is limited

breakage

quality

mise interference

screen refresh rate (Hz)

Max. Resolution

Type of Shielding

DisplayPort Cable

"DP 1.2, Ultra-HD 4K", Black

• For perfect, high-resolution ultra-HD

cinema quality with 4096x2160 (4K)

• Double shielding for good reduction of

mobile and flat devices or when space

• Flexible materials guarantee optimum

· High-quality materials and workman-

Twisted data pairs with outer jacket

Ideal for gaming monitors with high

made from robust PVC material mini-

ship guarantee excellent transmission

kink protection and prevent cable

Slimline plug is especially ideal for

electromagnetic interference

Essential Line

4k (4096 x 2160)

Double Shielded

1.2



hama

Video Cable, Mini-DP Plug -DisplayPort Plug, Ultra-HD 4K, 1.50 m

Productline	Essential Line
Max. Resolution	4k (4096 x 2160)
Type of Shielding	Double Shielded
Version	1.2

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)
- Compatible with Thunderbolt-2 (lightning symbol)

hama

DisplayPort Cable "DP 1.4, Ultra-HD 8K", Black

Productline	Essential Line
Max. Resolution	8K (7680 x 4320)
Type of Shielding	Double Shielded
Version	1.4

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharp-ness for vibrant pictures
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)

0.75 m			00200695
	6	HB	
1.5 m			00200696
	6	HB	
3 m			00200697
	6	HB	
5 m			00200698
	6	HB	

40 HB

1.5 n

00200710 3 m

6 HB

ĪĪ





	_	
۳.	ULTHA DEPAITS	2
1	0.775	
L .		ĺ
	2122052	2

hama

DisplayPort Cable, DP 2.1, Ultra-HD 8K, 40 Gbit/s, 2.00 m

Productline	Essential Line
Max. Resolution	8K (7680 x 4320)
Type of Shielding	Double Shielded
Special Feature	Gold-Plated

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- DP2.1 cable supports UHBR10 standard for a maximum data rate of up to 40 Gbit/s
- HDR optimises the display of contrast, colour depth, brightness and sharp-ness for vibrant pictures
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)
- Also known as a DP40 cable

hama

DisplayPort Cable, DP 1.2, 1.50 m

Productline	Entry Line	
Max. Resolution	4k (4096 x 2160)	
Version	1.2	
	1.1. 1	

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Additional shielding for good reduction of electromagnetic interference
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

hama

Ultra High Speed HDMI[™] Cable, Certified, Ultra-HD 8K, alu, 2.0 m

Productline	Prime Line
Shade of colour	Black, Grey
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	Ultra High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- High-quality and sturdy aluminium housing with a sophisticated finish
- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heatresistant and long-lasting
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI™ for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Ideal for gaming monitors with a high screen refresh rate (Hz)

hama

Ultra High Speed HDMI™ Cable, Certified, Ultra-HD 8K, 2.00 m MULTIMEDIA VIDEO


Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	Ultra High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI™ for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)

65

 Image: Note of the state o

2025 15 **hama**



66 **hama**

6 HB

5 m

1.5 m

00200704

Qty PT

00200930

25 BA

1.5 m

00200706

6 HB

1.5 m

00200705

6 HB



hama

DVI Cable, 1.50 m

Productline	Entry Line		
Model	Dual Link		

- For high-resolution WQHD quality up to 2560 x 1440 (1440p) pixels
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- DVI-D Dual Link cable (24 + 1 pins)



hama

VGA Cable "Full-HD 1080p", Black

Productline Essential Line

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Impedance of 75 ohms for optimum transmission quality
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug with screws ensures a secure connection and reliable transfer
- Also known as a 15-pin, DB-15, DE-15 or HD-15 plug



hama

VGA Cable, 1.50 m

Productline Entry Line

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Plug with screws ensures a secure connection and reliable transfer
- Also known as a 15-pin, DB-15, DE-15 or HD-15 plug



hama

Video Cable, DisplayPort Plug - HDMI™ Plug, Ultra-HD 4K@60 Hz, Alu, 1.50 m

Prime Line

Productline

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality and sturdy aluminium housing with a sophisticated finish
- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heatresistant and long-lasting
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

1.5 m 00200931

Qty PT

6 HB

5 HB

1.5 m

3 m

00200707

00200708

1.5 m

2025 15 **hama**

6 HB

1.5 m

00200932

10 BA



hama

Video Cable, USB-C Plug - HDMI™ Plug, Ultra-HD 8K@60 Hz, alu, 1.50 m

Productline

MULTIMEDIA VIDEO

• For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels

Prime Line

- High-quality and sturdy aluminium housing with a sophisticated finish
- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heatresistant and long-lasting
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)
- Compatible with Thunderbolt 3/4 (lightning symbol) USB-C connection with DisplayPort Alternate Mode (DP Alt Mode), Thun-
- derbolt 3/4 or USB-4 support.



hama

1.50 m

Productline

pixels

is limited

breakage

quality

mise interference

Video Cable, DisplayPort

Plug - DVI Plug, Ultra-HD 4K,

• For perfect, high-resolution ultra-HD

cinema quality with 4096x2160 (4K)

· Double shielding for good reduction of

mobile and flat devices or when space

· Flexible materials guarantee optimum

· High-quality materials and workman-

Twisted data pairs with outer jacket

made from robust PVC material mini-

ship guarantee excellent transmission

kink protection and prevent cable

electromagnetic interference

Slimline plug is especially ideal for

Essential Line



hama

Video Cable, DisplayPort Plug - HDMI™ Plug, Ultra-HD 4K, 1.50 m

Productline Essential Line

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

hama

Adapter cable "DVI-Plug - HDMI-Plug, Ultra-HD 4K", Black

Productline Essential Line

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference

1.5 m 00200509 1.5 m 00200713 1.5 m 00200712 3 m 6 HB 6 HB 6 HB 6 HB 6 HB 6 HB 6 HB 6 HB 6 HB 6 HB				1.5 m 002007	15
				6 HB	
6 HB 6 HB 6 HB 6 HB	1.5 m 00200509	1.5 m 00200713	1.5 m 00200712	3 m 002007	16
	6 HB	6 HB	40 HB	6 HB	







hama

Video Cable, DVI Plug to VGA Plug, Full-HD 1080p, 1.50 m

Productline

1.5 m

Essential Line

00200714

6 HB

1.5 m

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- · Twisted wire pairs with an outer sheath made from robust PVC material minimise interference

Video Cable, Mini-DP Plug -HDMI[™] Plug, Ultra-HD 4K,

hama

1.50 m

Productline Essential Line

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- · Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- · Compatible with Thunderbolt-2 (lightning symbol)

hama

Adapter cable "USB-C-Plug - HDMI-Plug, Ultra-HD 4K", Black

	Productline	Essential Line	Productline	Essential
	 For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels Double shielding for good reduction of electromagnetic interference Slimline plug is especially ideal for mobile and flat devices or when space is limited Flexible materials guarantee optimum kink protection and prevent cable breakage High-quality materials and workmanship guarantee excellent transmission quality Twisted wire pairs with an outer sheath made from robust PVC material minimise interference Compatible with Thunderbolt 3/4 (lightning symbol) USB-C connection with DisplayPort Alternate Mode (DP Alt Mode), Thunderbolt 3/4 or USB-4 support. 		 For perfect, high-rcinema quality witpixels Double shielding felectromagnetic ir Slimline plug is esymobile and flat de is limited Flexible materials kink protection an breakage High-quality mate ship guarantee exquality Twisted data pairs sheath made from minimise interfere Compatible with T (lightning symbol) USB-C connection Alternate Mode (Ederbolt 3/4 or USB) 	th 4096x216 for good redu nterference pecially idea vices or whe guarantee o d prevent ca rials and wo cellent transi with an out robust PVC nce hunderbolt with Display P Alt Mode)

hama

Video Cable, USB-C Plug -**DisplayPort Plug, Ultra-HD** 4K, 1.50 m

Essential Line

- high-resolution ultra-HD lity with 4096x2160 (4K)
- Iding for good reduction of netic interference
- g is especially ideal for flat devices or when space
- erials guarantee optimum ion and prevent cable
- materials and workmantee excellent transmission
- a pairs with an outer e from robust PVC material erference
- with Thunderbolt 3/4 /mbol) ection with DisplayPort ode (DP Alt Mode), Thun-

6 HB

00200711

1.5 m

3 m

1.5 m

00200718

00200719

40 HB

32 HB


00200717

6 HB

Computers

Multimedia Audio





72 **hama** 2025 IS

6 HB

00200723

0.75 m

1.5 m

12 BK

00200726

Qty PT

12 BK

00200728

1.5 m

00200734

6 HB

0.75 n

Jack RCA Cable




Jack RCA Cable "3,5-mm-Jack-Plug - 2 Cinch-Plug, Stereo", Black

Productline Essential Line

- High-quality materials for excellent sound quality without interference
- Colour coding on the inside of the plugs for easy connecting
- Flexible materials guarantee optimum kink protection and prevent cable breakage

1.5 m			00200720
	6	HB	
5 m			00200721
	60	HB	



hama

Audio Cable, USB-C Plug - 3.5 mm Jack Plug, Stereo, 0.75 m

Connection3.5 mm Jack Plug, USB -CplugConnectionUSB StandardUSB 2.0USB 3.0• For perfect, high-resolution, HiFi stereo sound quality• For stereo sound quality• For stereo sound quality• Additional shielding for good reduc- tion of electromagnetic interference• Slimline plug is especially ideal for mobile and flat devices or when space is limited• Flexible materials guarantee optimum kink protection and prevent cable breakage• Flexible materials and workman- ship guarantee excellent transmission quality• High-quality digital/analogue converter (DAC)• Out standing sound quality thanks to high-quality aligital/analogue converter (DAC)• Out standing sound sourd quality thanks to high-quality digital/analogue converter (DAC)• Out standing sourd sourd quality thanks to high-quality digital/analogue sources• Additional sourd ship quality
 For perfect, high-resolution, HiFi stereo sound quality Additional shielding for good reduc- tion of electromagnetic interference Slimline plug is especially ideal for mobile and flat devices or when space is limited Flexible materials guarantee optimum kink protection and prevent cable breakage High-quality materials and workman- ship guarantee excellent transmission quality Outstanding sound quality thanks to high-quality digital/analogue converter (DAC) For stere Additional ship mobile and flat devices or when space Slim mobile and flat devices or when space Flexible materials guarantee optimum kink Flexible materials guarantee optimum to high-quality digital/analogue For
stereo sound quality • Additional shielding for good reduc- tion of electromagnetic interference • Slimline plug is especially ideal for mobile and flat devices or when space is limited • Flexible materials guarantee optimum kink protection and prevent cable breakage • High-quality materials and workman- ship guarantee excellent transmission quality • Outstanding sound quality thanks to high-quality digital/analogue converter (DAC)


hama


Audio Cable, USB-C Plug -RCA Plug, Stereo, 1.50 m

Computers

Chargers and power supplies







2025 is



Qty PT







Mains Adapter "USB-C, Power Delivery (PD), 5-20V", 3.25 A

hama

Universal USB-C Notebook Power Supply Unit, GaN, Power Del. (PD), 5-20V/65W

Productline	Essential Line
Shade of colour	Black
Output Voltage	3,3 V - 21 V

- High-quality workmanship, power and safety
- Powerful GaN technology: superefficient with low heat development and all in a compact and lightweight design made possible by components made from gallium nitride
- The integrated IC automatically detects connected devices for efficient and optimized charging
- Optimized charging process saves the battery thus extending its service life
- Easy and quick connection thanks to the USB-C plug that can be used on both sides
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Hook and loop cable tie enables good cable management without tangled cables
- Ideal for all devices that are charged via USB-C, e.g. Macbook, notebook, tablet, smartphone, power pack, console
- USB Power Delivery is also known as "USB PD"
- Compatible with Thunderbolt 3/4 (lightning symbol)

2025 15 **hama**

12 HB

65 W

6 HB

00200023





hama 2025 is







"Slim & Light" Universal Car Notebook Power Supply Unit, 15 - 19 V/70W



Universal USB-C Car Notebook Power Supp. Unit, Power Delivery (PD), 5-20V/65W



00200018

Productline	Prime Li	ne	Productline		Essential Line
Shade of colour	Black Shade of colour			Black	
Output Voltage	15 V/16 V/19 V Output Voltage		Output Voltage		5 V - 20 V
 High-quality workmanship, power and safety Hook and loop cable tie enables good cable management without tangled cables USB power socket supplies additional USB devices with power LED function indicator gives informati- on about the device status Compact size for travelling, ideal for on the go A total of 8 notebook connectors for various models from popular manufacturers Operation via the cigarette lighter socket 	70 W	00200008	 High-quality workmanship, power and safety The integrated IC automatically detects connected devices for efficient and optimized charging Optimized charging process saves the battery thus extending its service life Easy and quick connection thanks to the USB-C plug that can be used on both sides Vehicle adapter 12/24 V for power supply in cars, lorries, and camper vans Hook and loop cable tie enables good cable management without tangled cables USB power socket supplies additional USB devices with power LED function indicator gives informati- on about the device status Ideal for all devices that are charged via USB, e.g. notebook, tablet, smart- phone, power pack, console Also for Apple MacBook, Samsung Galaxy, Nintendo Switch USB PO" Compatible with Thunderbolt 3/4 (lightning symbol) 	65 W	6 HE

hama

hama 82 2025 is



	-		
	-		
- 4			

Charging Station

Universal USB-C Charging Station, GaN, 3 Ports, Power Delivery (PD), 5-28V/140W

Productline	Essential Line
Connection	USB Socket
Number of USB Ports	3
Charge Technology	Power Delivery/Sup- ports Qualcomm® 3.0
Charging Method	Connection
Max. Output Power	140 W

· High-quality workmanship, power

Universal Car Notebook Power Supply Unit, 15-24 V/120W

Productline	Essential Line
Shade of colour	Black
Output Voltage	15 V/16 V/18 V/19 V/20 V/22 V/24 V
Output voltage	15 1/16 1/18 1/19 1/20 1/22 1/24 1

- · High-quality workmanship, power and safety
- cable management without tangled cables
- · LED function indicator gives information about the device status
- A total of 8 notebook connectors for various models from popular manufacturers
- · Operation via the cigarette lighter socket



00200019

Universal USB-C Charging Station, 3 Ports, Power Delivery (PD), 5-20V/65W

Productline	Essential Line
Connection	USB Socket
Number of USB Ports	3
Charge Technology	Power Delivery
Charging Method	Connection
Max. Output Power	65 W

• High-quality workmanship, power and safety

• The integrated IC automatically detects connected devices for efficient and optimized charging

6 HB

00200009 120 W

6 HB

00200017



Tools & Power



Hard Drive Adapte



hama

USB hard disk housing for 2.5" SSD and HDD hard disks

Productline	Essential Line		
Shade of colour	Black		
Material	Plastic Material		
Model	SATA		
Size	2.5"		
Power Supply	USB Connection		

- Super speed data transfer rates of up to 5 Gbps
- LED function indicator gives information about the device status
- Detachable USB cable for connection to a PC / notebook

				00200760
		6	HB	
		1		
	4	F		1
-	1	-	14	

hama

USB Hard Disk Adapter for 2.5" and 3.5" SSD and HDD Hard Disks

Productline	Essential Line
Shade of colour	Black
Material	Plastic Material
Model	SATA, USB 3.0
Size	2.5"/3.5"

- Super speed data transfer rates of up to 5 Gbps
- LED function indicator gives information about the device status
- Detachable USB cable for connection to a PC / notebook

6 HB



hama

USB hard disk housing for M.2 SATA and NVMe SSD hard disks

Productline Essential Line

- Super speed Plus data transfer rates of up to 10 Gbps
- LED function indicator gives information about the device status
- High-quality and sturdy aluminium housing with a sophisticated finish
- Detachable USB cable for connection to a PC / notebook
- Flexible materials guarantee optimum kink protection and prevent cable breakage

		00200764
6	HB	



SATA Cable, Serial-ATA III, 6 Gbit/s, Internal, 90°, 0.60 m

Productline	Essential Line
Connection	SATA-Plug

- Fast read and write speeds of up to 6 Gbit/s
- Locking of the plug ensures a secure connection and reliable data transmission
- Additional shielding for good reduction of electromagnetic interference
 Elevible materials guarantee entimum
- Flexible materials guarantee optimum kink protection and prevent cable breakage

0.6 cm			00200740
	6	HB	



SATA Cable, Serial-ATA III, 6 Gbit/s, Internal, 0.45 m

Productline	Essential Line	Pro
Connection	SATA-Plug	Wir
 Fast read and write 6 Gbit/s Locking of the plug secure connection transmission Additional shieldin tion of electromag Flexible materials of kink protection and breakage 	g ensures a and reliable data ng for good reduc- netic interference guarantee optimum	 Maca Fleking Ide or Summer Ree VE
0.45 cm	00200739	1.8



Mains Lead "Euro Plug - 2-Pin Socket (double groove)", Black

Productline	Essential Line
Wire Cross-Section	0.75 mm²

- Moulded plugs ensure high mechanical resilience and strain relief
- Flexible materials guarantee optimum kink protection and prevent cable breakage

0.75 m			00200731
	6	HB	
1.5 m			00200732
	60	HB	
2.5 m			00200733
	60	HB	



Power Cable, Swiss Plug -3-Pin IEC Power Cable, 1.8 m

Productline	Essential Line
Wire Cross-Section	0.75 mm ²
 Moulded plugs en cal resilience and s Flexible materials kink protection an breakage 	strain relief guarantee optimum

• Ideal as a replacement for short, long or faulty original IEC cables

6 HB

00205083

- Suitable for a range of electrical / multi-media devices
- Resilient, long-lasting cable VDE tested

cm			00200739
	6	HB	

86 **hama** 2025 IS

Mains Lead

Cables & Adapters | Tools



Mains Cable, Swiss Plug -3-Pin Socket (Cloverleaf), 1.8 m

Productline Essential Line Wire Cross-Section 0.75 mm²

- · Moulded plugs ensure high mechanical resilience and strain relief
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- · Ideal as a replacement for short or faulty original cables
- Resilient, long-lasting cable
- VDE tested

1.8 m			00205084
	6	HB	



Mains Lead "Earthing Contact Plug - 3-Pole Cold Device Supply Line", Black

Productline Essential Line					
Wire Cross-Section 0.75 mm² • Moulded plugs ensure high mechanical resilience and strain relief • Flexible materials guarantee optimum kink protection and prevent cable					
 breakage Ideal as a replacement for short, long or faulty original IEC cables Suitable for a range of electrical / multi-media devices 					
1.5 m	00200737				
32	НВ				
2.5 m	00200738	1.5 n			

32 HB



hama

Mains Lead "Plug with Earth Contact - 3-Pin Socket (Cloverleaf)", Black

Productline	Essential Line
Wire Cross-Section	0.75 mm ²

- · Moulded plugs ensure high mechanical resilience and strain relief
- · Flexible materials guarantee optimum kink protection and prevent cable breakage
- · Ideal as a replacement for short or faulty original cables
- Resilient, long-lasting cable VDF tested

• VDE lesteu					
1.5 m				00200735	
		6	HB		
2.5 m				00200736	
		6	HB		



hama

ARCTIC MX-2 High-Performance Heat-Conducting Paste

Productline	Essential Line
Density	3.96 g/cm ³
Temperature Range	50°C to 170°C
Viscosity	850 P
Content	4 g

· The heat-conducting paste made of carbon micro-particles guarantees extremely high thermal conductivity

· Metal-free and non-electricallyconductive paste, protecting against corrosion and short circuits

			00200758
	90	HB	



hama

Mini Screwdriver Set 24 in 1

Productline	Essential Line
-------------	----------------

- · Essential for precision mechanical work, e.g. on electronic devices
- The bits are made from high-quality, resilient steel
- · Handy and stylish leather-look case
- Fits in any trouser pocket or drawer
- Set consisting of:
- 1 stable aluminium handle with slipresistant, ribbed surface
- 9 "Torgue" interchangeable bits (T2 /
- T3 / T4 / T5 / T6 / T8 / T9 / T10 / T15)

Black			00200762
	6	HB	

700LS & POWER



hama

Power Cord, plug with earth contact - 3-pin socket, 1.50 m, 10 pcs.

'ire Cro	ss-Sectior	ı	0.75 mm ²	

- Ideal replacement for too short or defective original cables
- VDE approved

00029934



10 BA

Installation

Mounting Fram



hama

Mounting Frame for 2 x 2.5" SSD and HDD Hard Disks in a 3.5" Bay

Productline	Essential Line
Shade of colour	Black
Hard Disk Size	2.5 "

- High-quality and sturdy metal frame for better heat conduction from the hard disks
- Pre-drilled holes in the frame for optional attachment of an 80 mm fan
- Incl. 12 screws for immediate mounting / installation in the PC
- Suitable and tested for two 2.5" hard disks
- Simple and quick to install

88 **hama** 2025 s

6 HB

00200759

Qty PT

Computers Router / Landline







hama

Coaxial Cable for Cable Routers, Network, F-Plug, 75 Ω, 100 dB, 3.00 m

Productline	Essential Line
Type of Shielding	Triple Shielded
Screening Rate	100 dB

- Ethernet data transmission of up to 1000 Mbit/s
- · Gold-plated plug with low contact resistance for secure signal transmission
- Triple shielding for very good reduction of electromagnetic interference
- Ferrite core for decimating remaining interference and for good signal transmission
- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- **ROUTER / LANDLINE**
 - Recommended for the new high-speed Internet
 - · Can also be used as a satellite cable for receivers / TVs
 - 75 Ohm impedance



hama

Anti-Twist Adapter

Anti-Twist Adapter, transparent / black

Productline Essential Line

- · Gold-plated contacts with low contact resistance for secure signal transmission
- · High-quality materials and workmanship guarantee excellent transmission quality
- · Easy mounting between the handset and handset cable
- The handset cable swivels around 360°

Transparent/white

• For telephones with plug-in handset

Transparent/black		00201125
216	5 HB	
Ş		
« hama		
Anti-Twist Ada rent / white	pter,	transpa-
Productline	F	
	-	ssential Line
 Gold-plated conta contact resistance transmission High-quality mate ship guarantee exe quality Easy mounting ber and handset cable The handset cable 360° 	cts wi for se rials a cellent tween	th low cure signal nd workman- transmission the handset



hama

Fritzbox Adapter

DSL Adapter for Fritzbox, TAE Plug - 8p2c Socket (RJ45)

Productline	Essential Line
Shade of colour	Grey

- · High-quality materials and workmanship guarantee excellent transmission quality
- TAE special adapter for Fritzbox cable (00040635)
- Also for adapting a network cable as a connection between the telephone socket and router
- e.g. for IP-based connection, all-IP connection, Annex J connection, NGN connection

			00201	121
	8	HB		

Modular-Adapter



hama

Modular Adapter, 8p8c Socket - 8p8c Socket

Productline	Essential Line
Shade of colour	Black
Model	ISDN

- · Gold-plated contacts with low contact resistance for secure signal transmission
- · High-quality materials and workmanship guarantee excellent transmission quality

		00201129
8	HB	




hama 90 2025 is

6 HB


00201132

00201126

8 HB



ROUTER / LANDLINE



6 HB 00201113 6 m 6 HB 10 m 00201114 6 HB

hama

Modular Cable "ISDN-Telephone-round cable", Grey

Productline	Essential Line
Model	Round Cable

- Additional shielding for good reduction of electromagnetic interference
- High-quality materials and workmanship guarantee excellent transmission quality
- 4-wire round cable, J Y (ST) Y 2x2x0.6 mm
- Bare CCA wire

ROUTER / LANDLINE

10 m

25 m

50 m



00020260

00020261

1.5 m

3 m

2025 is

hama

TAE Cable

TAE Cable "TAE-F Plug - 8p2c Modular Plug", Black

Connection TAE-F Plug S The inner conductor is made of copper which ensures best transmission properties High-quality materials and workmanship guarantee excellent transmission quality Contact layout for centre modular plug (pin 4 + 5) 0.5 m 00201111 6 HB 3 m 00201112		Productline	Essential Line
which ensures best transmission properties • High-quality materials and workman- ship guarantee excellent transmission quality • Contact layout for centre modular plug (pin 4 + 5) • Other interval • Other interval		Connection	TAE-F Plug
6 HB	5	which ensures be properties • High-quality mate ship guarantee ex quality • Contact layout fo (pin 4 + 5)	st transmission erials and workman- ccellent transmission r centre modular plug
3 m 00201112			
		3 m	00201112

10 PO

4 PO

25 BA

10 m

00201158

00201150

00201151

90 HB

6 HB





hama

TAE Cable "TAE-F Plug - 6p4c Modular Plug", Black

Productline	Essential Line
Connection	TAE-F Plug
• The inner conductor which ensures bes	or is made of copper t transmission

- properties • High-quality materials and workmanship guarantee excellent transmission quality
- Universal fitting for all common telephones

hama

TAE Cable "TAE-F Connector - Modular Connector 8p2c, HQ", Black

Productline	
roductiine	Essential Line
Connection	TAE-F Plug
which ensures best properties Flexible materials of kink protection and breakage High-quality mater ship guarantee exc quality High-quality cable, ADSL and VDSL hig Moulded strain reli extremely durable	for secure signal pairs protects re or is made of copper t transmission guarantee optimum d prevent cable ials and workman- iellent transmission , recommended for gh-speed Internet

hama

TAE Cable "TAE-F Plug - 8p2c Modular Plug", White

Productline	Essential Line			
Connection	TAE-F Plug			
• The inner conductor is made of copper				

er which ensures best transmission properties

• High-quality materials and workmanship guarantee excellent transmission quality

· Contact layout for centre modular plug (pin 4 + 5)



hama

TAE Cable "TAE-N Plug - 6p2c Modular Plug", Black

Productline	Essential Line
Connection	TAE-N Plug

- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- 2-pin cable for special applications
- For devices without standards-compliant signal return

1.5 m			00201145
	6	HB	
3 m			00201146
	90	HB	
6 m			00201147
	60	HB	
10 m			00201148
	6	HB	
15 m			00201149
	6	HB	

3 m			00201115
	60	HB	
6 m			00201116
	6	HB	
10 m			00201117
	6	HB	

m		00201118	
90	HB		
m		00201119	6 m
60	HB		
m		00201120	10 m
6	HB		

6 m			00201104
	6	HB	
10 m			00201105
	6	HB	

3 r

6 1

10

hama 2025 is





hama

"TAE-N Plug - 6p6c Modular

• The inner conductor is made of copper

• High-quality materials and workman-

• 6-pin cable for special applications

ship guarantee excellent transmission

which ensures best transmission

Essential Line TAE-N Plug

TAE Cable

Plug", Black

Productline

Connection

properties

quality

hama

TAE Cable "TAE-N Plug - 6p4c Modular Plug", Black

Productline	Essential Line
Connection	TAE-N Plug

- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- 4-pin cable for standard applications • For devices with standards-compliant signal return



hama

TAE Cable "TAE-U Plug - TAE-U Socket", Black

Productline	Essential Line
Connection	TAE-U Plug, TAE-U Socket

- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- e.g. telephone, answering machine, fax machine or modem



Telephone Adapter

hama

TAE Distributor, TAE-F Plug -**3 TAE-NFF Sockets**

Productline	Essential Line
Shade of colour	Black
Model	TAE

- High-quality materials and workmanship guarantee excellent transmission quality
- e.g. two telephones and one answering machine to a TAE connection socket

			00201124
	6	HB	



hama

TAE Distributor, TAE-F Plug -**3 TAE-NFN Sockets**

Productline	Essential Line
Shade of colour	Black
Model	TAE

lity materials and workmanantee excellent transmission

ephone, an answering a fax to a TAE connection

6 HB

00201123

	6 m			0020
		6	HB	
00201108	10 m			0020

	6 m			00201101
		6	HB	
108	10 m			00201102
		32	HB	

					 High-quali ship guara quality e.g. a telep machine, a socket
	6 m			00201101	
		6	HB		
00201100	10			00201102	

ш
\geq
_
Ξ
\square
z
<
_
<u> </u>
\sim
-
·
\leq
\mathcal{Q}
£

hama 94

6 HB

00201107

6 m

2025 is

6 HB



hama

Telephone Adapter, 6p4c Modular Plug - TAE-F Socket, 0.2 m

Productline	Essential Line
Shade of colour	Black
Model	TAE

- High-quality materials and workmanship guarantee excellent transmission quality
- e.g. telephone to VOIP router and adapters, ISDN systems, etc.

8 HB

00201130



hama

Austrian Connection Cable, TST Plug - 6p6c Modular Plug, 3 m

Productline Entry Line

- The inner conductor is made of copper which ensures best transmission properties
- 6-pin cable for special applications



hama

Austrian Connection Cable, TST Plug - 6p4c Modular Plug, 10 m

Productline	Essential Line
The inner conductor which ensures best properties	

· High-quality materials and workmanship guarantee excellent transmission quality



hama

Austrian Connection Cable, TST Plug - 6p6c Modular Plug, 3 m

Productline Essential Line				
• The inner conductor is made of copper which ensures best transmission				
properties				

- High-quality materials and workmanship guarantee excellent transmission
- quality

 6-pin cable for special applications





Adapter, TAE-U Plug - 6p6c Modular Socket

Productline	Essential Line
Shade of colour	Black
Model	TAE

- High-quality materials and workmanship guarantee excellent transmission quality
- Can be used for both TAE-N and TAE-F sockets

10 HB

00201122

3 m

10 BA

00201154 10 m

00201153

2025 is

6 HB

60 HB

00201155

Electrical Installation | Headsets

Telephone Socket



hama

TAE-NFN Telephone Socket, Surface Mounting

Productline	Essential Line
Shade of colour	White
Connection	TAE-NFN Socket
Installation	Surface Mounting
Model	TAE

- High-quality materials and workmanship guarantee excellent transmission quality
- With screw clamps for easy mounting





hama

TAE-NFN Telephone Socket, Flush

Productline	Essential Line
Shade of colour	White
Connection	TAE-NFN Socket
Installation	Flush Mounting
Model	TAE

- High-quality materials and workmanship guarantee excellent transmission quality
 With access the second second
- With screw clamps for easy mounting

6 HB

Black, Silver





hama

On-ear headset for cordless phones, 2.5 mm jack

Productline	Essential Line
Connection	2.5 mm Jack Plug
Design	Headphones
Cable Length	1,20 m

- Comfortable and optimal positioning thanks to the flexible microphone arm
- Convenient cable-mounted volume control
- Adjustable headband for superb wearing comfort
- Crystal-clear audio quality
- Can be worn on the right and left
 Compact plug shape, can be used easily on deep-seated sockets

hama

In-ear headset for cordless phones, 2.5 mm jack

Productline	Essential Line
Connection	2.5 mm Jack Plug
Design	Ear Hook
Cable Length	1,20 m

- Mute button allows users to switch the sound off on the microphone quickly
- Comfortable and optimal positioning thanks to the flexible microphone arm
- Mouldable earband for superb wearing comfort
- Crystal-clear audio quality
- Can be worn on the right and left
- Compact plug shape, can be used easily on deep-seated sockets
- Clip on the cable for easy and secure attachment to clothing

Black, Silver

00201156

6 HB

00201157

14 HB

Audio/Video/Aerial

TV video



N8K

1







Glossary.

What does UHD mean?

UHD stands for Ultra-High-Definition and is a collective term for 4K and 8K resolutions. The term is used in the TV industry to indicate when a device has a higher resolution than Full HD. A distinction is made between UHD-1 (4K resolution) and UHD-2 (8K resolution).

HDMI 8K and 4K differences

8K is the successor to 4K and has a resolution of 7680 x 4320 pixels. 8K therefore has 4 times more pixels than 4K with 3,840 x 2,160 pixels. The transfer of 8K data is very complex, so that only HDMI version 2.1 offers sufficient bandwidth (up to 48 Gbit/s) and enables transmission in 8K at a refresh rate of 60 Hz.

Connector types for HDMI cables

There are five different types of HDMI connector: A, B, C, D and E. Plug type A is almost always required, especially for home entertainment equipment. The other connector types are used for notebooks, tablets or in the automotive industry. There are also cables with straight plugs (180°) and with angled plugs:

- → 90° (cable outlet downwards)
- → 270° (cable outlet upwards)







Micro



8K in everyday life

8K-capable devices are still very costly at the moment. Media content is also rather rare at the moment. However, the Xbox Series X and the PlayStation 5 are already compatible with 8K and support 8K streaming.

HDMI cable with optical signal transmission

Optical fibre cables, often referred to as "glass fibre cables", allow very long distances of up to 100 metres to be bridged by means of optical-digital signal transmission.

Aerial cable shielding dimensions

Good shielding against interfering signals is important so that the mobile phone, for example, does not cause the picture to flicker. The shielding has a significant influence on the transmission behaviour. As a rule, the shielding is only specified by the manufacturer in the form of a number (dB). The higher the dB value, the better the aerial cable is shielded and the higher the quality. Multiple shielding is necessary especially for longer cable lengths.

HDMI cable shielding

The shielding of an HDMI cable is highly relevant. Poorly shielded HDMI cables can cause the signal to be affected by external sources of interference (e.g. power line). In the worst case, this results in a total loss of the image or visible artefacts on the screen in the form of white pixels.

Console gaming at the highest level.

Razor-sharp images, crystal-clear sound and a lightning-fast network connection - you need maximum performance to maximise the gaming experience on your console. All the better if a cable can fulfil all these high requirements. Modern HDMI[™] cables are the solution for anyone who loves good console gaming:

→ Cinema-quality image enjoyment

8K@60 Hz or 4K@120 Hz ensures lag-free gaming pleasure in ultra HD. 120 Hz means the transmission of 120 frames per second, which ensures faster response times and a sharper picture when moving. This is not only more pleasing to the eye but also conducive to fast, top-level gaming - from Fifa to God of War. The active optical technology transmits the data via light waves and enables loss-free 8K data transfer over longer distances. Thanks to Dynamic HDR, every image is optimally displayed.

→ Crystal-clear sound

Thanks to eARC technology, all audio formats such as Dolby TrueHD, DTS-HD Master Audio and even object-based formats such as Dolby Atmos and DTS:X flow between the screen and the output device without compression. It provides for up to 32 audio channels, including uncompressed 24-bit/192kHz data streams at up to 38 Mbp/s.


→ Fully networked

Devices connected via the HDMI[™] cable are connected together in a network - so there is no need to connect each individual device to the Internet. The channel makes this possible by transmitting network data at up to 100 Mbit/s.

→ Lightning-fast data transfers The high-speed data transfer achieves a peak value of up to 48 Gbit/s and guarantees an optimum data flow for unrestricted gaming enjoyment.







205265 | Optical UHS HDMI cable

HDMI[™] in perfection – certified quality from Hama.

Ultra-high-speed HDMI[™] cables from Hama meet all specified parameters 100%:

- → Certified performance
- → Tested quality
- → Ingenious features
- → Attractive design

The certificate

The Ultra High Speed certification ensures that all features of HDMI 2.1 are supported, such as uncompressed 8K@60Hz, 4K@120Hz, a data transfer rate of up to 48 Gbit/s, eARC or dynamic HDR. High-contrast and colour-intensive image transmission is guaranteed. This certification, comprising a QR code and hologram, must be visible on the packaging. This certification can even be scanned and a certified cable verified with the help of the HDMI Cable Certification app.




The inspection process

Hama quality assurance checks the cables regularly with a special inspection device. The cables also have to be submitted to an independent test centre certified by the HDMI Forum. Features tested there include the electromagnetic interference (EMI), in order to reduce the interference of, for example, WLAN Networks, Bluetooth devices or mobile phones.







The concept

The certified Ultra High Speed HDMITM cables are part of the comprehensive Future in Connection cable concept and round off the range of HDMITM cables.

AVA cable | Video

Ultra-high-speed HDMI™ Cable, Plug - Plug, 8K, Metal

205238	(1 m)	Prime Line
205239	(2 m)	Prime Line
205240	(3 m)	Prime Line
205067	(5 m)	Prime Line

Ultra-High-Speed HDMI™ Cable, Plug-Plug, 8K

205241	(1 m)	Essential Line
205242	(2 m)	Essential Line
205243	(3 m)	Essential Line
205068	(5 m)	Essential Line

Computer cable | Video

Ultra High Speed HDMI™ Cable, Ultra-HD 8K, Aluminium

Ultra High Speed HDMI™ Cable, Ultra-HD 8K

200504 (2 m) Prime Line

200700 (2 m) Essential Line

HDMI[™]-Cable optical, activ



hama

Ultra High Speed HDMI™ Cable, Certified, Plug - Plug, 8K, Alu, 10 m

Productline	Prime Line
Shade of colour	Black
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	High Speed with Ethernet

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 7680x4320 (8K) pixels
- Supports high graphics resolutions with 4K @ 120Hz for lag-free gaming enjoyment - ideal for Playstation 5 and Xbox Series X
- AOT transmits HDMI™ signals via fault-immune light waves, allowing the optimised, loss-free transfer of 8K data even over long distances
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
 Supports network connections via
- **IV VIDEO**

HDMI™ for reduced cabling
Robust metal plug with the best shielding for reliable signal transmission

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- eARC supports the most advanced audio formats without additional audio cables
- 3D transmission due to extended bandwidth
- Gold-plated plug with low contact resistance for secure signal transmission
- High-speed transmission of up to 48 Gbit/s for all image and sound standards from a bandwidth of 600 MHz

10 m 00205265



hama

HDMI™-Cable "Optisch, aktiv, HDMI-Plug -HDMI-Plug, 4K, gilded"

Productline	Essential Line
Shade of colour	Silver
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- AOT transmits HDMI[™] signals via fault-immune light waves, allowing the optimised, loss-free transfer of 4K data even over long distances
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Supports network connections via HDMI[™] for reduced cabling
- Robust metal plug with the best shielding for reliable signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable
- breakage
 Integrated channel for transmitting network data with up to 100 Mbit/s
- Return of the audio signal without an additional audio cable (ODT, RCA,
- etc.) • 3D transmission via extended
- bandwidthHigh speed transmission of up to 18
- Gbit/s for all image and sound standards from a bandwidth of 600 MHz • Image resolution: 3840 x 2160 - 60

8 HB

8 HB


00205274

00205275

Hz, 4096 x 2160 - 24 Hz • Colour space: 30/36/48 bit

10 m

15 m



hama

Productline

Shade of colour

Data Transfer Rate

Max. Resolution

Version

HDMI[™]-Cable "Ultra High

Speed, HDMI Male - HDMI

Prime Line

Black, Grey

48 Gbit/s

8k Ultra High Speed with

Ethernet

Male, Certified, 8K, Alu"

 Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space

• High-tech cable sheath reinforced with

- Supports network connections via HDMI™ for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Superior premium quality with respect to workmanship and performance
- Robust metal plug with the best shielding for reliable signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage

1 m			00205238
	60	HB	
2 m			00205239
	40	HB	
3 m			00205240
	40	HB	
5 m			00205067
	24	HB	





hama

HDMI[™]-Cable "Premium with Ethernet, Plug - Plug, Ferrit, Metall"

Pr	oductline	Prime Line
Sh	ade of colour	Bronze Coffee
Da	ata Transfer Rate	18 Gbit/s
M	ax. Resolution	4k (4096 x 2160)
Ve	rsion	High Speed with Ethernet

- Superior premium quality with respect to workmanship and performance
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- · HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI[™] for reduced cabling
- 3D transmission due to extended bandwidth
- Robust metal plug with the best shielding for reliable signal transmission
- Easy to lay thanks to the elastic, environment-friendly TPE material
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Elegant and flexible fabric jacket for additional kink protection
- Integrated channel for transmitting network data with up to 100 Mbit/s
- Ferrite core for decimating remaining interference and for good signal transmission
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission


6 HB

1.5 m

00205025

104 **hama** 2025 15





hama

HDMI[™]-Cable "Ultra High Speed, HDMI plug - HDMI plug, certified, 8K"

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	Ultra High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Resolutions of 8K @ 60 Hz / 4K @ 120 Hz for delay-free gaming enjoyment
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI[™] for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Superior premium quality with respect to workmanship and performance
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Gold-plated plug with low contact resistance for secure signal transmission
- The inner conductor is made of copper which ensures best transmission properties

1 m		00205241	
	60	HB	
2 m			00205242
	40	HB	
3 m			00205243
	40	HB	
5 m			00205068
	24	HB	

hama

HDMI[™]-Cable "High Speed, HDMI-Plug - HDMI-Plug, 4K, Ethernet, gilded"

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Supports network connections via HDMI[™] for reduced cabling
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- 3D transmission via extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 max.
 60 Hz, 4096 x 2160 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data

7.5 m			00205008
	12	HB	
10 m			00205009
	12	HB	
15 m			00205010
	10	BA	



hama

HDMI™-Cable "High Speed, HDMI-Plug -HDMI-Plug, 4K, Ethernet"

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharp-ness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI[™] for reduced cabling
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks

60 HB

60 HB

40 HB

24 HB

0.75 m

1.5 m

3 m

5 m



hama

HDMI[™]-Cable "Ultra-Slim, High Speed, HDMI-Plug -HDMI-Plug, 4K, Ethernet"

Productline	Essential Line
Shade of colour	Silver
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Supports network connections via HDMI[™] for reduced cabling
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Ultra-slim design: ultra-thin and super-lightweight, ideal for mobile devices and when out and about
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Solid full metal housing for protection against outside interference

		00205074
12	BK	
		00205075
12	BK	

00205004

00205005

00205006

00205007





hama

High Speed HDMI™ Cable, Plug - Plug, Ethernet, 1.5 m + HDMI™ adapter

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- 3D transmission due to extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound stan-
- dards from a bandwidth of 600 MHz • Image resolution: 3840 x 2160 - 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)
- HDMI™ adapter for connecting an HDMI™ Type-A cable to devices with HDMI™ Type-C (mini) socket / HDMI™ Type-D (micro) socket

6 HB



hama

"Flexi-Slim" High-Speed HDMI™ Cable, 4K, Plug -Plug, Ethernet, 1.5 m

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI[™] for reduced cabling
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- Gold-plated plug with low contact resistance for secure signal transmission

60 HB

00205013

 Light and space-saving due to the ultra thin, flexible flat ribbon cable and the extra small plugs



hama

High-speed HDMI™ cable, plug - plug, 90°, Ethernet, gold-plated, 1.5 m

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- 3D transmission due to extended bandwidth
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Space-saving 90° plug for connections in a minimum of space
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- 3D transmission via extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 up to 60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
 Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)

60 HB

00205022

1.5 m





hama

High Speed HDMI™ Cable, Plug-Plug, Rotation, goldplated, Ethernet, 1.5 m

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- · High-quality materials and shielded lines for excellent picture and sound quality without interference
- Rotatable plug for space-saving installation
- Gold-plated plug with low contact resistance for secure signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission due to extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)
- This cable supports the HDMI[™] 2.0b specification

6 HB

00205011

106 **hama** 2025 s

1.5 m

1.5 m



hama

High Speed HDMI™ Cable, Plug Type-A - Plug Type-C (Mini), Ethernet, 1.5 m

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharp-ness for vibrant pictures
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Gold-plated plug with low contact resistance for secure signal transmission
 Integrated channel for transmitting
- network data with up to 100 Mbit/s3D transmission via extended
- 3D transmission via extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI[™] CEC support (Consumer Electronics Control)

6 HB

00205015

1.5 n

1.5 m

1

hama

High-Speed HDMI™ Cable, Type-A Plug - Type-D Plug (Micro), Ethernet, 1.5 m

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- HDMI™ cable for perfect, highresolution ultra HD cinema quality
- 4096x2160 (4k) pixels • Supports network connections via
- HDMI[™] for reduced cabling • High-quality materials and shielded
- lines for excellent picture and sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
 3D transmission via extended
- 3D transmission via bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound stan-
- dards from a bandwidth of 600 MHz • Image resolution: 3840 x 2160 - 24
- Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz • Colour space: 30/36/48 bit
- Colour space: 30/36/48 bit
 Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data

1.5 m

3 m

5 m

10 m

00205016

- Transmission of the type of
 player via ACE (Automatic (
- player via ACE (Automatic Content Enhancement)





hama

HDMI™-Cable "High Speed, HDMI Plug -HDMI Plug"

Productline	Entry Line
Shade of colour	Black
Data Transfer Rate	10.2 Gbit/s
Max. Resolution	1080 p
Version	High Speed

- Transfer of all digital video, audio and copy protection data and signals
- High-speed transfer of up to 10.2 Gbit/s for all picture and sound standards
- With integrated audio return channel (ARC)





HDMI[™]-Cable "High Speed, HDMI Plug - HDMI Plug, Ethernet, Gold-Plated"

Productline	Entry Line
Shade of colour	Black
Data Transfer Rate	10.2 Gbit/s
Max. Resolution	1080 p
Version	High Speed with Ethernet

- Transfer of all digital video, audio and copy protection data and signals
- Gold-plated plug contacts for secure signal transmission thanks to low transfer resistances
- For perfect, high-resolution, Full HD quality (1920 x 1080 pixels)
- Colour space: 30/36/48 bit
 Transfer of 8PCM Dalby Digits
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Network functionality thanks to integrated Internet / Ethernet channel (HEC); network 100 MB/s
- With integrated audio return channel (ARC)
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI[™] CEC support (Consumer Electronics Control)
- High-speed transfer of up to 10.2 Gbit/s for all picture and sound standards

1.5 m	00205002			
		25	BA	
3 m				00205003
		25	BA	

IV VIDEC

6 HB

00205000

00205001

00205244

00205280

25 BA

25 BA

15 BA

10 BA







hama

High Speed HDMI™ Cable, Plug-Plug, 8K, Ethernet, Fabric, Gold-plated, 1.5 m

Productline	Action
Shade of colour	Black
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	High Speed with Ethernet

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 7680x4320 (8K) pixels
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission due to extended bandwidth
- Elegant and flexible fabric jacket for additional kink protection
- Flexible materials guarantee optimum kink protection and prevent cable breakage

FV VIDEO

- High speed transmission of up to 48 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz/120Hz, 7680 x 4320 - 30 Hz/60 Hz
 Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI[™] CEC support (Consumer Electronics Control)

1.5 m				00205445
		24	SC	

hama

Ultra High Speed HDMI™ Cable, Certified, Plug - Plug, 8K, alu, 1.5 m

Productline	Action
Shade of colour	Black
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	Ultra High Speed with Ethernet

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 7680x4320 (8K) pixels
- Resolutions of 8K @ 60 Hz / 4K @ 120 Hz for delay-free gaming enjoyment
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI[™] for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- High-quality and sturdy aluminium housing with a sophisticated finish
- Robust metal plug with the best shielding for reliable signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- The inner conductor is made of copper which ensures best transmission properties
 Ultra-slim design: ultra-thin and
- super-lightweight, ideal for mobile devices and when out and about • Light and space-saving due to the
- ultra thin, flexible cable and the extra small plugs

36 SC

00205449

1.5 m

hama

HDMI™-Cable "High Speed, HDMI Plug - HDMI Plug, Ethernet, Fabric, Gold-Plated"

Productline	Action
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

• HDMI[™] cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels

- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
 3D transmission due to extended
- SD transmission due to extended bandwidth
 Elegant and flexible fabric jacket f
- Elegant and flexible fabric jacket for additional kink protection
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI[™] CEC support (Consumer Electronics Control)

1.5 m				00205444
		24	SC	
3 m			00205447	
		14	SC	

RCA Cabl



RCA Cable "3 RCA Plugs - 3 RCA Plugs, Gold-Plated", Black

Productline Essential Line

- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Impedance of 75 ohms for optimum transmission quality
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Colour coding on the inside of the plugs for easy connecting

1.5

5 m			00205150	
	6	HB		

108 **hama** 2025 15

Adapter cable



hama

Connecting Cable, HDMI™ Plug - DVI/D Plug, 1.5 m

Productline

1.5 m

Essential Line

00205018

6 HB

1.5 m

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage

hama

Video Cable, DisplayPort Plug - HDMI™ Plug, Ultra-HD 4K, 1.50 m

Productline Essential Line

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference



Connecting Cable, 3.5 mm 4-Pin Jack Plug - 3 RCA Plugs, 1.5 m

- Productline
 Essential Line

 • High-quality materials and shielded
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Impedance of 75 ohms for optimum transmission quality
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Colour coding on the inside of the plugs for easy connecting

1.5 m			00205154
	6	HB	



hama

USB-C Cable, USB-C Plug – USB-A Plug, USB 3.2 Gen 1, 5 Gbit/s, 1.50 m


Productline	Essential Line
Connection	USB-C-plug, USB-Typ- A-Plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- Slimline construction is especially suitable for mobile devices such as
- smartphones, tablets and notebooks • Flexible materials guarantee optimum
- kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising



40 HB

6 HB



hama

HDMI[™] Cable Adapter, Type-C (Mini) Plug - Type-A Socket, gold-plated

Productline	Essential Line
Shade of colour	Black
Connection	HDMI™ Socket, Mini HDMI™ Plug
Max. Resolution	1080 p
Model	Cable Adapter

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- · High-quality materials and shielded lines for excellent picture and sound quality without interference
- · Gold-plated plug with low contact resistance for secure signal transmission
- Return of the audio signal without an additional audio cable (ODT, RCA,
- Integrated channel for transmitting network data with up to 100 Mbit/s
- High speed transmission of up to 10.2 Gbit/s for all image and sound standards from a bandwidth of 340 MHz
- · For transmitting digital video and audio data

00205167

8 HB

hama 110 2025 is







hama

HDMI[™] Adapter, Socket -Socket

Productline	Essential Line
Shade of colour	Black
Connection	HDMI™ Socket
Max. Resolution	4k (4096 x 2160)
Model	Compact Adapter

• For transmitting digital video data and digital audio data

00205163

288 HB

hama HDMI™ Adapter, Socket -

Socket 8K

 Productline
 Essential Line

 Shade of colour
 Black

 Connection
 HDMI™ Socket

 Max. Resolution
 8k

 Model
 Compact Adapter

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- eARC supports the most advanced audio formats without additional audio cables
- Supports network connections via HDMI[™] for reduced cabling
- High-quality materials and workmanship guarantee excellent transmission quality
- For transmitting digital video data and digital audio data



hama

High-Speed HDMI™ Angle Adapter, Plug - Socket, 270°

Productline	Essential Line
Shade of colour	Black

• Gold-plated plug with low contact resistance for secure signal transmission

 HDMI[™] cable can be routed upwards in order to connect it to the TV set (depending on the location of the socket)

Prevents kinks in the cable
 Extra-compact design

Extra-compact design



hama

High-Speed HDMI™ Angle Adapter, Plug - Socket, 90°

	ProductlineEssential LineShade of colourBlack• Gold-plated plug with low contact resistance for secure signal transmission• Allows the HDMI™ cable to be guided outwards to connect it to the Blu-ray player (depending on the installation site of the socket)• Prevents kinks in the cable• Extra-compact design
288 HB	00205164 180 HB



hama


Video Adapter, 3 RCA Sockets - 3 RCA Sockets

Productline	Essential Line

• e.g. for extending existing RCA cables • Compact adapter

Black			00205174
	8	HB	

Cables & Adapters | Amplifiers & Splitters



TV VIDEO

Amplifiers & Splitters | Switches









hama

HDMI Splitter, 2-Way

Shade of colour	Black
Number of Outputs	2
HDTV Resolution	max. 1080p
Width x Depth x Height	0.6 x 7 cm

- Power is conveniently supplied via the USB connection
- Allows simultaneous presentation of a HDMI source (e.g. Blu-ray player) on 2 HDMI players (e.g. flat TV, projector)
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- · LED function indicator gives information about the device status
- 4K support for high resolution in 2D and 3D: 4K standard, 4Kx2K (3840x2160 @30 Hz), 1080 p, 720 p, 576 p, 480 p
- Loss-free signal transfer

4K HDMI™ Splitter, 1 In 2 Out

Shade of colour	Black
Number of Outputs	2
HDTV Resolution	Max. 2160p
Width x Depth x Height	6.55 x 1.6 x 5.55 cm

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Supports high graphics resolutions with 4K @ 30Hz
- Convenient power supply via the device's USB port
- LED function indicator gives information about the device status
- The control LED shows if power supply is active
 Determining due to extended
- 3D transmission due to extended bandwidth
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Enables the simultaneous presentation of one HDMI[™] source (e.g. Blu-Ray player) on 2 HDMI[™] monitors (e.g. flat TV, projector)
- 4K support for high resolution in 2D and 3D: 4K standard, 4Kx2K (3840x2160 @30Hz), 1080p, 720p, 576p
- Loss-free signal transfer
- Plug & Play installation: no software required

6 HB





hama 4K-HDMI™ Switch 3x1

Productline	Essential Line
Shade of colour	Black
Width x Depth x Height	13 x 1.5 x 5.5 cm

- HDMI[™] switcher for perfect, highresolution ultra HD cinema quality
- Elegant and robust aluminium housing
 For connecting up to 3 HDMI[™] playback devices (e.g. Blu-ray player, DVD player, TV receiver, computer, tablet
- PC, Playstation, Xbox) to an HDMI™ device such as TV, monitor, projector • With remote control for convenient
- switching between the connected devices
- Supports all resolutions up to max. 3840 x 2160 @ 60 Hz
- Supports the following video formats: 12-bit full HD video, 3D video and 4Kx2k@30/60 Hz ultra HD video





hama

8K-HDMI[™] switch "bidirectional", 1 In 2 Out/2 In 1 Out

Productline	Essential Line	
Shade of colour	Black	
• For perfect, high-resolution ultra-HD		

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- 3D transmission due to extended bandwidth
- LED function indicator gives information about the device status
- Supports high graphics resolutions with 4K @ 120Hz for lag-free gaming enjoyment - ideal for Playstation 5 and Xbox Series X
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- for switching over from 2 HDMI™ signal sources (e.g. Blu-ray player, console, PC) to 1 HDMI™ playback
- device (e.g. TV, monitor, projector)
 for switching over from 1 HDMI[™] signal source (e.g. Blu-ray player, console, PC) to 2 HDMI[™] playback devices (e.g. TV, monitor, projector)
 supports all resolutions up to 8k @
- 60 Hz • ideal for home cinema setups, gaming
- and professional applications • Plug & Play installation: no software
- riug & riay installation: no software required
- rubberised bottom side for an anti-slip
 effect

8 HB

00121776 12 HB 00205284

2025 15 **hama**

00121770

6 HB

Switches | Mixing Desks





hama

HDMI[™] Toggle Switch, 3 Inputs, 1 Output

Productline	Essential Line
Shade of colour	Black
Width x Depth x Height	9.5 x 1.3 x 4.7 cm

 For connecting up to 3 HDMI[™] playback devices (e.g. Blu-ray, DVD player, TV receiver, computer, tablet PC, Playstation, Xbox) to an HDMI™ device such as TV, monitor, projector

• With remote control for convenient switching between the connected devices

• Supports the following resolutions: 480i/480p/576i/576p/720p/1080i/1 080p

hama

HDMI[™] Switch 2x1

Productline	Essential Line
Shade of colour	Black
Width x Depth x Height	5.6 x 6,5 x 2 cm

· Gold-plated plug with low contact resistance for secure signal transmission • Easy toggling between two HDMI™

sources (manually via the switch on the device)

HDCP compatible

- Supports resolutions up to 1080 p (up to 60 Hz)
- Plug & Play installation: no software required



4K HDMI[™] 2x1 Toggle Switch, 2x HDMI[™] Socket -1x HDMI[™] Plug

Productline	Essential Line
Shade of colour	Black
 For perfect, high-ricinema quality wit pixels High-quality mater lines for excellent pixels 	h 4096x2160 (4K) rials and shielded picture quality
• LED function indica	ator gives informati-
on about the devic	e status

• FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

- Supports resolutions up to 4k @ 60Hz Selector button for easy toggling
- between two sources • No external power supply needed
- Plug & Play installation: no software required
- Double-shielded HDMI[™] connection cable, 0.60 m

00205323

40 HB

- HDCP-compatible





AV Converter, Scart to HDMI™

Shade of colour	Black
Voltage of Plug-In Power Supply	5 V
Width x Depth x Height	88.5 x 25 x 57.5 cm

- · Easily retrofit a scart connection to a flat TV
- Playback in full HD quality (1080 p)
- · Scart input for connecting video recorders, set top boxes or DVD players
- Input supports the PAL, NTSC3.58, NTSC 4.43, SECAM, PAL/M and PAL/N TV formats
- HDMI[™] output for connection to a flat screen or monitor
- Output is compatible with HDMI[™] 1.3 and supports full HD resolution (1080 p)
- Power supply is provided via the USB cable or an external USB power supply unit (not included in the extent of delivery)

00121775

6 HB


6 HB

00121760

00205161

Audio / Video / Antenna Antenna / Sat











hama

Antenna Cable "F Plug - F Plug, Metal, Gold-Plated, 120 dB", Grey, Black

Productline	Prime Line
Type of Shielding	Quad Shielded
Screening Rate	120 dB

- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heatresistant and long-lasting
- 120 decibel screening rate (two layers each of high-density braiding + shielding foil) for protection from electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Quad-shielding for optimum reduction of electromagnetic interference
- Coaxial cable structure reproduces clear treble and rich bass
- Robust metal plug with the best shielding for reliable signal transmission
- · Gold-plated plug with low contact resistance for secure signal transmission
- · Easy to lay thanks to the elastic, environment-friendly TPE material
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- · Elegant and flexible fabric jacket for additional kink protection
- For devices with F-connection

1.5 m			00205077
	40	HB	
3 m			00205078
	32	HB	
5 m			00205079
	32	HB	

hama

Antenna Cable "Coax Plug -Coax Socket, metal, goldplated, 120 dB", Grey, Black

Productline	Prime Line
Type of Shielding	Quad Shielded
Screening Rate	120 dB
Screening Kate	120 UB

- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heatresistant and long-lasting
- 120 decibel screening rate (two layers each of high-density braiding + shielding foil) for protection from electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- · Quad-shielding for optimum reduction of electromagnetic interference
- Coaxial cable structure reproduces clear treble and rich bass
- · Robust metal plug with the best shielding for reliable signal transmission · Gold-plated plug with low contact re-
- sistance for secure signal transmission · Easy to lay thanks to the elastic,
- environment-friendly TPE material
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- · Elegant and flexible fabric jacket for additional kink protection For devices with a 9.5 mm coax
- connection

1.5 m			00205070
	40	HB	
3 m			00205071
	32	HB	
5 m			00205072
	32	HB	
10 m			00205073
	6	HB	

hama

Antenna Cable "F Plug - F Plug, gold-plated, 100 dB", White

Essential Line
Triple Shielded
100 dB

- · Flexible materials guarantee optimum kink protection and prevent cable breakage
- · Triple shielding for very good reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Ferrite core for decimating remaining interference and for good signal transmission
- · Gold-plated plug with low contact resistance for secure signal transmission
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- For devices with F-connection


hama

Antenna Cable "Coax Plug - Coax Socket, gold-plated, 100 dB", White

Productline	Essential Line
Type of Shielding	Triple Shielded
Screening Rate	100 dB

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Triple shielding for very good reduction of electromagnetic interference
- · High-quality materials and shielded lines for excellent picture and sound quality without interference
- Ferrite core for decimating remaining interference and for good signal transmission
- · Gold-plated plug with low contact resistance for secure signal transmission
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- For devices with a 9.5 mm coax connection

1.5 m			00205251
	6	HB	
3 m			00205252
	32	HB	
5 m			00205253
	24	HB	
7.5 m			00205254
	24	HB	
10 m			00205255
	24	HB	











hama

Antenna Cable "Quick F Plug - Quick F Plug, Gold-Plated, 100 dB"

100 dB

Screening Rate

- Quick F plugs can easily be plugged on a socket, screwing not necessary, ideal when frequently changing the location
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- · High-quality materials and shielded lines for excellent picture and sound quality without interference
- Triple shielding for very good reduction of electromagnetic interference
- · Gold-plated plug with low contact resistance for secure signal transmission
- Ferrite core for decimating remaining interference and for good signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- For devices with F-connection

hama

SAT Connection Kit ,100 dB, 40 m

ductline	Essential Line
Contents in Pieces	7

- Quad-shielding for optimum reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- 100-decibel screening rate (two layers each of extremely dense braiding + double-layer shielding foil) for protec-
- tion from electromagnetic interference Impedance 75 Ohm
- External diameter: approx. 7.0 mm
- HDTV-compatible
- 7-part kit comprising:
- 1 coax cable (white)
- 4 F-plugs
- · 2 weather protection covers

hama

SAT Connection Kit ,100 dB, 20 m

Productline	Essential Line
Set Contents in Pieces	7
Quad-shielding for	r optimum reductio

- on of electromagnetic interference
- · High-quality materials and shielded lines for excellent picture and sound quality without interference
- 100-decibel screening rate (two layers each of extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- Impedance 75 Ohm
- External diameter: approx. 7.0 mm • HDTV-compatible
- 7-part kit comprising:
- 1 coax cable (white)
- 4 F-pluas
- · 2 weather protection covers

hama

SAT Connection Kit ,100 dB, 10 m

Productline	Essential Line
Set Contents in Pieces	4

- · Quad-shielding for optimum reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- · 100-decibel screening rate (two layers each of extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- Impedance 75 Ohm • External diameter: approx. 7.0 mm
- HDTV-compatible
- 4-part kit comprising:
- 1 coax cable (white)
- 2 F-plugs
- 1 weather protection cover

00205041

00205034 1.5 m 6 HB 3 m 00205035 6 HB

8 HB

00205043

8 HB

00205042

12 HB



Proc Set









hama

Antenna Cable "Coax Plug -Coax Socket, Fabric, Gold-Plated, 100 dB", White

Productline	Action
Type of Shielding	Quad Shielded
Screening Rate	100 dB

- Quad-shielding for optimum reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Elegant and flexible fabric jacket for additional kink protection
- For devices with a 9.5 mm coax connection

ANTENNA / SAT

hama

Antenna Cable "F Plug - F Plug, 90 dB", White

Productline	Essential Line
Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with F-connection

hama

Antenna Cable "F Plug - Coax Socket, 90 dB", White

Productline	Essential Line
Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference

hama

Antenna Cable "Coax Plug - Coax Socket, 90 dB", White

Productline	Essential Line
Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection

0.75 m		00205044	
	6	HB	
1.5 m			00205045
	60	HB	
3 m			00205046
	60	HB	
5 m			00205047
	32	HB	
10 m			00205049
	6	HB	
15 m			00205050
	5	HB	
20 m			00205051
	20	HB	

1.5 m			00205063
	9	0 HB	
3 m			00205064
	6	0 HB	
5 m			00205065
	6	HB	
7.5 m			00205256
	6	НВ	
10 m			00205066
	2	4 HB	

				1
1.5 m			00205061	
	6	HB		
3 m			00205062	
	60	HB		

2025 is







hama

Antenna Cable "Coax Plug - Coax Socket, 90 dB", Black

Productline	Essential Line
Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- · Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection

hama	
Antenna Cable	

"Koax-Plug - Koax-Coupling, 90°, 90 dB", White

Productline	Essential Line
Type of Shielding	Triple Shielded
Screening Rate	90 dB

- Space-saving 90° plug for c in a minimum of space
- 90-decibel screening rate (d braiding + extra strong shie for protection from electrom interference
- High-quality materials and lines for excellent picture an quality without interference
- Triple shielding for very goo tion of electromagnetic inte
- Coaxial cable structure repreclear treble and rich bass
- Ferrite core for decimating r interference and for good si transmission
- Flexible materials guarantee kink protection and prevent breakage
- For devices with a 9.5 mm of connection

1.5 m

3 m

5 m

10 m

hama

Antenna Cable "SAT/BK Coaxial Cable, 90 dB", White

	ub, white		
Essential Line	Type of Shielding	Triple Shielded	Productline
riple Shielded	Screening Rate	90 dB	Type of Shielding
90 dB for connections te (dense shielding foil) tromagnetic and shielded re and sound ence good reduc- interference reproduces ing remaining od signal intee optimum vent cable im coax	 High-quality BK/S. Suitable for digita (2x aluminium foil) Inner conductor: 1 Braiding: 64 x 0.12 Outside diameter: Insulator diameter foam-PE On plastic reel Consecutive meter Attenuation dB/10 100 MHz/6.89 dB 300 MHz/11.64 dE 500 MHz/15.09 dF 862 MHz/20.00 dF 1000 MHz/21.49 dF 2150 MHz/32.49 dF 2550 MHz/35.33 dF Screening rate: 	I use, triple shielded and 1x braiding) (x 1.0 mm 2 mm approx. 7 mm, PVC c: approx. 4.57 mm, r imprint 100 m: 3 3 4 8 18 18 18 18 18 18 18 18 18 18 18 18 1	Screening Rate • High-quality in lines for excell quality withou • Extremely dur bridging wind drill holes • For satellite sy • Digital suitabl
00205059	100 m	00086669	0.2 m

100 K.A.





hama

Window Conduit, F-Socket -**F-Socket**

Productline	Essential Line
Type of Shielding	Shielded
Screening Rate	75 dB

- materials and shielded llent picture and sound ut interference
- rable, flat cable for dows and doors without
- systems or BB/GA
- ole

ANTENNA / SAT

1.5 m 00205052 6 HB 00205053 3 m 60 HB 00205054 5 m 6 HB

60 HB

40 HB

32 HB

5 HB

00205227

Cables & Adapters | Protection Hoods











hama

Antenna Cable "F Plug - F Plug, 75 dB", White

Productline	Entry Line
Type of Shielding	Double Shielded
Screening Rate	75 dB

- Double shielding for good reduction of electromagnetic interference
- Double-shielded (braiding + aluminium foil)

hama

Antenna Cable "Coax Plug - Coax Socket, 75 dB", White

Entry Line
Double Shielded
75 dB

- Double-shielded (braiding + aluminium foil)
- Ideal for cable TV

hama

Antenna Cable "Broadband Connection Cable", White

Productline	Essential Line
Type of Shielding	Triple Shielded
Screening Rate	85 dB

hama

Protective Sleeve for F-Plug, 2 pcs

Productline	Essential Line			
Material	Neoprene			
• Cable diameter: approx 5 - 8 mm				

1.5 m			00205037
	25	BA	
3 m			00205038
	25	BA	
5 m			00205039
	25	BA	
10 m			00205040
	25	BA	


1.5 m			00205028
	25	BA	
3 m			00205029
	25	BA	
5 m			00205030
	25	BA	
10 m			00205031
	25	BA	

3 m			00205331
	6	HB	
5 m			00205332
	6	HB	
9 m			00205333
	6	HB	

8 HB

Black

Cables & Adapters | Plugs & Sockets



ANTENNA / SAT

Plugs & Sockets



hama

Coax Set, Metal, Plug/Socket, screw attachment

Productline		Es	ssential Line
Attachment of Inne Conductor	r		Screwable
 Fully shielded Made from met cally extremely Good strain reli Suitable for cab 	dura ef	able	ore mechani-
5 - 7 mm			00205211
	8	HB	
2	~		



hama

Coax Set, Plug/Socket, Can Be Clamped

	Productline			Es	ssential Line		
a / Sat	Attachment of Conductor	Attachment of Inner Conductor Clamp Type					
ANTENNA / SAT	 Simple ass Fully shiele Suitable for For international for the second s	ded or cable al cables	6 0	f ap	prox. 0.5 to		
	5 - 7 mm				00205212		
		8		HB			



hama

"Quad/Quadswitch-LNB" Satellite Receiver Connection Kit

Attachment of Inner Conductor Screwable

- Optimized internal thread for best fit of the plug
- Internal thread optimised

6.5 mm



hama

Satellite Receiver Adapter Kit, F-Plug - Coax Plug/Socket, 2 Pcs

Attachment of Inner Conductor Pluggable • Set consisting of:

- Satellite receiver adapter F-plug coax plug (converts a coax plug into an F-plug)
- Satellite receiver adapter F-plug coax plug (antenna plug becomes an F-plug)

• Fully shielded



hama

F Socket Adapter

Satellite Receiver Adapter, F-Plug - F-Socket, 90°

Productline	Essential Line
Shade of colour	Silver
Connection	F Plug, F Socket

• The body depth of the plug is reduced

8 HB

00205226

	00205314		00205315	i
8 HB		288	НВ	
23				
100	-			

hama

Satellite Receiver Adapter Kit F-Plug - Coax Socket / F-Plug - Coax Plug

Attachment of Inner Conductor Pluggable

- Enables the use of high-quality satellite receiver cable F-plugs - F-plug as antenna cable
- For connecting digital satellite receiver to 2-hole satellite receiver boxes with coax (IEC) connections

8 HB

Fully shielded

122 **hama** 2025 15

00205313


ÌJ

hama

SAT Adapter, F Socket-F Socket, 2 pcs

Productline	Essential Line		
Shade of colour	Silver		
Connection	F Socket		
Suitable for cable TV			

• Fully shielded





hama

Satellite Receiver Adapter, F-Socket - F-Socket

Productline	Essential Line
Shade of colour	Silver
Connection	F Socket

Suitable for cable TV

• Fully shielded

		00205225
8	HB	

Productline		Es	ssential Line		
Shade of colour			Silver		
Attachment of Inne Conductor	er		Pluggable		
 This means that existing cables can continue to be used if connection conditions have changed Suitable for cable TV Fully shielded 					
			00205219		
	8	HB			

Productline	Essential Line		
Shade of colour	Silver		
Attachment of Inner Conductor	Pluggable		

Plugs & Sockets | Electrical Installation



hama

Coax Connector, clamp-on

Productline	Essential Line		
Shade of colour	White		
Attachment of Inner Conductor	Screwable		
Max. Cable Diameter	5 - 7 mm		

• Internal wire can be clamped

- Screw-on housing
- Good strain relief
- Fully shielded

ANTENNA / SAT

		00205215
8	HB	



hama

Antenna Socket, Coax, can be clamped

Productline	Essential Line
Shade of colour	White
Quality	Essential
Attachment of Inner Conductor	Clamp Type
Max. Cable Diameter	5 - 7 mm

- Simple assemblyFully shielded
- Suitable for cable TV
- For internal cables of approx. 0.5 to 1.1 mm
- Excellent strain relief

8 HB



hama

Antenna Plug, Coax, can be clamped

Productline	Essential Line	
Shade of colour	White	
Connection	Coax Plug, Open	
Attachment of Inner Conductor	Clamp Type	
Max. Cable Diameter	5 - 7 mm	

- Simple assembly
- Fully shielded
- Suitable for cable TV
- For internal cables of approx. 0.5 to 1.1 mm
- Excellent strain relief

			00205213
	8	HB	



8

Cover plate

Productline	Essential Line
Shade of colour	Pure White
Material	Plastic Material

• Dimensions: 80 mm x 80 mm

cm			00205317
	6	HB	



hama

Antenna Socket, Coax Angle, screw-on

Productline	Essential Line
Shade of colour	Silver
Quality	Essential
Attachment of Inner Conductor	Screwable
Max. Cable Diameter	6.0 mm

- Antenna plug for corner connections prevents kinked cables
- Antenna coupling kinked by 90°
 Screw-connectable internal wire



hama

Antenna Plug, Coax Angle, screw-on

Productline	Essential Line
Shade of colour	White
Connection	Coax Plug, Open
Attachment of Inner Conductor	Screwable
Max. Cable Diameter	6.0 mm

- Prevents kinks in the antenna cable
- Antenna plug kinked by 90°
- Screw-connectable internal wire

8 HB

		00205217		
8	HB			

Electrical Installation





hama

Antenna Terminal Socket, 75 Ohm, Surface-mounted

Productline	Essential Line
Connection for	TV + Radio
Frequency Range	47 - 862 MHz
Model	Terminal Socket

- Return path compatible connection for interactive applications such as DSL via satellite
- Broadband signal sharing to TV and radio connection
- Ideal for home systems
- Suitable for cable TV
- Screening rates: 47 470 MHz >= 75 dB, 470 - 862 MHz M >= 65 dB

		00205229
6	HB	



hama

Solid-metal housing

• Fully shielded

Antenna Splitter

Antenna Splitter, Coax Connector – 2 Coax Plugs, Metal

Productline	Essential Line
Shade of colour	Silver
Input	Coaxial
Output	2x Coaxial
Frequency Range	4 - 1000 MHz
Transmission Loss	Approx. 3.5 dB
Isolation	Approx. 22 dB



hama

Broadband Cable Splitter, 3-Way, Fully Shielded

Productline	Essential Line
Shade of colour	Silver
Input	F Socket
Output	3x F Socket
Frequency Range	5 - 862 MHz
Transmission Loss	4 dB +/- 1dB
Isolation	>= 20 dB

• Solid full metal housing for protection against outside interference

• Fully shielded lines for optimal reduction of electromagnetic interference

			00205350
	8	HB	



hama

Surface-mounted Frame for SAT/Antenna Socket

Productline	Essential Line
Shade of colour	Pure White
Material	Plastic Material
Usage	for SAT/Antennendose

• For single-part coverage



hama

Antenna Splitter, Coax Plug -2 Coax Sockets, Metal

Productline	Essential Line
Shade of colour	Silver
Input	Coaxial
Output	2x F Socket
Frequency Range	4 - 1000 MHz
Transmission Loss	Approx. 3.5 dB
Isolation	Approx. 22 dB

• Suitable for cable TV

- Solid-metal housing
- Fully shielded

 Solid full metal housing for protection against outside interference Fully shielded lines for optimal reduc-
tion of electromagnetic interference

hama

Productline

Input

Output

Isolation

Shade of colour

Frequency Range

Transmission Loss

Broadband Cable Splitter, 2 x

Essential Line

Silver

F Socket

2x F Socket

5 - 862 MHz

4 dB +/- 1dB

>= 20 dB

00205230

180 HB

			00205360
	6	HB	

180 HB

00205237

2025 IS hama

125

 Solid ful against
 Fully shirtion of e

5	НВ				

Electrical Installation





hama SAT-DiSEqC Switch 2-1

Productline	Essential Line
Number of Inputs	2
Number of Outputs	1
DiSEqC-Level	2.0
Frequencyline	950 - 2500 MHz
Material	Plastic Material

- Weatherproof due to plastic housing
- Solid full metal housing for protection against outside interference
- Fully shielded lines for optimal reduction of electromagnetic interference
- Compliant with DiSEqC Level 2.0
 DC and 22 kHz transmission





hama

SAT-DiSEqC Switch 4-1

Productline	Essential Line
Number of Inputs	4
Number of Outputs	1
DiSEqC-Level	2.0
Frequencyline	950 - 2500 MHz
Material	Plastic Material

- Weatherproof due to plastic housing
 Solid full metal housing for protection
- against outside interference • Fully shielded lines for optimal reduction of electromagnetic interference
- Compliant with DiSEqC Level 2.0

DC and 22 kHz transmission

6 HB



hama

Antenna / SAT / BB Socket, Twin End Socket, pure white

Productline	Essential Line
Shade of colour	Pure White
Connection Loss	3 dB
Frequency Range	88 MHz - 2400 MHz

- Return path compatible connection for interactive applications such as DSL via satellite
- 4 connections: TV, radio and 2 x SAT • Frequency range: 5-65 MHz (with
- feedback channel via TV connection) and 88-2400 MHz
- SAT connection loss: 3 dB +/- 1 dB • TV connection loss: 3 dB +/- 1 dB
- FM connection loss: 3 dB +/- 1 dB
- For BB/SAT networks
- Ideal for HDTV
- DC supply via F sockets
- Can be used with and without frame
- Suitable for covers compliant with
- German standards, e.g. for Bush + Jäger



hama

Satellite Receiver Finder with LED Display

Productline	Essential Line
Material	Metal

- Attenuator for optimal adjustment of the input signal
- Acoustic signal for signal strength and quality
- 7-stage LED for SAT levels
- Function LED for 22 kHz impulse
- 2 x F connection (coupling)
- Simply plug between the LNB and receiver and adjust until the maximum achievable signal quality is achieved



SAT Finder with Analogue Display

Productline Essential Line

- Attenuator for optimal adjustment of the input signal
- Acoustic signal for signal strength and quality
- 2 x F connection (coupling)
- Connecting cable with Quick-F plug for easy attachment

6 HB

00205291

• Digital and HD compatible

Inline Amplifier



hama

SAT Inline Amplifier, 20 dB

Productline	Essential Line
Amplification	20 dB
Frequency Range	950 - 2400 MHz

- Fully shielded lines for optimal reduction of electromagnetic interference
- Signal amplification by 20 decibelsSolid full metal housing for protection
- against outside interference
- Ideal for HDTV

		00205233
8	HB	

00205354

Electrical Installation

SAT Splitter



hama AB/SAT Priority Switch

Productline	Essential Line
Input	F Socket
Isolation (min.)	20 dB
Output	F Socket
Impedance	75 Ω
Material	Metal

Solid full metal housing for protection against outside interference





hama

SAT Splitter, 2-Way, Fully Shielded

Productline	Essential Line
Input	F Socket
Isolation (min.)	20 dB
Output	F Socket
Frequency Range	5 Mhz - 2400 Mhz
Transmission Loss	5 dB +/- 2 dB
Max. Remote Supply Current	500 mA

• Solid full metal housing for protection against outside interference

8 HB

00205231

Universal Receiving Outlet

hama

4 in 1

Productline

Shade of colour

Connection for

Model

Usage

Frequency Range

via satellite

telephone)

TV socket

Jäger

MHz

Ideal for HDTV

Technical data:

Connection loss: <2dB

• Return channel: 5 to 65 MHz

• Extended F-socket

(installation-friendly)

through a single line

"SKITU" Universal Antenna

• Simultaneous use of SAT, cable TV,

• Return path compatible connection for

interactive applications such as DSL

• Unicable compatible for use in single

65 MHz feedback channel (Internet/

• The Internet signal is received at the

• Diode-decoupled SAT connection

• Suitable for covers compliant with

• Frequency range: 5 to 2,200 MHz

With SAT connection: 950 to 2,200

For TV connections: 109 to 865 MHz;

Qty PT

German standards, e.g. for Bush +

cable systems according to EN 50494 • Capable of receiving DVB-S/-C/-T

• TV, telephone and Internet (Triple)

· Multimedia-compatible with 5 to

internet and telephone possible

Socket, 0 dB Terminal Socket,

Essential Line

Pure White

TV + SAT + Radio +

Telephone + Unicable

5 Mhz - 2200 Mhz

With Cover and Frame

Terminal Socket







hama

0 dB, 4-in-1

Productline

Material

Model

Usage

Connection for

Frequency Range

SAT/Antenna Terminal Socket,

• Simultaneous use of SAT, cable TV,

· Connector capable of operating in the

return channel for interactive applica-

tions such as internet or telephone via

internet and telephone possible

• TV, telephone and Internet (Triple)

Capable of receiving DVB-S/-C/-T

• Multimedia-compatible with 5 to

• Unicable compatible for use in single

cable systems according to EN 50494

65 MHz feedback channel (Internet/

• The Internet signal is received at the

Essential Line

TV + SAT + Radio +

Telephone + Unicable

5 Mhz - 2200 Mhz

Die-cast housing

Without cover and

frame

Terminal Socket

hama

"Skitu" Universal Antenna Socket, Transmission Socket, 10 dB, 4 in 1

Productline	Essential Line
Shade of colour	Pure White
Connection for	TV + SAT + Radio + Telephone + Unicable
Frequency Range	5 Mhz - 2200 Mhz
Model	With Cover and Frame
Usage	Through-Way Socket

- Simultaneous use of SAT, cable TV, internet and telephone possible
- Connector capable of operating in the return channel for interactive applications such as internet or telephone via cable modem
- TV, telephone and Internet (Triple) through a single line
- Unicable compatible for use in single cable systems according to EN 50494
- Capable of receiving DVB-S/-C/-T
- Multimedia-compatible with 5 to 65 MHz feedback channel (Internet/ telephone)
- The Internet signal is received at the
- TV socket • Diode-decoupled SAT connection
- Extended F-socket
 (installation-friendly)
- Suitable for covers compliant with German standards, e.g. for Bush + Jäger
- Ideal for HDTV

Technical data:

• Frequency range: 5 to 2,200 MHz With SAT connection: 950 to 2,200

MHz

- Connection loss: 10 dB/+-1.5 dB
- With TV connection: 109 to 865 MHz; • Return channel: 5 to 65 MHz

Connection loss: < 2 dB

 00205288
 00205355

 6
 HB
 6
 HB

hama 127

6 HB

00205316

2025 15

TV socket • Diode-decoupled SAT connection • Extended F-socket (installation-friendly)

telephone)

cable modem

through a single line

- Suitable for covers compliant with German standards, e.g. for Bush + Jäger
- Ideal for HDTV

Technical data:

Frequency range: 5 to 2,200 MHz

With SAT connection: 950 to 2,200 MHz

Amplifiers & Splitters | Antennas | Holders



hama

BB/CATV Amplifier for 2 Devices

Productline	Essential Line
Shade of colour	White
Amplification	22 dB
Frequency Range	40 - 862 MHz
Power Supply	230V Power Supply Unit

- Signal amplification by 2x22 decibels
- Attenuator for optimal adjustment of the input signal
- For the connection of two receiving devices (TV/radio)

6 HB

00205228

White

hama

Productline

(for TV)

adapter

White

Coax Cable Length

DAB+/FM Dipole Antenna

Suitable for DAB+, FM and DVB-T2 HD
Antenna coupling for radio
Includes coax plug - coax plug adapter

6 HB

Includes F-plug - coax plug SAT

• Built-in 230V/50Hz power pack



hama

BB/CATV amplifier, 25 dB, controllable

Productline	Essential Line
Shade of colour	White
Amplification	22 dB
Frequency Range	40 - 862 MHz
Power Supply	230V Power Supply Unit

- Signal amplification by 25 decibels
- Attenuator for optimal adjustment of the input signal
- Plug housing with power LED and On/ Off mains switch
- Built-in 230V/50Hz power pack

00205234 30 HB



hama

Dipole Antenna, Coax

 Productline
 Essential Line

 Coax Cable Length
 1.5 m

Antenna coupling for radio
Includes coax plug - coax plug adapter (for TV)

60 HB

£

1 63

Essential Line

1.75 m

00205283

00205218



Universal Mast Top 40 - 60 mm

_				
	Shade of colour	Blac	:k	Shade of colour
	Material	Plastic M	aterial	Material
r	• For pipe diameters	40 - 60 mr	n	 Extremely stur Non-corroding resistant alum
		002	205358	
	6	HB		
r				Line of colour Material • Extremely stur • Non-corroding resistant alum • TÜV approved

SAT Wall Brackets



hama

SAT Wall Bracket, aluminium, distance from the wall: 45 cm

Aluminium

	Material	Aluminium
	Extremely sturdy, i Non-corroding as a resistant aluminiur	made from rust-
3		00044183
	10	
	Line from t	the wall: 35 cm
	Shade of colour	Aluminium
	Material	Aluminium
	 Extremely sturdy, i Non-corroding as a resistant aluminiur TÜV approved 	made from rust-

00044175

10

128 hama 2025 15

Holders | Cables & Adapters



hama

SAT Wall Bracket, aluminium, distance from the wall: 25 cm

Shade of colour	Aluminium
Material	Aluminium

- Extremely sturdy, in proven L shape
- Non-corroding as made from rustresistant aluminium

10

00044172

• TÜV approved



Universal LNB Adapter for Kathrein and Astro SAT Antennas

Material	Plastic Material
SAT Antenna Manu- facturer	Astro, Kathrein

- Fast and simple installation
- LNB holder can be used anywhere

6 HB

00205357





SAT Connection Kit, 85 dB, 20 m

Set Contents in Pieces

- Double shielding for good reduction of electromagnetic interference
 Shielded lines for optimum picture and sound quality without interference
- 85-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Impedance: 75 ohms
- Outside diameter: 5.8 mmSuitable for digital operation
- Suitable for digital operatio
 7-part kit comprising:
- 1 double shielded coax cable (20 m, white)
- 4 F plugs
- 2 weather protection sleeves



hama

SAT Connection Kit, 85 dB, 10 m

Set Contents in Pieces

• Double shielding for good reduction of electromagnetic interference

4

- Shielded lines for optimum picture and sound quality without interference
- 85-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Impedance: 75 ohms
- Outside diameter: 5.8 mm
- Suitable for digital operation
- 4-part kit comprising: 1 double shielded coax cable (10 m,
- white)
- 2 F plugs
- 1 weather protection sleeve

00056606

12 SC

00056607

12 SC

Electrical Installation | Switches | Mounting Materials







SAT Multiswitch

hama

5/8 NT

Number of Inputs Number of Outputs

frequency spectrum

Transmission Loss

Isolation SAT Outputs

Max. Remote Supply

terrestrial/SAT

(min.)

Current

Line Voltage

"Lypsi SE" SAT Multiswitch,

8

5 - 862 MHz, 47 - 862

MHz, 950 - 2200 MHz

6 - 10 dB

35 dB

90 - 250 V

500 mA





hama

"Lypsi SE" SAT Multiswitch,

5
6
5 - 862 MHz, 47 - 862 MHz, 950 - 2200 MHz
6 - 10 dB
35 dB
90 - 250 V
500 mA

- Return path compatible connection for interactive applications via the terrestrial input
- Connection to guadswitch LNB possible
- Decoupling that is especially high for decreased sensitivity to interference from the signal inputs
- With colour coding for easily assigning the cables when connecting the LNB to the multiswitch
- Quad and Quadswitch compatible (22 KHz signal supplied to the LNB)
- With switching power supply for LNB power supply
- Inputs: 4x SAT, 1x terrestrial
- Earth connection: 1x terminal screw • V/H: 14 V/18 V and 22 KHz switching signal

00044307

12 HB



Screw Set with Plugs

Set Contents in Pieces

- 4 8 x 80 mm DIN 571 solid metal screws
- 4 8 mm diameter DIN 9021 shims • 4 12 mm diameter plastic plugs for solid materials (concrete, solid brick)

		00205352
6	HB	

12

hama

Cable insulator

- For cables with an external diameter up to max. 8.00 mm
- · For cables with an internal wire up to a max. diameter of 1.13 mm
- · Can be used for external and internal jackets

130

00205235 8 HB

> hama 2025 is

Qty PT

- terrestrial input · Connection to quadswitch LNB possible · Decoupling that is especially high for decreased sensitivity to interference
- from the signal inputs • With colour coding for easily assigning the cables when connecting the LNB

• Return path compatible connection

for interactive applications via the

- to the multiswitch • Quad and Quadswitch compatible (22
- KHz signal supplied to the LNB) • With switching power supply for LNB
- power supply
- Inputs: 4x SAT, 1x terrestrial • Earth connection: 1x terminal screw
- V/H: 14 V/18 V and 22 KHz switching signal

00044306

12 HB

5/6NT

Seals | Antennas



hama

Self-sealing sealing tape, 5.0 m

Material	Caoutchouc
Width x Length	19 x 5000 mm
Thickness	1 mm

- Rubber insulating tape, permanently elastic
- Permanently self-sealing, water-tight
- Highly flexible, can also be used below 0°C
- Complies with VDE Directive 0530 Type A4

Black		00205356	
	6	HB	



hama

Universal Single LNB

Amplification (typically)	60 dB
Gain (typical) min. x Gain (typical) max.	55 x 67 dB
Input Frequency Range	10,7 Ghz - 12,75 Ghz
Noise Factor (typically)	0.3 dB
Oscillator Frequency	9.75 GHz (L1), 10,6 GHz (L2)
Output Frequency Range	950-2150 MHz
Power Consumption (typical)	90 mA
Switch vertical/ho- rizontal	14V, 18V
Feed Horn Diameter	40 mm

- Particularly low-noise: the high-quality components used ensure a very low noise factor of max. 0.3 dB
- Insulating cap against wind and weather: the high-quality weatherproof rubber grommet protects the connections and ensures consistently good transmission quality
- Easy to connect: the single LNB enables a simple connection for a digital receiver
- For digital reception of SAT programmes such as Astra, Eutelsat or Türksat
- For connecting to a digital receiver of a TV with built-in digital receiver
- Ideal for HD, HD+ FullHD, UltraHD UHD 4K and 8K
- 22 kHz switching between low and high band
- Weather-proof thanks to weather protection grommet

10 HB

White





hama

Universal Single LNB

В	Noise Factor (typically)	0.3 dB	Amplificati (typically)
dB	 Particularly low-no ty components use 	Gain (typic Gain (typic	
2,75 Ghz	noise factor of max	<. 0.3 dB	Input Freq Range
В	Insulating cap aga weather: the high-	quality weather-	Noise Fact (typically)
1), 10,6 2)		nsures consistently	Oscillator I
MHz	good transmission • Easy to connect: th		Output Fre Range
A	bles a simple conn receiver	ection for a digital	Power Con (typical)
8V	 For the digital rece programmes such 		Switch ver rizontal
m	or Türksat		Feed Horn
h-quali- very low d ther- s the stently B ena- digital bgram- Türksat eiver or ver aHD v and her	 For connecting a d with built-in digita Ideal for HD, HD+, UHD 4K and 8K 22 kHz switch bety band Weather-resistant protection gromme 	I receiver Full HD, Ultra HD veen low and high thanks to weather	 Particul. ty comp noise fa Safe pro- ther: the protects ensures on quali Supply s two con to 2 dig For digi mes succ Ideal for UHD 4K 22 kHz s high bai Weather weather

hama

Universal Twin LNB

Amplification (typically)	62 dB
Gain (typical) min. x Gain (typical) max.	56 x 68 dB
Input Frequency Range	10,7 Ghz - 12,75 Ghz
Noise Factor (typically)	0.3 dB
Oscillator Frequency	9.75 GHz (L1), 10,6 GHz (L2)
Output Frequency Range	950-2150 MHz
Power Consumption (typical)	97 mA
Switch vertical/ho- rizontal	14V, 18V
Feed Horn Diameter	40 mm

- Particularly low-noise: the high-quality components used ensure a very low noise factor of max. 0.3 dB
- Safe protection from wind and weather: the sturdy weatherproof housing protects the LNB and connections and ensures consistently good transmission quality
- Supply several devices: thanks to the two connections on the Twin LNB, up to 2 digital receivers can be connected
- For digital reception of SAT programmes such as Astra, Eutelsat or Türksat
 Ideal for HD, HD+ FullHD, UltraHD
- UHD 4K and 8K • 22 kHz switching between low and
- high band • Weatherproof thanks to extendable
- weatherproof housing
 - 00205375 10 HB

ANTENNA / SAT

00205374

White

Whit

00205370

Antennas







000

hama

Universal Twin LNB

Noise Factor (typically)

• Particularly low-noise: the high-quality components used ensure a very low noise factor of max. 0.3 dB

0.3 dB

- Safe protection from wind and weather: the sturdy weatherproof housing protects the LNB and connections and ensures consistently good transmission quality
- Supply several devices: thanks to the two connections on the Twin LNB, up to 2 digital receivers can be connected
- For the digital reception of SAT programmes such as Astra, Eutelsat or Türksat
- Ideal for HD, HD+, Full HD, Ultra HD UHD 4K and 8K
- 22 kHz switch between low and high band
- Weather-resistant thanks to extendable weatherproof housing

hama

Universal Quattro LNB

Amplification (typically)	57 dB		
Gain (typical) min. x Gain (typical) max.	53 x 62 dB		
Input Frequency Range	10,7 Ghz - 12,75 Ghz		
Noise Factor (typically)	0.3 dB		
Oscillator Frequency	9.75 GHz (L1), 10,6 GHz (L2)		
Output Frequency Range	950-2150 MHz		
Power Consumption (typical)	78 mA		
Switch vertical/ho- rizontal	14V, 18V		
Feed Horn Diameter	40 mm		
Deuticularly law acies the birth avail			

- Particularly low-noise: the high-quality components used ensure a very low noise factor of max. 0.3 dB
- Safe protection from wind and weather: the sturdy weatherproof housing protects the LNB and connections and ensures consistently good transmission quality
- Supply several devices: thanks to the 4 connections on the Quattro LNB, several digital receivers can be connected directly in combination with an
- external multi-switch • For digital reception of SAT programmes such as Astra, Eutelsat or Türksat
- Ideal for HD, HD+ FullHD, UltraHD UHD 4K and 8K
- With four fixed outputs (HL/VL/HH/VH)
 Weatherproof thanks to extendable

00205376

weatherproof housing

Universal Quattro LNB

hama

Noise Factor (typically)

• Particularly low-noise: the high-quality components used ensure a very low noise factor of max. 0.3 dB

0.3 dB

- Safe protection from wind and weather: the sturdy weatherproof housing protects the LNB and connections and ensures consistently good transmission quality
- Supply several devices: thanks to the 4 connections on the Quattro LNB, several digital receivers can be connected directly in combination with an external multi-switch
- For digital reception of SAT programmes such as Astra, Eutelsat or Türksat
- Ideal for HD, HD+ FullHD, UltraHD UHD 4K and 8K
- With four fixed outputs (HL/VL/HH/VH)
- Weatherproof thanks to extendable weatherproof housing

hama

Universal Quad LNB

Amplification (typically)	61 dB
Gain (typical) min. Gain (typical) max.	
Input Frequency Range	10,7 Ghz - 12,75 Ghz
Noise Factor (typically)	0.3 dB
Oscillator Frequence	9.75 GHz (L1), 10,6 GHz (L2)
Output Frequency Range	950-2150 MHz
Power Consumptio (typical)	n 125 mA
Switch vertical/ho- rizontal	14V, 18V
Feed Horn Diamete	er 40 mm

- Particularly low-noise: the high-quality components used ensure a very low noise factor of max. 0.3 dB
- Safe protection from wind and weather: the sturdy weatherproof housing protects the LNB and connections and ensures consistently good transmission quality
- Supply several devices: thanks to the built-in multi-switch, up to 4 digital receivers can be connected directly to the Quad-LNB
- For digital reception of SAT programmes such as Astra, Eutelsat or Türksat
- With integrated multi-switch for 4 participants
- Ideal for HD, HD+ FullHD, UltraHD UHD 4K and 8K
- 22 kHz switching between low and high band
- Weatherproof thanks to extendable weatherproof housing

10 HB

00205377

hama	2025 is
------	---------

10 HB

132

00205371

White

10 HB

Qty PT

8 HB

Whit

00205372

White

Antennas

and and

hama

Universal Quad LNB

Noise Factor (typically)

• Particularly low-noise: the high-quality components used ensure a very low noise factor of max. 0.3 dB

0.3 dB

- Safe protection from wind and weather: the sturdy weatherproof housing protects the LNB and connections and ensures consistently good transmission quality
- Supply several devices: thanks to the built-in multi-switch, up to 4 digital receivers can be connected directly to the Quad-LNB
- For digital reception of SAT programmes such as Astra, Eutelsat or Türksat
- With integrated multi-switch for 4 participants
- Ideal for HD, HD+ FullHD, UltraHD UHD 4K and 8K
- 22 kHz switching between low and high band
- Weatherproof thanks to extendable weatherproof housing

64 SC


White


Qty PT

hama

Audio / Video / Antenna Audio







00205118

00205263

00205264

1.5 m

3 m

5 m

6 HB

144 HB

144 HB

90 HB

1.5 m

3 m

5 m

00205285

00205286

For devices with a jack connection

144 HB

6 HB

0.5 m

1.5 m

00205119


00205120

00205121

90 HB

60 HB

Cables & Adapters | USB Devices



hama Audio Adapter, USB-C Plug -3.5 mm Jack Socket, Stereo Entry Line Productline Essential Line Shade of colour

00205085

00205086

00205087

• For perfect, high-resolution, HiFi stereo sound quality Slimline construction is especially

Black

- suitable for mobile devices such as smartphones, tablets and notebooks
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- · High-quality materials and workmanship guarantee excellent transmission quality

		00205282
144	HB	

5 m

138	hama	2025 is
-----	------	---------

00205093

5 m

60 HB

48 HB

6 HB

00205097

Qty PT

Bluetooth Audio Adapte





hama

"Link.it duo" Bluetooth® Adapter, Transmitter & Receiver, Bluetooth Retrofit

Shade of colour	Black	
Connection	3.5 mm Jack Socket, USB-C-Connector	
Max. Range	10 m	
Bluetooth Version	5.2	

- Many connections lead to Bluetooth: TVs, Hi-Fi systems or projectors can be connected via the 3.5-mm jack connection or via the optical fibre connection without interruption thanks to the Bluetooth adapter
- Transceiver for Bluetooth in both directions: whether it be a Bluetooth transmitter or receiver, two devices can always be connected, e.g. two pairs of headphones with one TV or one pair of headphones with the TV and stereo system
- Handy power supply via USB: Bluetooth adapter draws power directly via the USB-A - USB-C cable through the USB port on the device, e.g. TV set
- Bluetooth in no time: thanks to auto pairing, the Bluetooth transmitter and receiver are quickly ready for use - You simply have to pair the devices once and after this the connection will be established automatically when Bluetooth is activated
- APTX technology for better audio quality despite the limited bandwidth with Bluetooth
- Pair the Bluetooth headphones or Bluetooth speaker with the TV, projector or stereo system without a previous Bluetooth function
- Multi-point 2 Bluetooth headphones on one audio source (e.g. TV): ideal for people who listen to sound at different volumes but still like to enjoy their favourite series together

6 HB

00205322





hama

"Link.it solo" Bluetooth® Adapter, Receiver, Retrofit Bluetooth to the HiFi

Shade of colour	Black
Connection	USB-C-Connector
Max. Range	50 m
Bluetooth Version	5.3

- Bluetooth connectivity via a jack: the loudspeaker and HiFi system can be easily and universally connected to the Bluetooth adapter using the 3.5 mm jack connection
- For two audio sources: the Bluetooth receiver allows two devices to be connected, e.g. two mobile phones with one loudspeaker or one stereo system
 entirely without having to reconnect and retrofit Bluetooth
- Your favourite sounds from the microSD card: enjoy your play list from a microSD card on the HiFi system wit-
- hout any need for a card reader, etc.
 Handy power supply via USB: the Bluetooth adapter draws power directly via the USB-A to USB-C cable through the USB port on a power strip
- Bluetooth in no time: thanks to auto pairing, the Bluetooth receiver is quickly ready for use - You simply have to pair the devices once and after this the connection will be established automatically when Bluetooth is activated
- You do not need to observe any system requirements, simply plug in and go
- Up to 50-metre range (with clear sight) The Bluetooth receiver can also be
- powered via a separate USB power supply unit through a power socket
- Supports micro-SD cards with up to 64 GB storage and FAT32 or exFAT formatting

40 HB



hama

ODT Adapter, Toslink Plug -Toslink Socket, Gold-Plated, 90°

Productline	Essential Line

- Gold-plated plug with low contact resistance for secure signal transmission
- Fibreoptic cable can be routed at the top, bottom or to the side in order to connect the TV set to the amplifier, for example
- Prevents kinks in the cable
- Plug can swivel
- Compact adapter for space-saving attachment



hama

ODT Adapter, Toslink Socket - Optical 3.5 mm Plug, goldplated

Productline	Essential Line
-------------	----------------

Gold-plated plug with low contact resistance for secure signal transmission
Compact adapter

8 HB



hama

Subwoofer Adapter, RCA Plug - 2 RCA Sockets




hama

Subwoofer Adapter, 2 RCA Plugs - RCA Socket

Essential Line	Productline	Essential Line
ow contact re- al transmission	• Flexible cable ada	oter G
00205178	Black	00205184
	8	НВ

00205321





Audio Adapter, 3.5 mm Jack Plug - 2 x 3.5 mm Jack Socket, Stereo

Productline	Essential Line	
Connection	3.5 mm Jack Plug, 3.5 mm Jack Socket	

- Space-saving 90° plug for connections in a minimum of space
- Form-fitting plug with elevation for a firm hold in every jack socket, also with a bag/cover, for excellent audio quality without interruption
- Flexible cable adapter

Black			00205190
	8	HB	



hama

Black

Audio Adapter, 2 x 3.5 mm Jack Plug Mono - 3.5 mm Jack Socket Stereo

Productline	Essential Line	Productline	Essential Line
Connection	3.5 mm Jack Plug, 3.5 mm Jack Socket	Connection	3.5 mm Jack Socket
• Compact • Suitable f	t aircraft models	 Compact adapter High-quality desig body 	n with metal grip

288 HB

00205192

Silve



Audio Adapter, 3.5 mm Jack Plug - 2 x 3.5 mm Jack Socket, Stereo

Black

hama

Socket Stereo

Audio Adapter, 3.5 mm Jack

Productline	Essential Line	
Connection	3.5 mm Jack Plug, 3.5 mm Jack Socket	
 For enjoying the same music in pairs from the MP3 player Compact adapter 		

8 HB

00205191



Audio Adapter, RCA Socket -6.3 mm Mono Jack Plug

Productline		Essential Line	
Connection		6.35 I	mm Jack Plug, RCA Socket
• Compact adap	ter		
Black	288	HB	00205188
Į			
ham	9		
	•		mm lade

Audio Adapter, 3.5 mm Jack Plug Stereo - 2.5 mm Jack Socket Stereo

sential Line	Productline	Essential Line
nm Jack Socket	Connection	2.5 mm Jack Socket, 3.5 mm Jack Plug
metal grip	 e.g headphones w tion to an MP3 pla connection Compact adapter 	
00205193	Black	00205199

8 HB



hama

Audio Adapter, 3.5 mm Mono Jack Socket - 6.3 mm Mono Jack Plug

Productline	Essential Line
Connection	3.5 mm Jack Socket, 6.35 mm Jack Plug

• e.g. for connecting a microphone to a radio device

· Compact adapter

В

lack			00205195
	288	HB	




hama

Audio Adapter, 3.5 mm Jack Plug - 6.3 mm Jack Socket, **Stereo**

ine	Productline	Es	ssential Line	
ocket, Plug	Connection		mm Jack Plug, mm Jack Socket	
nnec- nm	 For connecting he player, for exampl Compact adapter 		nes to an MP3	}
				TV AUDIO
5199	Black		00205196	
	8	HB		

8 HB




142 **hama**

2025 is

Qty PT

Cables & Adapters | Plugs & Sockets



Amplifiers & Splitters | Mixing Desks







hama

"PA 506" Stereo Phono Preamplifier, with 230 V/50 Hz power supply unit

Black

Shade of colour

- Additional power supply unit for power supply
- Gold-plated contacts with low contact resistance for secure signal transmission
- Solid full metal housing for protection against outside interference
- For connecting record players with a magnet system to an audio mixing console or stereo systems with Line/ Aux/MD/CD inputs
- Low-noise preamplifier with RIAA equalization
- Also suitable for audio mixing consoles and PC sound cards
- Comes with a power supply unit, 230 V/50 Hz, 300 mA



hama

Optical Splitter, Toslink Socket - 2 Toslink Sockets

Productline	Essential Line
Shade of colour	Black

Passive optical splitter with compact
 plastic housing

8 HB

00205179





hama

"AC80" Audio Converter, Digital to Analogue

Shade of colour	Black
Voltage of Plug-In Power Supply	5 V
Width x Depth x Height	5 x 4 x 2.5 cm

- Allows retrofitting an analogue audio output for connecting a hifi system, amplifier or a pair of headphones
- Improves the sound quality of digital output devices (e.g. flat TV, DVD player) by sound playback via a hifi system
- Two digital inputs (optical, coaxial) for DVD players, games consoles and computers
- One analogue output (line out) for hi-fi systems, audio amplifiers
 Can be operated with the supplied
- power supply unit
- Plug & play, no software required



hama

"AC90" Audio Converter, Digital to Analogue

Voltage of Plug-In Power Supply	5 V
Width x Depth x	4.91 x 5,738 x
Height	1,68 cm

- Allows retrofitting an analogue audio output for connecting a hifi system, amplifier or a pair of headphones
- Improves the sound quality of digital output devices (e.g. flat TV, DVD player) by sound playback via a hifi system
- The solution for connecting newer devices with digital connections such as flat-screen TVs, Blu-Ray players, DVD players, games consoles or PCs to an older hi-fi system with analogue connections
- Two digital inputs (optical, coaxial) for e.g. DVD players, games consoles and computers
- One analogue output (line out) for hi-fi systems, audio amplifiers
- Plug & play, no software required
 Power supply via USB on the flatscreen TV etc. or via a USB power supply unit

00205198

6 HB

IV AUDIO

144

6 HB

hama 2025 15

00040506

00083180



• Colour coding on the inside of the plugs for easy connecting

Black

Shade of colour

- High-quality materials for excellent sound quality without interference Audio Cable, 2 RCA Plugs - 2 RCA Plugs, 2.5 m
- Compact adapter, 6.3 mm jack plug, stereo - 3.5 mm jack socket, stereo
- Compact adapter, 3.5 mm jack plug, stereo - 2 RCA sockets

2.5 m	00205175			
		6	HB	






Jack Connection Kit, 2.5 m

Productline	Essential Line
Shade of colour	Black
Length	250 cm

- High-quality materials for excellent sound quality without interference
- Audio extension cable, 3.5 mm jack plug - 3.5 mm jack socket, stereo, 2.5 m
- Compact adapter, 6.3 mm jack plug -3.5 mm jack socket, stereo
- Compact adapter, 3.5 mm jack plug -6.3 mm jack socket, stereo
- Compact adapter, 3.5 mm jack plug 2 3.5 mm jack sockets, stereo
- Compact adapter, 3.5 mm jack plug -3.5 mm jack plug, stereo



90 HB

Specials – FOB only



USB Devices | Cables & Adapters

Chip Card Reader



hama

"Single" Chip Card Reader for Smart Cards / ID Cards

Shade of colour	Black
Connection	USB-Typ-A-Plug

- LED function indicator gives information about the device status
- Incl. USB-A USB-C adapter
- Easy connection via USB cable
- Compact and handy, therefore also practical for use on the move
- Use for online banking, online payments, electronic proof of identity with personal ID, electronic signature, for example

			00053398
	16	HB	



hama

Antenna Cable "Coax Plug -Coax Socket, metal, goldplated, 120 dB", Black

Productline	Prime Line
Type of Shielding	Quad Shielded
Screening Rate	120 dB

- 120 decibel screening rate (two layers each of high-density braiding + shielding foil) for protection from electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Quad-shielding for optimum reduction of electromagnetic interference
- Coaxial cable structure reproduces clear treble and rich bass
- Robust metal plug with the best shielding for reliable signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- Ferrite core for decimating remaining interference and for good signal transmission
- Easy to lay thanks to the elastic, environment-friendly TPE material
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Elegant and flexible fabric jacket for additional kink protection
- For devices with a 9.5 mm coax connection

hama

SAT Connection Cable, F-Plug - F-Plug, 1.5 m, 90 dB, black

Productline	Essential Line
Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with F-connection



hama

Antenna Cable "Koax-Plug-Koax-Coupling, 90°, with Adapter, 75 dB", White

Productline	Essential Line
Type of Shielding	Double Shielded
Screening Rate	75 dB

- Space-saving 90° plug for connections in a minimum of space
- 75-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection
- Includes coax adapter, plug plug

m	00205292				1.5 m			00205299
6 HB						e	н	В
	00205293	1.5 m		00205309	3 m			00205305
6 HB		6	НВ			e	н	В

1.5

3 n









hama

Antenna Cable "Koax-Plug - Koax-Coupling, with Adapter, 75 dB", White

Productline	Essential Line
Type of Shielding	Double Shielded
Screening Rate	75 dB

- 75-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- · Double shielding for good reduction of electromagnetic interference
- · For devices with a 9.5 mm coax connection
- Includes coax adapter, plug plug

hama

Antenna Cable "Koax-Plug - Koax-Coupling, with Adapter, 75 dB", Black

Essential Line
Double Shielded
75 dB

- 75-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- · Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection
- Includes coax adapter, plug plug

hama

Antenna Cable "Koax-Plug - Koax-Coupling, with Adapter, 85 dB", White

Productline	Essential Line
Type of Shielding	Double Shielded
Screening Rate	85 dB
05 1 1 1	

- · 85-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- · Double shielding for good reduction of electromagnetic interference
- Ferrite core for decimating remaining interference and for good signal transmission
- For devices with a 9.5 mm coax connection
- Includes coax adapter, plug plug

hama

Antenna Cable "Koax-Plug - Koax-Coupling, with Adapter, 85 dB", Black

Productline	Essential Line
Type of Shielding	Double Shielded
Screening Rate	85 dB

- 85-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- · Double shielding for good reduction of electromagnetic interference
- · Ferrite core for decimating remaining interference and for good signal transmission
- For devices with a 9.5 mm coax connection
- Includes coax adapter, plug plug

1.5 m	00205295		
	6	HB	
3 m			00205296
	6	HB	
5 m			00205297
	6	HB	
10 m			00205298
	6	HB	
15 m			00205304
	5	HB	

00205302 1.5 m 6 HB 3 m 00205308 6 HB

1.5 m			00205300
	6	HB	
3 m			00205301
	6	HB	
5 m			00205307
	6	HB	

1.5 m 00205303 6 HB 3 m 00205306 6 HB





HDMI™-Cable



hama

Antenna Cable "Coax Plug - Coax Socket, 75 dB", White

Productline	Essential Line
Type of Shielding	Double Shielded
Screening Rate	75 dB

- 75-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection

Antenna Cable, Coax Plug – Coax Plug, gld-pltd, Ferrite, 1.5 m, 90dB, white

Productline	Essential Line
Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Triple shielding for very good reduction of electromagnetic interference
- Ferrite core for decimating remaining interference and for good signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- For devices with a 9.5 mm coax connection

hama

Antenna Cable, Coax Plug – Coax Socket, 1.5 m, 75 dB, white

Type of Shielding	Double Shielded			
Screening Rate	75 dB			
 Double-shielded (braiding + alumi- nium foil) Ideal for cable TV 				

hama

HDMI™-Cable "High Speed, HDMI Plug - HDMI Plug, Ethernet, Gold-Plated"

Productline				
Shade of colour				
Data Transfer Rate				
Max. Resolution				
Version				
Transfer of all digit copy protection da Gold-plated plug of signal transmission transfer resistance For perfect, high-r quality (4096 x 21) Colour space: 30/3 Transfer of 8PCM, DTS, MPEG, DVD a Digital Plus, True H audio data Network functiona integrated Interne (HEC); network 10 With integrated au (ARC) Transmission of th player via ACE (Au Enhancement) HDMI™ CEC suppo Electronics Contro High-speed transfe Gbit/s for all pictur standards				

	HB													
		00205328									1.5 m			
5	HB											6	HB	
		00205329									3 m			
5	HB											6	HB	
		00205330	1	1.5 m			00205279	1.5 m		00056523	5 m			
0	HB				6	HB			25 SC			6	HB	

1.5 m

3 m

5 m

7.5 m

10 m

15 m

00205325

00205326

00205327


6 HB

6 HB

6

6

6



Version

1.5 m

SPECIAL ARTICLES

hama 151 2025 is

Telephone Adapter



hama

Adapter, 3-Pin Plug - 6p4c Modular Socket

Productline	Essential Line
Shade of colour	White

- High-quality materials and workmanship guarantee excellent transmission quality
- For connecting analogue devices with modular plugs to telephone sockets based on the 3-pin Italian standard

		00201159
6	HB	



hama

Adapter, 3-Pin Plug - 6p4c Modular Socket

Productline	Essential Line
Shade of colour	White

• High-quality materials and workmanship guarantee excellent transmission quality





Network Cable

Network Cable "Flexi-Slim, CAT-6a, 10 Gbit/s, U/UTP", Black

Productline	Essential Line
Network Standard	CAT 6a
Shielding	U/UTP

- Gigabit Ethernet data transfer at up to 10 Gbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material
- minimise interference • Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet

12 BK

12 BK



hama

Network Cable "Flexi-Slim, CAT-6a, 10 Gbit/s, U/UTP", White

Productline	Essential Line
Network Standard	CAT 6a
Shielding	U/UTP

- Gigabit Ethernet data transfer at up to 10 Gbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet

12 BK

12 BK

00200789

00200790

0.5 m



hama

Network Cable "CAT-6a, 10 Gbit/s, U/UTP", White

Productline	Essential Line	
Network Standard	CAT 6a	
Shielding	U/UTP	

- Gigabit Ethernet data transfer at up to 10 Gbps
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet

00200771

6 HB



6 HB

00201160

0.25 m

0.5 m

0.25 m

0.5 m

00200791

Electrical Installation | Filters

Modular Distributor



hama

Modular Distributor, 6p4c Plug - 2 x 6p4c Socket

Productline	Essential Line	
Shade of colour	Black	
Model	Modular	

- · Gold-plated contacts with low contact resistance for secure signal transmission
- High-quality materials and workmanship guarantee excellent transmission quality

		00201163
8	HB	



hama

Ital. DSL Splitter, Tripolar Plug - Tripolar Socket + 6p2c Socket

- High-quality materials and workmanship quarantee excellent transmission quality
- Splits the original signal over two separate sockets (telephone and modem, router with integrated modem)
- Can also be used as a filter to reduce DSL signal interference

HB

hama

6p2c Socket

breakage


quality

kink protection and prevent cable

• Splits the original signal over two

6 HB

DSL signal interference 6p2c is also known as RJ11





At the point of sale.

Colour coded system for the right product category Reduces the amount of advice needed.

- → Easier to understand
- → Coordinated design for a homogeneous look
- → Modular combination options
- → Custom stocking for back walls and gondolas
- → Made from sustainable materials




Demo module/board | 00297604 – 297610



Shop strips | 00297624 – 297643 | 00297611 – 297614

Striking guidance function for customers



Printed on both sides, separates topics within the wall



Shop strips

Auria	Anna ala	Aana Milleriik	laine service fore Entritoiner
Auro 10010	Nama (ATTEND/SAC	Alexand ALEXATER 1181	Arrest
"Video"	"USB"	"Network"	"Home Entertainment"
99 x 20 cm 00297624	99 x 20 cm 00297628	99 x 20 cm 00297626	99 x 20 cm 00297655
124 x 20 cm 00297629	124 x 20 cm 00297633	124 x 20 cm 00297631	124 x 20 cm 00297656
99 x 10 cm 00297634	99 x 10 cm 00297638	99 x 10 cm 00297636	99 x 10 cm 00297657
124 x 10 cm 00297639	124 x 10 cm 00297643	124 x 10 cm 00297641	124 x 10 cm 00297658
"Audio"	"Antenna/SAT"	"Adapters/Hubs"	"Home Office"
99 x 20 cm 00297625	99 x 20 cm 00297611	99 x 20 cm 00297627	99 x 20 cm 00297668
124 x 20 cm 00297630	124 x 20 cm 00297612	124 x 20 cm 00297632	124 x 20 cm 00297669
99 x 10 cm 00297635	99 x 10 cm 00297613	99 x 10 cm 00297637	99 x 10 cm 00297670
124 x 10 cm 00297640	124 x 10 cm 00297614	124 x 10 cm 00297642	124 x 10 cm 00297671

Shelf dividers



"Video" 40 x 160 cm | 00297644 25 x 90 cm | 00297649 "Audio" 40 x 160 cm | 00297645 25 x 90 cm | 00297650




"USB" 40 x 160 cm | 00297648 25 x 90 cm | 00297653 "Antenna/SAT" 40 x 160 cm | 00297615

25 x 90 cm | 00297616



"Network" 40 x 160 cm | 00297646 25 x 90 cm | 00297651

"Adapter/Hubs" 40 x 160 cm | 00297647 25 x 90 cm | 00297652



"Home Entertainment" 40 x 160 cm | 00297659 25 x 90 cm | 00297617

"Home Office" 40 x 160 cm | 00297672 25 x 90 cm | 00297673

Demo Module/Board



"Video" 45 x 23 cm | 00297604 "Audio" 45 x 23 cm | 00297605



"USB" 45 x 23 cm | 00297610 "Antenna/SAT" 45 x 23 cm | 00297606



"Adapter/Hubs" 45 x 23 cm | 00297608 45 x 23 cm | 00297609

USB-C Docking

Station Demo Module



"Network" 45 x 23 cm | 00297607

Wall holder



Wall holder for posters | 00297654 "Connect2Office Stand" USB-C Docking Station Demo Module, Dummy, 30 x 30 cm | 00297835



Reference to Computer Bild Selection.

Hook label set



ltem No.	Designation	For packaging width
00298480	"Computer Bild Selection" Hook Label Kit, Set of 5, 10.5 x 17.2 x 18.3 cm	9 cm
00995637	"Computer Bild Selection" Hook Label, 2 Pcs, 9.7 x 17.2 x 18.3 cm	9.5 cm
00298481	"Computer Bild Selection" Hook Label Kit, Set of 5, 15.5 x 17.2 x 18.3 cm	14 cm
00995632	"Computer Bild Selection" Hook Labels, 21.7 x 17.2 x 18.3 cm	21.5 cm
00298482	"Computer Bild Selection" Hook Labels, 31 x 17.2 x 18.3 cm	29.5 cm

Notice set



Sticker for marking the packaging







Wobbler for attachment to demo modules

Item No. Designation

00298487 Display set "Computer Bild Selection" consisting of 2 sheets of 95 stickers, 2 wobblers to explain the cooperation and 5 wobblers to attach to the demo module

Company headquarters

Hama GmbH & Co KG Dresdner Str. 9 86653 Monheim/Bavaria Germany Tel. +49 9091 502-0 Fax +49 9091 502-274 info.de@hama.com www.hama.com

www.facebook.com/Hama.Germany

All brand names listed are trade marks of the corresponding companies. Errors and changes to technology and design are reserved. Our general terms and conditions of business apply. Printed in Germany.

098344/01.2025



